Product catalogue 2026/2027

Sanitary systems

System walls

www.alcadrain.com

reddot winner 2024

DESIGN AWARD 2024

INTERNATIONALLY RECOGNIZED DESIGN

Alca is a trendsetter in the world of design. This is confirmed by the awards, which the company has received in recent years. In 2024, we got the second Red Dot award, this time for the series of flush plates Linka and Dot.Dot. The collection also appealed to the jury of the iF Design Award competition in the same year. Alca has also won awards for its WC flush plates in previous years, specifically the Red Dot in 2014 and the iF Design Award in 2018. However, not only flush plates are successful in design competitions, our invisible outdoor drainage channel solution impressed the judges at the ISH trade fair and they awarded it the Design Plus ISH 2023.



LEGEND

- Products from recycled material
- Flushing system 2/4 l
- WC tablets dispenser
- System with connector for extraction fan
- Top actuation
- For bidet and wall-hung WC
- Material with antibacterial properties
- 15 Extended guarantee
- For wooden construction houses
- Height adjustable partitions
- start stop One-button START/STOP flushing system
- dual 3 l/6 l Two-button DUAL 3/6 l flushing system
- click system Simple WC seat removal system
- soft close WC seat slow-closing safety system
- two-sided grid
- smart Combined odour trap SMART
- A15 Maximum load up to 1,5 t
- B125 Maximum load up to 12,5 t
- C250 Maximum load up to 25 t
- D400 Maximum load up to 40 t
- exter For outdoor use
- inter For interior use
- inter exter For use indoors and outdoors
- Ø50 Hole diameter in shower tray
- FROM II. Q Availability

Content

ALCASYSTEM 9
- Alcasystem – profiles 12
- Alcasystem – connectors and anchors 12
- Alcasystem – accessories 13
- Alcasystem – WC systems and mounting frames 14
- Alcasystem – sets 15

PRE-WALL INSTALLATION SYSTEMS 17
- Pre-wall installation systems 18
- Sanitary ware 32
- Pre-wall installation systems – accessories 33
- Insulation boards 37
- Mounting frames for plumbing fixtures 39

FLUSH PLATES AND SENSORS 45
- Basic – Entry Product Line 48
- Thin – Design Product Line 48
- Flat – Premium Product Line 49
- Special 50

VALVES AND EXPOSED PLASTIC WC CISTERNS 55
- Fill valves 58
- Flush valves 59
- Plastic WC cisterns 61
- Fill and flush kits 61
- Valves and plastic WC cisterns – accessories 64

WC SEATS 67
- WC seats 74
- WC seats Basic 74
- WC seats Duroplast 74
- WC seats Duroplast Softclose 75
- WC seats Slim 76
- WC seats – hinges 77

SHOWER DRAINS 81
- Stainless steel shower drains 84
- Plastic shower drains 100
- Stainless steel strips for sloped floor 115
- Custom-made stainless steel shower drains 116

OUTDOOR DRAINAGE SYSTEM 119
- Outdoor drain channels 122
- Outdoor drain channels – accessories 123, 133
- Universal rain drums 134
- Universal rain drums – accessories 135
- Drainage channels 136

FLOOR DRAINS 145
- Stainless steel floor drains 146
- Plastic floor drains with stainless steel grids 147
- Plastic floor drains with design grids 151
- Plastic floor drains with plastic grids 152
- Floor drains – accessories 154
- Waterproofing foil 156

WASTES AND TRAPS 159
- Products from recycled material 161
- Bath wastes and traps 162
- Bath waste and traps – accessories 169
- Shower wastes and traps 170
- Wash-basin wastes and traps 175
- Metal program 177
- Sink wastes and traps 183
- Wash-basin and sink wastes and traps – accessories 188
- Urinal and bidet traps 191
- Traps for household appliances 192
- Appliance traps – accessories 194

FLEXI PIPES 197
- Flexi pipes 198
- Flexi pipes – accessories 199

WC ACCESSORIES 201
- WC flexi connectors 202
- WC connectors 202
- Air admittance heads 204
- Bath access doors 205

PRODUCT LINES 206
- Program Individual 206
- Program Black-matt 208
- Program White-polished 210
- Program Brass 212

PRODUCT NEWS 2026 213

INDEX 224

Alca in facts and figures

From a garage to a manufacturing giant in Central and Eastern Europe. Alca has grown from a small company, initially operated by František Fabičovic in Břeclav – Charvátská Nová Ves, into a business that now operates on 110,000 m² site, with 9 international branches, its own showroom in Prague and a product porftolio of over 1,000 products. Alca is constantly growing and transforming.
The timeline shows the company development from its establishment to the present.

- **1** Production plant
- **6** Foreign branches
- **2** Foreign regions
- **750** Employees
- **1000** Products
- **70** Export countries
- **100%** Czech capital

1998 — Establishment of Alcaplast

1999 — The first injection molded products

2000 — Opening of the production area Bratislavská, Břeclav

2001 — Opening of admin. building Bratislavská street, Břeclav

2002 — Opening of the first foreign branch (Slovakia)

2003 — Participation in the first fair

2004 — Start of WC pre-wall installation systems production

2005 — Expansion of production to Lanžhotská street in Břeclav (hall A)

2006 — Establishment Alcaplast Academy training center

2007 — Start of stainless steel shower drains production

2008

2009 — Start of floor drains production

2010 — Opening of production hall B

2011 — Radka Prokopová won the main prize in the Manager of the Year 2015 competition

2012 — We placed first time in the Best 100 Czech companies competition

2013

2014 — Red Dot Award for flush plates Flat

2015 — Gaia Award for WC modules with water-saving flush

2016 — Opening of production hall D

2017 — Establishment of Obelisk Winery

2018 — Awards iF Design Award for Night Light flush plates

2019 — Opening of production hall C

2020 — Rebranding of Alcaplast to Alca

2021 — Start of Alcasystem production

2022 — Radka Prokopová for the first time Top Woman of the Czech Republic

2023 — Opening of showroom in Prague

2024 — Opening of logistic center hall E

2025 — Design awards received: Red Dot Award and iF Design Award for the Linka and Dot.Dot. flush plates collection, AOVT Grand Prize for Alcasystem

Victory of the company owners in the EY Entrepreneur of the Year Czech Republic 2018 competition



E S G

Responsibility towards nature and society

At Alca, we are aware of our responsibility towards the environment and society. We actively seek to minimize our impact and sustainability is a core value that influences every aspect of our operations. Our vision is to create quality products that respect the needs of future generations.

ENERGY RECOVERY

Among our efficiency measures, we are implementing energy recovery units in newly established production lines. Energy recovery is thus the next step in our quest to achieve maximum energy efficiency and sustainability within our operations.

WASTE RECYCLING

We focus on ecological sustainability and efficient waste recycling. We regranulate plastic waste from the primary production process and reuse it in manufacturing, while metal waste is sent for recycling, reducing the need for new raw materials and minimizing environmental impact.

COGENERATION UNITS

Alca implements a wide range of energy-saving measures, including efficient heating solutions. Heating the production halls with waste heat from molding machines, combined with several cogeneration units, exemplifies environmentally friendly industrial manufacturing.

USE OF RECYCLED MATERIAL

We have set a clear goal – to minimize the impact of our business on the planet. We focus on using recycled plastics, giving new life to materials that would otherwise end up as waste. We design our products with a long durability in mind and pack them in eco-friendly packaging that can be easily recycled. Each step on this journey brings us closer to a more sustainable future that we want to create for generations to come.

GAME RESERVE OBELISK

Implementation of a unique landscaping project, which restored lost water in the soil and returned home to hundreds of plant and animal species. Work whose importance intervened and recognized academics and whose scope will affect generations to come.
That's Game Reserve Obelisk.

DEVELOPMENT OF EDUCATION AT SECONDARY SCHOOLS

Alca is aware of the financial challenges faced by the school apprenticeship system, which is why it focuses on equipping secondary schools and vocational schools with plumbing workshops, where students can get hands-on experience with sanitary technology and acquire the necessary skills.

PHOTOVOLTAIC PANELS


In 2023, we took a significant step towards energy self-sufficiency and sustainability. Photovoltaic panels were installed on all the roofs of the Alca production facility in Břeclav, contributing to a reduction in energy consumption and enabling us to harness renewable energy directly from nature. Furthermore, we have extended photovoltaic installations to the roofs of Obelisk Winery and Obelisk Game Reserve, supporting their transition toward more sustainable operations. These steps are part of our long-term commitment to sustainability and environmental responsibility.

EMPLOYEE CARE

Having satisfied employees is important to us. In addition to a competitive salary and a modern working environment, we offer benefits such as fun events and an emphasis on safety. We provide quality equipment, training and ensure compliance with safety regulations so that everyone feels safe at work.

SOCIAL SUPPORT

We bring hope, love and help where it is most needed. We cooperate with the foundation Be Charity and actively support, for example, the Křižovatka Foundation, Zdravotní Klaun, the Children's Laugh Foundation, and the Břeclav Regional Charity.



Alcasystem

Alcasystem ____ 10
- Alcasystem – profiles 12
- Alcasystem – connectors and anchors 12
- Alcasystem – accessories 13
- Alcasystem – WC systems and mounting frames 14
- Alcasystem – sets 15

VIDEO

Alcasystem – system walls





MEETS THE REQUIREMENTS OF EU STANDARDS

up to **40 %** lighter than brick construction

- **Fast and clean construction**
- **Low weight, high solidity**
- **High load-bearing capacity of the wall**
- **Own production and stock**
- **Perfectly precise and straight walls**

The extended warranty of 15 years applies to the installation of the entire system Alca (including water distribution and installation frames) by a specialized company.



TIMBERING
It is used for attaching fixtures, handles or bathroom furniture




FAUCET CONSOLE
Support element for fixing the faucet



PROFILE CONNECTOR
Used to connect profiles





PROFILE LOCK
Used to anchoring to the wall



WASTE HOLDER
It is used for fixing the waste pipe

Alcasystem
is technical solution from one supplier for your building.

It opens up a new possibility of realization, whether it is a small project or a large construction. Acceleration of construction, sophisticated technology and cost savings.

DEVELOPED AND TESTED

KNAUF iBMB MPA TU BRAUNSCHWEIG

A wall up to 4.5 meters high and arbitrarily wide can be built from three basic elements *

Even a less qualified worker without extensive construction experience can handle it.
We can also assemble the pre-wall for you and deliver it to the construction site.



* Technical manual at www.alcadrain.com/en/qr/as-manual

AS-4500
System profile 4.5 m



Quantity (packing)	25 pcs
Quantity (pallet)	– pcs
Material	galvanized steel

AS-P001
Corner connector



Quantity (packing)	100 pc
Quantity (pallet)	– pcs
Material	galvanized steel

AS-P002
Profile connector



Quantity (packing)	30 pc
Quantity (pallet)	– pcs
Material	polyamide (PA)

AS-P003
Handle washer



Quantity (packing)	100 pc
Quantity (pallet)	– pcs
Material	rubber

AS-P004
Waste pipe holder for WC systems DN110



Quantity (packing)	20 pc
Quantity (pallet)	– pcs
Material	galvanized steel

AS-P005, AS-P105, AS-P205, AS-P305
Pipe holder DN25–30, DN40–46, DN48–53, DN72–78



Quantity (packing)	10 pc
Quantity (pallet)	– pcs
Material	galvanized steel

AS-P011
Profile holder, simple 150 mm



Quantity (packing)	30 pcs
Quantity (pallet)	– pcs
Material	galvanized steel

AS-P012
Profile holder, simple 85 mm



Quantity (packing)	50 pcs
Quantity (pallet)	– pcs
Material	galvanized steel

AS-P013
Profile holder, double 186 mm



Quantity (packing)	20 pcs
Quantity (pallet)	- pcs
Material	galvanized steel

AS-P014
Profile holder, double 241 mm



Quantity (packing)	20 pcs
Quantity (pallet)	– pcs
Material	galvanized steel

AS-P015
Profile lock



Quantity (packing)	40 pcs
Quantity (pallet)	– pcs
Material	galvanized steel

AS-P016
Profile holder, simple 222 mm



Quantity (packing)	20 pcs
Quantity (pallet)	– pcs
Material	galvanized steel

AS-P018
Profile lock – extended 186 mm

AS-P215
Profile lock – extended 347 mm



Quantity (packing)	20 pcs
Quantity (pallet)	– pcs
Material	galvanized steel

AS-P021
Showerhead console



Quantity (packing)	20 pcs
Quantity (pallet)	– pcs
Material	galvanized steel

AS-P124
Installation frame for concealed washing machine trap for connection of two appliances



Quantity (packing)	1 pcs
Quantity (pallet)	– pcs
Material	–

AS-P023
Console for fixing washbasin and urinal



Quantity (packing)	1 pcs
Quantity (pallet)	– pcs
Material	–

AS-P025
Console for water inlet and waste



Quantity (packing)	1 pcs
Quantity (pallet)	– pcs
Material	–

AS-P031
L-Profile for fillings 200 mm



Quantity (packing)	20 pcs
Quantity (pallet)	– pcs
Material	galvanized steel


AS-P041
Anchoring flap



Quantity (packing)	5 pcs
Quantity (pallet)	– pcs
Material	galvanized steel

AS120/1120 Sádromodul
new

Pre-wall installation system for toilets with bidet function






Quantity (packing)	1 pc
Quantity (pallet)	20 pcs
Dimensions (packing)	1130×520×145 mm
Weight (packing)	9.2968 kg
Installation height	1120 mm

15

Special WC system for mounting to Alcasystem



AS101 Sádromodul
Pre-wall installation system for dry build up (plasterboard)






Quantity (packing)	1 pc
Quantity (pallet)	20 pcs
Dimensions (packing)	1177×575×132 mm
Weight (packing)	12.9715 kg
Installation height	1037 mm

15

AS105/850
Mounting frame for bidet






Quantity (packing)	1 pc
Quantity (pallet)	18 pcs
Dimensions (packing)	1190×523×90 mm
Weight (packing)	11.9276 kg
Installation height	850 mm

15

AS101-SET01, AS101-SET01-PR *
System wall + Pre-wall installation system






Quantity (packing)	1 pc
Quantity (pallet)	- pcs
Dimensions (packing)	1100×1250×180 mm
Weight (packing)	30.05 kg
Installation height	1250 mm

15

AS101-SET02, AS101-SET02-PR *
System wall





Quantity (packing)	1 pc
Quantity (pallet)	- pcs
Dimensions (packing)	1100×1250×180 mm
Weight (packing)	10.4611 kg
Installation height	1250 mm

15

* PR in the product code means already assembled prefabricated wall

OVERVIEW OF ALCASYSTEM COMPONENTS FOR THE INSTALLATION OF WASHBASIN AND URINAL

Wash-basin

Code	Number of pcs
AS-P023	1×
AS-P025	1×
AS-4500	1×
AS-P001	6×
AS-P012	6×



Urinal

Code	Number of pcs
AS-P023	1×
AS-P025	2×
AS-4500	1×
AS-P001	6×
AS-P012	6×





Pre-wall installation systems


Pre-wall installation systems 18
- Pre-wall installation systems for wooden construction houses 23
- WC modules with water-saving flush 24
- Pre-wall installation systems Slim 25
- Pre-wall installation systems with reinforcing fibreglass mesh 26
- Pre-wall installation systems with top or front actuation 27
- Pre-wall installation systems for people with reduced mobility 28
- Pre-wall installation systems with national certification 29

Sanitary ware 32
Pre-wall installation systems – accessories 33
Insulation boards 37
Mounting frames for plumbing fixtures 39

VIDEO

AM112 Basicmodul

Wall concealed WC cistern








Quantity (packing)	1 pc
Quantity (pallet)	20 pcs
Dimensions (packing)	1050×480×140 mm
Weight (packing)	4.8719 kg
Small/big flush	2.5–3.5 l/6–9 l
Installation height	1062 mm

15

AM115/1000 Renovmodul

Pre-wall installation system for building into solid walls








Quantity (packing)	1 pc
Quantity (pallet)	20 pcs
Dimensions (packing)	1045×140×475 mm
Weight (packing)	9.9307 kg
Small/big flush	2.5–3.5 l/6–9 l
Installation height	1062 mm

15

AM100/1000 Alcamodul

Pre-wall installation system for building into solid walls









Quantity (packing)	1 pc
Quantity (pallet)	20 pcs
Dimensions (packing)	1045×140×475 mm
Weight (packing)	7.4299 kg
Small/big flush	2.5–3.5 l/6–9 l
Installation height	1062 mm

15

AM101/1120 Sádromodul

Pre-wall installation system for dry build up (plasterboard)








Quantity (packing)	1 pc
Quantity (pallet)	20 pcs
Dimensions (packing)	1130×145×520 mm
Weight (packing)	13.8593 kg
Small/big flush	2.5–3.5 l/6–9 l
Installation height	1120 mm

15

AM100/850 Alcamodul

Pre-wall installation system for building into solid walls









Quantity (packing)	1 pc
Quantity (pallet)	20 pcs
Dimensions (packing)	1045×140×475 mm
Weight (packing)	7.0327 kg
Small/big flush	2.5–3.5 l/6–9 l
Installation height	862 mm

15

AM101/1120F Sádromodul

Pre-wall installation system for dry build up (plasterboard)








Quantity (packing)	1 pc
Quantity (pallet)	20 pcs
Dimensions (packing)	1130×145×520 mm
Weight (packing)	14.707 kg
Small/big flush	2.5–3.5 l/6–9 l
Installation height	1120 mm

15

AM101/1000 Sádromodul

Pre-wall installation system for dry build up (plasterboard)







Quantity (packing)	1 pc
Quantity (pallet)	20 pcs
Dimensions (packing)	1130×145×520 mm
Weight (packing)	13.7147 kg
Small/big flush	2.5–3.5 l/6–9 l
Installation height	1062 mm

15

AM101/850 Sádromodul

Pre-wall installation system for dry build up (plasterboard)




Quantity (packing)	1 pc
Quantity (pallet)	15 pcs
Dimensions (packing)	1130×145×520 mm
Weight (packing)	13.08 kg
Small/big flush	2.5–3.5 l/6–9 l
Installation height	866 mm

15

AM102/1120 Jádromodul

Pre-wall installation system for dry build up (especially for renovation of concrete panel housing units)








Quantity (packing)	1 pc
Quantity (pallet)	15 pcs
Dimensions (packing)	1130×145×520 mm
Weight (packing)	16.1679 kg
Small/big flush	2.5–3.5 l/6–9 l
Installation height	1120 mm

15

AM102/1000 Jádromodul

Pre-wall installation system for dry build up (especially for renovation of concrete panel housing units)







Quantity (packing)	1 pc
Quantity (pallet)	15 pcs
Dimensions (packing)	1130×145×520 mm
Weight (packing)	15.9829 kg
Small/big flush	2.5–3.5 l/6–9 l
Installation height	980 mm

15

AM102/850 Jádromodul

Pre-wall installation system for dry build up (especially for renovation of concrete panel housing units)




Quantity (packing)	1 pc
Quantity (pallet)	15 pcs
Dimensions (packing)	1130×145×520 mm
Weight (packing)	15.6493 kg
Small/big flush	2.5–3.5 l/6–9 l
Installation height	866 mm

15

AM116/1120 Solomodul

Pre-wall installation system for dry build up (freestanding)








Quantity (packing)	1 pc
Quantity (pallet)	12 pcs
Dimensions (packing)	1195×220×525 mm
Weight (packing)	20.8917 kg
Small/big flush	2.5–3.5 l/6–9 l
Installation height	1120 mm

15

AM120/1120 Sádromodul

Pre-wall installation system for toilets with bidet function




Quantity (packing)	1 pc
Quantity (pallet)	15 pcs
Dimensions (packing)	1130×520×145 mm
Weight (packing)	14.1511 kg
Small/big flush	2.5–3.5 l/6–9 l
Installation height	1120 mm



AM121/1120 Sádromodul

Pre-wall installation system with integrated hygienic pipe flushing function




Quantity (packing)	1 pc
Quantity (pallet)	20 pcs
Dimensions (packing)	1130×145×520 mm
Weight (packing)	13.8879 kg
Small/big flush	2.5–3.5 l/6–9 l
Installation height	1120 mm



AM115/1000V Renovmodul

Pre-wall installation system with ventilation for building into solid walls




Quantity (packing)	1 pc
Quantity (pallet)	20 pcs
Dimensions (packing)	1045×140×475 mm
Weight (packing)	9.9458 kg
Small/big flush	2.5–3.5 l/6–9 l
Installation height	1062 mm



AM122/1120D Sádromodul

new

Pre-wall installation system for dry build up (plasterboard), split frame




Quantity (packing)	1 pc
Quantity (pallet)	20 pcs
Dimensions (packing)	1130×145×520 mm
Weight (packing)	16.4344 kg
Small/big flush	2.5–3.5 l/6–9 l
Installation height	1120 mm



AM101/1120W Sádromodul

Pre-wall installation system for dry build up (plasterboard)




Quantity (packing)	1 pc
Quantity (pallet)	15 pcs
Dimensions (packing)	1130×145×520 mm
Weight (packing)	14.3208 kg
Small/big flush	2.5–3.5 l/6–9 l
Installation height	1120 mm



AM101/850W Sádromodul

Pre-wall installation system for dry build up (plasterboard)




Quantity (packing)	1 pc
Quantity (pallet)	15 pcs
Dimensions (packing)	1130×145×520 mm
Weight (packing)	14.0995 kg
Small/big flush	2.5–3.5 l/6–9 l
Installation height	866 mm



AM115/1000E Renovmodul

Pre-wall installation system with water-saving flushing 2/4 l for building into solid walls









Quantity (packing)	1 pc
Quantity (pallet)	20 pcs
Dimensions (packing)	1045×140×475 mm
Weight (packing)	9.8327 kg
Small/big flush	2–4 l/3,5–6 l
Installation height	1062 mm

AM101/1120E Sádromodul

Pre-wall installation system with water-saving flushing 2/4 l for dry build up (plasterboard)








Quantity (packing)	1 pc
Quantity (pallet)	15 pcs
Dimensions (packing)	1130×145×520 mm
Weight (packing)	13.6405 kg
Small/big flush	2–4 l/3,5–6 l
Installation height	1120 mm

AM102/1120E Jádromodul

Pre-wall installation system with water-saving flushing 2/4 l for dry build up (especially for renovation of concrete panel housing units)








Quantity (packing)	1 pc
Quantity (pallet)	15 pcs
Dimensions (packing)	1130×145×520 mm
Weight (packing)	16.2582 kg
Small/big flush	2–4 l/3,5–6 l
Installation height	1120 mm

AM1112 Basicmodul Slim

Wall concealed WC cistern








Quantity (packing)	1 pc
Quantity (pallet)	25 pcs
Dimensions (packing)	965×515×110 mm
Weight (packing)	5.1675 kg
Small/big flush	3 l/6 l
Installation height	1100 mm

AM1115/1000 Renovmodul Slim

Pre-wall installation system for building into solid walls








Quantity (packing)	1 pc
Quantity (pallet)	20 pcs
Dimensions (packing)	1086×528×145 mm
Weight (packing)	9.9544 kg
Small/big flush	3 l/6 l
Installation height	1070 mm

AM1101/1200 Sádromodul Slim

Pre-wall installation system for dry build up (plasterboard)









Quantity (packing)	1 pc
Quantity (pallet)	15 pcs
Dimensions (packing)	1210×140×590 mm
Weight (packing)	16.0926 kg
Small/big flush	3 l/6 l
Installation height	1175 mm

AM1112P Basicmodul Slim

Wall concealed WC cistern with reinforcing fibreglass mesh






Quantity (packing)	1 pc
Quantity (pallet)	25 pcs
Dimensions (packing)	965×515×110 mm
Weight (packing)	5.1821 kg
Small/big flush	3 l/6 l
Installation height	1100 mm

15

AM1115P/1000 Renovmodul Slim

Pre-wall installation system for building into solid walls with reinforcing fibreglass mesh






Quantity (packing)	1 pc
Quantity (pallet)	20 pcs
Dimensions (packing)	1086×528×145 mm
Weight (packing)	10.7379 kg
Small/big flush	3 l/6 l
Installation height	1070 mm

15

AM1101P/1200 Sádromodul Slim

Pre-wall installation system for dry build up (plasterboard) with reinforcing fibreglass mesh






Quantity (packing)	1 pc
Quantity (pallet)	15 pcs
Dimensions (packing)	1210×140×590 mm
Weight (packing)	15.215 kg
Small/big flush	3 l/6 l
Installation height	1175 mm

15

AM118/850 Sádromodul

Pre-wall installation system for dry build up (plasterboard) with top or front actuation






Quantity (packing)	1 pc
Quantity (pallet)	16 pcs
Dimensions (packing)	998×526×178 mm
Weight (packing)	13.2526 kg
Small/big flush	2.5–3.5 l/6–9 l
Installation height	858 mm

15

AM119/850 Renovmodul

Pre-wall installation system for building into solid walls with top or front actuation






Quantity (packing)	1 pc
Quantity (pallet)	16 pcs
Dimensions (packing)	1040×465×180 mm
Weight (packing)	10.5605 kg
Small/big flush	2.5–3.5 l/6–9 l
Installation height	862 mm

15

AM101/1300H Sádromodul

Pre-wall installation system for dry build up (plasterboard) – for people with reduced mobility






Quantity (packing)	1 pc
Quantity (pallet)	5 pcs
Dimensions (packing)	1195×935×145 mm
Weight (packing)	32.6599 kg
Small/big flush	2.5–3.5 l/6–9 l
Installation height	1274 mm

AM116/1300H Solomodul

Pre-wall installation system for dry build up, freestanding – for people with reduced mobility






Quantity (packing)	1 pc
Quantity (pallet)	5 pcs
Dimensions (packing)	1010×1285×210 mm
Weight (packing)	46.0403 kg
Small/big flush	2.5–3.5 l/6–9 l
Installation height	1274 mm

AM101/850-0005 WRAS

Pre-wall installation system for dry build up (plasterboard)






Quantity (packing)	1 pc
Quantity (pallet)	15 pcs
Dimensions (packing)	1130×145×520 mm
Weight (packing)	13.08 kg
Small/big flush	2.5–3.5 l/6–9 l
Installation height	866 mm

AM101/1000-0005 WRAS

Pre-wall installation system for dry build up (plasterboard)






Quantity (packing)	1 pc
Quantity (pallet)	20 pcs
Dimensions (packing)	1130×145×520 mm
Weight (packing)	13.7147 kg
Small/big flush	2.5–3.5 l/6–9 l
Installation height	1062 mm

AM101/1120-0005 WRAS


Pre-wall installation system for dry build up (plasterboard)





Quantity (packing)	1 pc
Quantity (pallet)	20 pcs
Dimensions (packing)	1130×145×520 mm
Weight (packing)	13.8593 kg
Small/big flush	2.5–3.5 l/6–9 l
Installation height	1120 mm

AM112-0005 WRAS
Wall concealed WC cistern








Quantity (packing)	1 pc
Quantity (pallet)	20 pcs
Dimensions (packing)	1050×480×140 mm
Weight (packing)	4.8719 kg
Small/big flush	2.5–3.5 l/6–9 l
Installation height	1062 mm

15

WRAS APPROVED PRODUCT CERTIFICATION MARK

AM120/1120-0005 WRAS
Pre-wall installation system for toilets with bidet function









Quantity (packing)	1 pc
Quantity (pallet)	15 pcs
Dimensions (packing)	1130×520×145 mm
Weight (packing)	14.1511 kg
Small/big flush	2.5–3.5 l/6–9 l
Installation height	1120 mm

15

WRAS APPROVED PRODUCT CERTIFICATION MARK

AM101/1120-0006 KIWA
Pre-wall installation system for dry build up (plasterboard)








Quantity (packing)	1 pc
Quantity (pallet)	20 pcs
Dimensions (packing)	1130×145×520 mm
Weight (packing)	13.8593 kg
Small/big flush	2.5–3.5 l/6–9 l
Installation height	1120 mm

15


kiwa certified FLOAT OPERATED VALVES FLUSHING CISTERNS

AM123/1120E
new

Pre-wall installation system for dry build up (plasterboard), free-standing, connection to waste pipe DN 100







Quantity (packing)	1 pc
Quantity (pallet)	10 pcs
Dimensions (packing)	1138×547×146 mm
Weight (packing)	19.0392 kg
Small/big flush	2.5–3.5 l/6–9 l
Installation height	1120 mm

15

WC SOLID
Wall-hung WC + WC seat SLIM SOFTCLOSE, Duroplast



Quantity (packing)	1 pc
Quantity (pallet)	16 pcs
Material	ceramics

WC AURA
new

Wall-hung WC



Quantity (packing)	1 pc
Quantity (pallet)	12 pcs
Material	ceramics

WS AURA
new

Waste sink with cover grid



Quantity (packing)	1 pc
Quantity (pallet)	12 pcs
Material	ceramics

WC Alca MEDIC
Wall-hung WC for people with reduced mobility



Quantity (packing)	1 pc
Quantity (pallet)	6 pcs
Material	ceramics

P128
Extraction fan for pre-wall installation systems with ventilation



Quantity (packing)	7 pc
Quantity (pallet)	112 pcs
Material	plastic

P115
Water flow speed regulator



Quantity (packing)	100 pcs
Quantity (pallet)	3200 pcs
Material	polypropylene

M9006
Flexible elbow waste connector for wall-hung WC, 90 mm × 90–110 mm, length 450 mm, PP, white




Quantity (packing)	25 pcs
Quantity (pallet)	400 pcs
Material	polypropylene

P103
Water supply console G1/2"



Quantity (packing)	1 pcs
Quantity (pallet)	- pcs
Material	brass, powder-coated metal

P169
Set for inserting WC tablets



Quantity (packing)	24 pcs
Quantity (pallet)	672 pcs
Material	plastic

M906
Elbow waste connector 90° for wall-hung WC, reducer DN 90 × DN 110, length 205 mm, PE, black



Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material	polyethylene

M908
Elbow waste connector 90° for wall-hung WC, DN 90 × DN 90, length 200 mm, PE, black



Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material	polyethylene

M907
Waste reducer for wall-hung WC, eccentric 7 mm, DN 90 × DN 110, length 98 mm, PE, black



Quantity (packing)	60 pcs
Quantity (pallet)	960 pcs
Material	polyethylene

M909
Double elbow waste connector 90° for wall-hung WC, reducer 2×DN 90 × DN 110, length 253 mm, PE, black



Quantity (packing)	10 pcs
Quantity (pallet)	160 pcs
Material	polyethylene

M968
Elbow waste connector 90° for wall-hung WC, Slim, DN 90 × DN 90, length 285 mm, PE, black



Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material	polyethylene

M900
Connector kit for wall-hung WC with threaded rods, DN 90, length 200 mm, PP, white



Quantity (packing)	15 pcs
Quantity (pallet)	240 pcs
Material	polypropylene, galvanized metal

M9000
Connector kit for wall-hung WC with threaded rods, extended, DN 90, length 300 mm, PE, white



Quantity (packing)	15 pcs
Quantity (pallet)	240 pcs
Material	polypropylene, galvanized metal

M900K-DN90
Connector kit for wall-hung WC, DN 90, length 200 mm, PE, chrome



Quantity (packing)	15 pcs
Quantity (pallet)	240 pcs
Material	polyethylene, galvanized metal

M900K-DN110
Connector kit for wall-hung WC, DN 110, length 200 mm, PE, chrome



Quantity (packing)	25 pcs
Quantity (pallet)	400 pcs
Material	polyethylene, galvanized metal

M9000K-DN90
Connector kit for wall-hung WC, DN 90, length 300 mm, PE, chrome

M9000K-DN110
new

Connector kit for wall-hung WC, DN 110, length 300 mm, PE, chrome

Quantity (packing)	15 pcs
Quantity (pallet)	240 pcs
Material	polyethylene, galvanized metal

M900KE-DN90
Connector kit for wall-hung WC with threaded rods, eccentric 25 mm, DN 90, length 215 mm, PE, white



Quantity (packing)	15 pcs
Quantity (pallet)	240 pcs
Material	polyethylene, galvanized metal

M900KE-DN110
Connector kit for wall-hung WC with threaded rods, eccentric 25 mm, DN 110, length 215 mm, PE, white



Quantity (packing)	10 pcs
Quantity (pallet)	160 pcs
Material	polyethylene, galvanized metal

M901
Connector for wall-hung WC with rubber pipe sealing, Ø 45 mm, length 200 mm, PP, black



Quantity (packing)	50 pcs
Quantity (pallet)	800 pcs
Material	polypropylene

M9001
Extension piece for wall-hung WC with rubber pipe sealing, Ø 45 mm, length 300 mm, PP, black



Quantity (packing)	– pcs
Quantity (pallet)	– pcs
Material	polypropylene

M147
Extension piece for wall-hung WC, Ø 45 mm, length 300 mm, PP, black



Quantity (packing)	75 pcs
Quantity (pallet)	2100 pcs
Material	polypropylene

M148
Extension piece for wall-hung WC, DN 90, length 300 mm, PE, black



Quantity (packing)	15 pcs
Quantity (pallet)	240 pcs
Material	polypropylene

M902
Connector for wall-hung WC, DN 90, length 200 mm, PE, black

Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material	polypropylene

M918
Adapter for corner installations

Quantity (packing)	40 pcs
Quantity (pallet)	1120 pcs
Material	plastic, galvanized metal, stainless steel

M90
Legs for pre-wall installation systems



Quantity (packing)	1 pcs
Quantity (pallet)	- pcs
Material	powder-coated metal

P118
Prolonged legs for pre-wall installation systems



Quantity (packing)	1 pcs
Quantity (pallet)	- pcs
Material	powder-coated metal

P192
Connection set for toilets or seats with bidet function



Quantity (packing)	1 pcs
Quantity (pallet)	- pcs
Material	stainless steel, brass, plastic

P193
Connection board for toilets or seats with bidet function



Quantity (packing)	1 pcs
Quantity (pallet)	- pcs
Material	stainless steel with black-matt finish

M976
new

Bracket for fixing to the wall, 2 pcs



Quantity (packing)	15 pcs
Quantity (pallet)	420 pcs
Material	galvanized metal

V0285-ND
new

Seal 64×30×2 mm, silicone



Quantity (packing)	1000 pcs
Quantity (pallet)	- pcs
Material	silicone

V0015-ND

Seal 64×30×2 mm



Quantity (packing)	1 pcs
Quantity (pallet)	- pcs
Material	rubber

M91


Noise insulation for wall-hung WC and bidets



Quantity (packing)	150 pcs
Quantity (pallet)	600 pcs
Material	XPLE

M910


Noise insulation for wall-hung WC and bidets with accessories including cover cap (white)



Quantity (packing)	50 pcs
Quantity (pallet)	800 pcs
Material	XPLE

M910CR


Noise insulation for wall-hung WC and bidets with accessories including cover cap (chrome)



Quantity (packing)	50 pcs
Quantity (pallet)	800 pcs
Material	XPLE

M930

Noise insulation for wall-hung WC and bidets with accessories including cover cap (white)



Quantity (packing)	50 pcs
Quantity (pallet)	800 pcs
Material	XPLE

M930CR

Noise insulation for wall-hung WC and bidets with accessories including cover cap (chrome)



Quantity (packing)	50 pcs
Quantity (pallet)	800 pcs
Material	XPLE

M920

Noise insulation for floor standing WC and bidets



Quantity (packing)	150 pcs
Quantity (pallet)	600 pcs
Material	XPLE

M940

Noise insulation for wall-hung wash--basins



Quantity (packing)	100 pcs
Quantity (pallet)	600 pcs
Material	XPLE

M950

Noise insulation for wall-hung urinals



Quantity (packing)	60 pcs
Quantity (pallet)	240 pcs
Material	XPLE

PRE-WALL INSTALLATION SYSTEMS CHARACTERISTICS









Code	For building into solid walls	For dry build up	For wooden construction houses	Water-saving flush	With ventilation	Slim	Top actuation	For people with reduced mobility	Self-supporting/In front of supporting wall	WC tablets dispenser
Wall concealed WC cistern										
AM112	●			●						●
AM1112	●					●				
Alcamodul										
AM100/1000	●			●						●
AM100/1000E	●			●						●
AM100/850	●									●
Sádromodul										
AM101/1000	○	●		●						●
AM101/1120	○	●		●	●					●
AM101/1120E	○	●		●	●					●
AM101/1120F	○	●		●	●					●
AM101/1120W			●	●	●					
AM101/1300H	○	●		●	●			●		●
AM101/850	○	●								●
AM1101/1200	○	●			●	●				
AM118/850	○	●					●			●
AM101/850W			●	●						
AM120/1120	○	●		●	●					●
AM121/1120	○	●			●					●
AM122/1120D	○	●			●					●
AM123/1120E	○	●		●	●				●	●
AS101		●		●	●					●
AS120		●		●	●					●
Jádromodul										
AM102/1000	○	●		●						●
AM102/1120	○	●		●	●					●
AM102/1120E	○	●		●	●					●
AM102/850	○	●								●
Renovmodul										
AM115/1000	●			●						●
AM115/1000E	●			●						●
AM115/1000V	●			●	●					●
AM1115/1000	●				●	●				
AM119/850	●						●			●
Solomodul										
AM116/1120	○	●		●	●				●	●
AM116/1300H	○	●		●	●			●	●	●
Medic Assistant										
AM101/1500L					●			●	●	

● *basic characteristic*
○ *it can also be built into solid walls*
● *it can be easily converted to a WC system with water-saving flush by replacing A06E flush valve*

Innovation of mounting frames

NEW HEIGHT
1120 mm

UNIFIED WIDTH
510 mm

- **Made in Czech Republic**
- **Exceptional warranty 15 years**
- **Availability of spare parts 25 years**



CROSSBARS MOUNTING FROM THE BACK SIDE

Faster installation thanks to adjustable partitions



CROSSBAR POSITION LOCK

Fixing the position with a lock

VARIABILITY OF WASTE ELBOW DIAMETER

Waste elbow with connection to trap DN32/DN40, for waste DN40/DN50

Applies to frames A104, A105






FIXATION SET EASY LOCK FOR MOUNTING TO THE WALL

Even faster and easier installation

The new design allows a simple mounting to the wall in half the time.

Exact setting

Optional additional adjustment to an optimal position using an allen key accessed via the front of the frame.



ASSEMBLY OF URINALS WITH HIDDEN CONNECTION

Just turn the larger galvanized bracket 180° and fasten it first in the order from the top.


The procedure is shown in detail in the installation manual.



ANCHOR FEET BRAKE

The feet lock system allows setting the necessary building height of the frame profile and then ensure its final position by tightening.

A104/1120
Mounting frame for wash-basin






Quantity (packing)	1 pc
Quantity (pallet)	30 pcs
Dimensions (packing)	1125×515×75 mm
Weight (packing)	8.2629 kg
Installation height	1120 mm

15

A104A/1120
Mounting frame for wash-basin and tap






Quantity (packing)	1 pc
Quantity (pallet)	30 pcs
Dimensions (packing)	1125×515×75 mm
Weight (packing)	9.0631 kg
Installation height	1120 mm

15

A105/1120
Mounting frame for bidet






Quantity (packing)	1 pc
Quantity (pallet)	20 pcs
Dimensions (packing)	1125×515×75 mm
Weight (packing)	12.0453 kg
Installation height	1120 mm

15

A105/850
Mounting frame for bidet






Quantity (packing)	1 pc
Quantity (pallet)	20 pcs
Dimensions (packing)	1125×515×75 mm
Weight (packing)	11.0362 kg
Installation height	850 mm

15

A104AVS/1120
Mounting frame for wash-basin and tap with built-in trap






Quantity (packing)	1 pc
Quantity (pallet)	30 pcs
Dimensions (packing)	1125×515×75 mm
Weight (packing)	9.4664 kg
Installation height	1120 mm

15

A104B/1120
Mounting frame for faucet






Quantity (packing)	1 pc
Quantity (pallet)	30 pcs
Dimensions (packing)	1125×515×75 mm
Weight (packing)	7.2297 kg
Installation height	1120 mm

15

A105/450
Mounting frame for bidet






Quantity (packing)	1 pc
Quantity (pallet)	20 pcs
Dimensions (packing)	450×513×80 mm
Weight (packing)	9.5662 kg
Installation height	450 mm

15

A106/1120
Mounting frame for handle






Quantity (packing)	1 pc
Quantity (pallet)	30 pcs
Dimensions (packing)	1126×340×78 mm
Weight (packing)	11.1351 kg
Installation height	1120 mm

15

A104PB/1120
Mounting frame for built-in mixer






Quantity (packing)	1 pc
Quantity (pallet)	30 pcs
Dimensions (packing)	1125×515×75 mm
Weight (packing)	7.7442 kg
Installation height	1120 mm

15

A104/850
Mounting frame for wash-basin






Quantity (packing)	1 pc
Quantity (pallet)	30 pcs
Dimensions (packing)	1125×515×75 mm
Weight (packing)	7.3981 kg
Installation height	850 mm

15

A107/1120
Mounting frame for urinal






Quantity (packing)	1 pc
Quantity (pallet)	30 pcs
Dimensions (packing)	1125×515×75 mm
Weight (packing)	8.744 kg
Installation height	1120 mm

15

A107S/1120
Mounting frame for urinal and sensor






Quantity (packing)	1 pc
Quantity (pallet)	30 pcs
Dimensions (packing)	1125×515×75 mm
Weight (packing)	9.9772 kg
Installation height	1120 mm

15

A108/1300
Mounting frame for waste sink and faucet






Quantity (packing)	1 pc
Quantity (pallet)	30 pcs
Dimensions (packing)	1300×510×65 mm
Weight (packing)	6.1447 kg
Installation height	1300 mm

15

A108F/1500
Mounting frame with cistern for a waste sink with waste connection DN90/110 and faucet






Quantity (packing)	1 pc
Quantity (pallet)	10 pcs
Dimensions (packing)	1460×530×155 mm
Weight (packing)	17.3481 kg
Installation height	1460 mm

15

A114S/1120
Mounting frame for wall-hung WC and sensor






Quantity (packing)	1 pcs
Quantity (pallet)	15 pcs
Dimensions (packing)	1125×515×75 mm
Weight (packing)	12.9341 kg
Installation height	1120 mm

15

A117B
Mounting frame for faucet in plasterboard structure






Quantity (packing)	20 pcs
Quantity (pallet)	160 pcs
Dimensions (packing)	370×80×140 mm
Weight (packing)	1.9108 kg
Installation height	– mm

15

A108F/1100
Mounting frame with cistern for a waste sink with waste connection DN 90/110 and faucet






Quantity (packing)	1 pc
Quantity (pallet)	15 pcs
Dimensions (packing)	1107×515×139 mm
Weight (packing)	15.8606 kg
Installation height	1067 mm

15

A108F 5:1 SET-01
new

Set: mounting frame, waste sink inc. grid, insulation, flush plate






Quantity (packing)	1 pc
Quantity (pallet)	– pcs
Dimensions (packing)	1195×530×145, 640×390×440 mm
Weight (packing)	31.6522 kg
Installation height	1066 mm

15

A117PB
Mounting frame for built-in mixer in plasterboard structure





Quantity (packing)	1 pc
Quantity (pallet)	40 pcs
Dimensions (packing)	800×133×470 mm
Weight (packing)	6.3274 kg
Installation height	– mm


15

M972
Elbow waste connector DN 50/40



Quantity (packing)	1 pc
Quantity (pallet)	- pcs
Dimensions (piece)	190×170×5 mm
Weight (packing)	0.122 kg

A113/1120
Mounting frame for wall-hung WC combi






Quantity (packing)	1 pc
Quantity (pallet)	15 pcs
Dimensions (packing)	1158×515×140 mm
Weight (packing)	11.1245 kg
Installation height	1120 mm

15

A114/1120
Mounting frame for wall-hung WC





Quantity (packing)	1 pc
Quantity (pallet)	15 pcs
Dimensions (packing)	1158×515×140 mm
Weight (packing)	11.1019 kg
Installation height	1120 mm

15



Flush plates and sensors

Flush plates for pre-wall installation systems 46
Basic – Entry Product Line 48
Thin – Design Product Line 48
Flat – Premium Product Line 49
Special 50


Flush plates for pre-wall installation systems

The exclusivity of WC flush plates lies in precise processing, innovative development and the use of the most modern technologies, thanks to which it offers a wide range of color designs that easily match any interior style. The flush plates are divided into four sections: Basic, Thin, Flat and Special. The primary product line Basic meets the high demands of everyday use, thanks to its long life, constant color and easy maintenance. The Thin category have flat profile, which stands out only five millimeters above the tiles. The premium Flat series brings fine materials to bathrooms, such as stainless steel, brass, aluminum or Czech glass. The range Special offers modern and hygienic solutions, such as flush plates with touch-less sensors, remote control or increased resistance, which are suitable for any bathroom or space.

100 %

Compatibility with Alca WC systems

Flush plates Alca are fully compatible with all types of Alca WC systems. Experiment with shapes, materials and colors in your bathroom.



Tilting

For more convenient refilling of toilet tablets, the majority of flush plates are equipped with a tilting system. This allows you to easily tilt the flush plate without the use of any tools, insert the WC tablet into the tablet dispenser and put the flush plate back on.



Anti-fingerprint

The surface of the flush plates has a special protective layer, which does not show fingerprint marks. In addition to the aesthetic function has this adjustment also other benefits. The flush plates need not to be treated so often, thereby significantly increasing their long-life.



Antibacterial surface treatment

Selected flush plates with black-matt and white-matt finishes come with an antibacterial surface treatment. The upper transparent varnish contains silver nanoparticles, which have antibacterial properties and prevent the spread of unwanted micro-organisms on the surface of the flush plate.


Flush plates with antibacterial surface finish

M72, M272, M278, M372, M1712-8, M1722, M1728-2, M1732, M1876, M1876-1, M1876-7, M1878, M1878-7, M1976, M1976-2, M1978, M1978-7, M57-BR-M, M57-G-M, M57-GM-M, M57-N-M, M57-RG-M, M772, M776, M778, M778-5, M672, M676, M678, M572, M576, M578, MOON-BLACK, FUN-BLACK, FUN-G-B, FUN-GM-B, FUN-N-B, FUN-RG-B, TURN-BLACK



Touch-free control


What will guarantee a zero percent transfer of bacteria? Touch-free control. With one elegant gesture, you solve everything, keeping your body protected from contact with bacteria.






Basic – Entry Product Line

Basic 2


M270 White-polished


M271 Chrome-polished


M272 Chrome-matt



M275 Gold-polished


M278 Black-matt [2]

Basic 7


M70 White-polished


M71 Chrome-polished



M72 Chrome-matt


M75 Gold-polished

Thin – Design Product Line

Thin 5



M570 White-polished [1]
M576 White-matt [1] [2]



M571 Chrome-polished [1]



M572 Chrome-matt [1]


M575 Gold-polished [1]


M578 Black-matt [1] [2]


M57-BR-M BRASS-matt [1]


M57-G-M GOLD-matt [1]


M57-RG-M RED GOLD--matt [1]


M57-N-M NICKEL-matt [1]


M57-GM-M GUN METAL--matt [1]

Thin 6


M670 White-polished [1]
M676 White-matt [1] [2]


M671 Chrome-polished [1]


M672 Chrome-matt [1]


M675 Gold-polished [1]


M678 Black-matt [1] [2]

Thin 7


M770 White-polished/ chrome-polished [1]
M776 White-matt/ chrome-polished [1] [2]


M771 Chrome-polished/ chrome-matt [1]
M772 Chrome-matt/ chrome-polished [1]


M775 White-polished/ gold-polished [1]


M778-5 Black-matt/gold--polished [1] [2]


M778 Black-matt/chrome-polished [1] [2]

Linka


M1876 White-matt [1] [2]


M1876-1 White-matt/ chrome-polished [1] [2]


M1878 Black-matt [1] [2]


M1878-7 Black-matt/gold--matt [1] [2]

Dot.Dot.


M1976 White-matt [1] [2]


M1976-2 White-matt/ chrome-matt [1] [2]


M1978 Black-matt [1] [2]


M1978-7 Black-matt/gold-matt [1] [2]

Quantity (packing)	25 pcs
Quantity (pallet)	700 pcs
Material BASIC, THIN	plastic

Flat – Premium Product Line

Ray


RAY Alunox-matt [1]


RAY-GL1200 Glass-white [1]


RAY-GL1204 Glass-black [1]

Moon

MOON Alunox-matt [1]

MOON-WHITE Inox-white polished [1]

MOON-BLACK Inox-black matt [1] [2]

MOON-BRASS Brass [1]

Turn

TURN Alunox-matt [1] TURN-INOX Inox-semi matt [1]

TURN-WHITE Inox-white polished [1]

TURN-BLACK Inox-black matt [1] [2]

TURN-BRASS Brass [1]

Fun

FUN Alunox-matt [1]
FUN-INOX Inox-semi matt [1]

FUN-WHITE Inox-white polished [1]

FUN-BLACK Inox-black matt [1] [2]

FUN-BRASS Brass [1]

[1] Flush plate with tilting mechanism

[2] Antibacterial coating

Fun Individual




FUN-G-P GOLD-polished [1] [2]



FUN-RG-P RED GOLD--polished [1] [2]



FUN-N-P NICKEL--polished [1] [2]



FUN-GM-P GUN METAL-polished [1] [2]



FUN-G-B GOLD--brushed matt [1] [2]



FUN-RG-B RED GOLD--brushed matt [1] [2]



FUN-N-B NICKEL--brushed matt [1] [2]



FUN-GM-B GUN METAL--brushed matt [1] [2]

Quantity (packing)	10 pcs
Quantity (pallet)	280 pcs
Material ALUNOX	anodized aluminum, stainless steel
Material INOX	stainless steel

Material BRASS	brass
Material GLASS	stainless steel, glass
Material INDIVIDUAL	stainless steel with PVD finish
Material AIR	anodized aluminum

Air



AIR Alunox-matt [1]
AIR-INOX Inox-semi matt [1]



AIR LIGHT Alunox–matt

Special

Night Light



NIGHT LIGHT-1
Glass-black
NIGHT LIGHT-1-SLIM
Glass-black



NIGHT LIGHT-2
Glass-black
NIGHT LIGHT-2-SLIM
Glass-black



NIGHT LIGHT-3
Glass-black
NIGHT LIGHT-3-SLIM
Glass-black

Quantity (packing)	6 pcs
Quantity (pallet)	96 pcs
Material NIGHT LIGHT	glass

Antivandal



M279 Metal



M279S Metal (AC power supply)

M279SB Metal (DC battery operated)

M279S-SLIM
Metal (AC power supply)

Quantity (packing)	10 pcs
Quantity (pallet)	280 pcs
Material	stainless steel

Sensor flush plates



M370S White (AC power supply)

M370SB White (DC battery operated)

M370S-SLIM
White (AC power supply)



M371S Chrome-polished (AC power supply)

M371SB Chrome--polished (DC battery operated)

M371S-SLIM
Chrome-polished (AC power supply)

Quantity (packing)	10 pcs
Quantity (pallet)	160 pcs
Material	plastic

[1] Flush plate with tilting mechanism
[2] Antibacterial coating

Sensors

ASP3
Automatic WC flushing system, chrome, 12 V (AC power supply)


ASP3-B
Automatic WC flushing system, chrome, 6 V (DC battery operated)



Quantity (packing)	12 pcs
Quantity (pallet)	192 pcs
Material	stainless steel, chrome-plated plastic

ASP3-K
Automatic WC flushing system, metal, 12 V (AC power supply)

ASP3-KB
Automatic WC flushing system, metal, 6 V (DC battery operated)



Quantity (packing)	12 pcs
Quantity (pallet)	192 pcs
Material	stainless steel

ASP3-KT
Automatic WC flushing system, metal, manual, 12 V (AC power supply)

ASP3-KBT
Automatic WC flushing system, metal, manual, 6 V (DC battery operated)



Quantity (packing)	12 pcs
Quantity (pallet)	192 pcs
Material	stainless steel

ASP4
Automatic flushing system for urinal, chrome, 12 V (AC power supply)

ASP4-B
Automatic flushing system for urinal, chrome, 6 V (DC battery operated)



Quantity (packing)	16 pcs
Quantity (pallet)	256 pcs
Material	stainless steel, chrome-plated plastic

ASP4-K
Automatic flushing system for urinal, metal, 12 V (AC power supply)

ASP4-KB
Automatic flushing system for urinal, metal, 6 V (DC battery supply)



Quantity (packing)	16 pcs
Quantity (pallet)	256 pcs
Material	stainless steel

ASP4-KT
Automatic flushing system for urinal, metal, manual, 12 V (AC power supply)



Quantity (packing)	16 pcs
Quantity (pallet)	256 pcs
Material	stainless steel

AEZ310
Power supply 230 V AC/12 V DC/12 W, IP42



Quantity (packing)	1 pc
Quantity (pallet)	- pcs

AEZ320
Power supply 230 V AC/12 V DC/18 W, IP67



Quantity (packing)	1 pc
Quantity (pallet)	- pcs

Remote flushing

MPO10
Remote pneumatic flush for hand operation, white, installation: into the wall



Quantity (packing)	10 pcs
Quantity (pallet)	160 pcs
Material	ABS, polypropylene

MPO11
Remote pneumatic flush for hand operation, chrome-polished, installation: into the wall



Quantity (packing)	10 pcs
Quantity (pallet)	160 pcs
Material	chrome-plated plastic

MPO12
Remote pneumatic flush for foot operation, metal, installation: into the floor



Quantity (packing)	10 pcs
Quantity (pallet)	160 pcs
Material	stainless steel, ABS, polypropylene

MPO13
Remote pneumatic flush for foot operation, metal, installation: onto the wall



Quantity (packing)	10 pcs
Quantity (pallet)	160 pcs
Material	stainless steel, ABS, polypropylene

P120
Cover plate for pre-wall installation systems, alunox-matt



Quantity (packing)	25 pcs
Quantity (pallet)	700 pcs
Material	anodized aluminum

ATS001
Urinal pressure flush valve



Quantity (packing)	20 pcs
Quantity (pallet)	560 pcs
Material	chrome-plated metal

POWER SUPPLY UNITS OVERVIEW

Code	Recommended power supply unit
APZ5 Spa backlight	
AEZ120	AEZ310, AEZ320
AEZ121	AEZ310, AEZ320
AEZ122	AEZ310, AEZ320
AEZ123	AEZ310, AEZ320
AEZ124	AEZ310, AEZ320
Illumination of flush plate AIR LIGHT	
AIR LIGHT	AEZ310
AIR LIGHT R	AEZ310
Automatic flushing systems for WC and urinals	
ASP3	AEZ310
ASP3-B	battery box 4× AA included in packaging
ASP3-K	AEZ310
ASP3-KB	battery box 4× AA included in packaging
ASP3-KBT	battery box 4× AA included in packaging
ASP3-KT	AEZ310
ASP4	AEZ310
ASP4-B	battery box 4× AA included in packaging
ASP4-K	AEZ310
ASP4-KB	battery box 4× AA included in packaging
ASP4-KT	AEZ310
ASP5-KB	battery box 4× AA included in packaging
Sensory flush plates	
M279S	AEZ310
M279SB	battery box 4× AA included in packaging
M370S	AEZ310
M370SB	battery box 4× AA included in packaging
M371S	AEZ310
M371SB	battery box 4× AA included in packaging
M372S	AEZ310
M279S-SLIM	AEZ310
M370S-SLIM	AEZ310
M371S-SLIM	AEZ310
Touch-free flush plates	
NIGHT LIGHT-1	power source unit included in packaging
NIGHT LIGHT-2	power source unit included in packaging
NIGHT LIGHT-3	power source unit included in packaging
NIGHT LIGHT-1-SLIM	power source unit included in packaging
NIGHT LIGHT-2-SLIM	power source unit included in packaging
NIGHT LIGHT-3-SLIM	power source unit included in packaging
Accessories for pre-wall installation systems with ventilation	
P128	power supply 230 V




Valves and exposed plastic WC cisterns

Fill valves 58
Flush valves 59
Plastic WC cisterns 61
Fill and flush kits 61
Valves and plastic WC cisterns – accessories 64

Side fill valves

We have designed the fill valves primarily to be fast, exceptionally resistant to impurities contained in water and to perfectly withstand a wide range of pressures 0.05–1.6 MPa (0.5–16 bar) in various countries around the world.



EASY MAINTENANCE AND FAST SERVICE
Cleaning the filter using **CLICK system** without a need of dismantling the tube

INCREASED DURABILITY AGAINST IMPURITIES
Secured by a **conical shape of the filter**

EXTRA FAST FILLING
Twice as fast filling without the use of a water flow regulator

SILENT FILLING
With a regulator of the water flow

MAXIMUM RELIABILITY
The new membrane works even within the water pressure fluctuations of **0.05–1.6 MPa (0.5–16 bar)**

NO RECOIL
Thanks to the smooth closing of the valve

LONGER LIFETIME
The fill valve is made of a material which **is more resistant against limescale**

UNIVERSAL
Designed for plastic and ceramic **WC cisterns and pre-wall installation systems**

ALWAYS THE SAME WATER LEVEL
Regardless of the water pressure in the pipes


OVERVIEW OF SIDE FILL VALVES


6

Code	Water connection	Thread material	Application		
A150-1/2"	1/2"	plastic	ceramic cisterns		
A150-3/8"	3/8"	plastic	ceramic cisterns		
A150P-1/2"	1/2"	plastic		plastic WC cisterns	
A150P-3/8"	3/8"	plastic		plastic WC cisterns	
A160-1/2"	1/2"	metal	ceramic cisterns		
A160-3/8"	3/8"	metal	ceramic cisterns		
A160P-3/8"	3/8"	metal		plastic WC cisterns	WC systems
A150UNI	1/2", 3/8"	plastic	ceramic cisterns	plastic WC cisterns	WC systems
A160UNI	1/2", 3/8"	metal	ceramic cisterns	plastic WC cisterns	WC systems

ONE PRODUCT FOR ALL OPTIONS
7 thread variants + 2 universal packages







A150-1/2"
Side inlet fill valve for ceramic WC cisterns



Quantity (packing)	70 pcs
Quantity (pallet)	1120 pcs
Material	POM

A150-3/8"
Side inlet fill valve for ceramic WC cisterns



Quantity (packing)	70 pcs
Quantity (pallet)	1120 pcs
Material	POM

A150P-1/2"
Side inlet fill valve for plastic WC cisterns



Quantity (packing)	70 pcs
Quantity (pallet)	1120 pcs
Material	POM

A150P-3/8"
Side inlet fill valve for plastic WC cisterns



Quantity (packing)	70 pcs
Quantity (pallet)	1120 pcs
Material	POM

A160-1/2"
Side inlet fill valve metal thread for ceramic WC cisterns



Quantity (packing)	70 pcs
Quantity (pallet)	1120 pcs
Material	POM

A160-3/8"
Side inlet fill valve metal thread for ceramic WC cisterns



Quantity (packing)	70 pcs
Quantity (pallet)	1120 pcs
Material	POM

A160P-3/8"
Side inlet fill valve metal thread for plastic WC cisterns



Quantity (packing)	70 pcs
Quantity (pallet)	1120 pcs
Material	POM

A150UNI
Side inlet fill valve, universal



Quantity (packing)	70 pcs
Quantity (pallet)	1120 pcs
Material	POM

A160UNI
Side inlet fill valve metal thread, universal



Quantity (packing)	36 pcs
Quantity (pallet)	576 pcs
Material	POM

A150PDF-3/8"
new

Side inlet fill valve with delayed filling for plastic WC cisterns



Quantity (packing)	70 pcs
Quantity (pallet)	1120 pcs
Material	POM

A160PDF-3/8"
new

Side inlet fill valve with delayed filling, metal thread, for plastic WC cisterns and pre-wall installation systems



Quantity (packing)	70 pcs
Quantity (pallet)	1120 pcs
Material	POM

A17-1/2"
Bottom inlet fill valve for ceramic WC cisterns



Quantity (packing)	50 pcs
Quantity (pallet)	800 pcs
Material	ABS

A17-3/8"
Bottom inlet fill valve for ceramic WC cisterns



Quantity (packing)	50 pcs
Quantity (pallet)	800 pcs
Material	ABS

A18-1/2"
Bottom inlet fill valve metal thread for ceramic WC cisterns



Quantity (packing)	50 pcs
Quantity (pallet)	800 pcs
Material	ABS

A18-3/8"
Bottom inlet fill valve metal thread for ceramic WC cisterns



Quantity (packing)	50 pcs
Quantity (pallet)	800 pcs
Material	ABS

A2000-CHROM
Flush valve with STOP button



Quantity (packing)	25 pcs
Quantity (pallet)	400 pcs
Material	ABS

A05-CHROM
Flush valve with raised STOP button



Quantity (packing)	25 pcs
Quantity (pallet)	400 pcs
Material	ABS

A08A
Flush valve with DUAL control button



Quantity (packing)	16 pcs
Quantity (pallet)	256 pcs
Material	ABS

A02
Flush valve for low level cistern (until 2025)



Quantity (packing)	25 pcs
Quantity (pallet)	400 pcs
Material	ABS

A02A
new

Flush valve for low level cistern (since 2025)



Quantity (packing)	25 pcs
Quantity (pallet)	400 pcs
Material	plastic

A03
Flush valve for high level cistern



Quantity (packing)	25 pcs
Quantity (pallet)	400 pcs
Material	ABS

A03A
Flush valve for high level cistern



Quantity (packing)	35 pcs
Quantity (pallet)	560 pcs
Material	ABS

A06
Flush valve for pre-wall installation systems



Quantity (packing)	30 pcs
Quantity (pallet)	480 pcs
Material	ABS

A06E
Flush valve with water-saving flushing 2/4 l for pre-wall installation systems



Quantity (packing)	25 pcs
Quantity (pallet)	400 pcs
Material	ABS

A06-850
Flush valve for reduced pre-wall installation systems with 850 mm height



Quantity (packing)	30 pcs
Quantity (pallet)	480 pcs
Material	ABS

A07
Flush valve for cistern A93, A930



Quantity (packing)	25 pcs
Quantity (pallet)	400 pcs
Material	ABS

A09B
Flush valve for Slimmodul



Quantity (packing)	50 pcs
Quantity (pallet)	800 pcs
Material	ABS

A930-H-1/2"
Toilet cistern UNI DUAL universal, white

A930-H-3/8"
Toilet cistern UNI DUAL universal, white



Quantity (packing)	1 pc
Quantity (pallet)	65 pcs

A930-H-3/8"-F
new

Toilet cistern UNI DUAL universal, white + hose



Quantity (packing)	1 pc
Quantity (pallet)	65 pcs

A930-M-1/2"
Low level toilet cistern DUAL, white

A930-M-3/8"
Low level toilet cistern DUAL, white



Quantity (packing)	1 pc
Quantity (pallet)	65 pcs

A940-H-1/2"
Toilet cistern UNI START–STOP universal, white

A940-H-3/8"
Toilet cistern UNI START–STOP universal, white



Quantity (packing)	1 pc
Quantity (pallet)	65 pcs

A940-H-3/8"-F
new

Toilet cistern UNI START–STOP universal, white + hose



Quantity (packing)	1 pc
Quantity (pallet)	65 pcs

A940-M-1/2"
Low level toilet cistern START–STOP, white

A940-M-3/8"
Low level toilet cistern START–STOP, white



Quantity (packing)	1 pc
Quantity (pallet)	65 pcs

A930E-M-3/8"
new

Low level toilet cistern DUAL, white (6 l)



Quantity (packing)	1 pc
Quantity (pallet)	70 pcs

A940E-M-3/8"
new

Low level toilet cistern START-STOP, white (6 l)



Quantity (packing)	1 pc
Quantity (pallet)	70 pcs

A95
Flush pipe DN32 in two parts + wrapping seal



Quantity (packing)	1 pc
Quantity (pallet)	- pcs

A950
Flush pipe set DN35



Quantity (packing)	1 pc
Quantity (pallet)	- pcs

A951-230
Flush pipe – elbow DN 44/50



Quantity (packing)	1 pc
Quantity (pallet)	- pcs

A951-390
Flush pipe – elbow DN 44/50



Quantity (packing)	1 pc
Quantity (pallet)	- pcs

Z0026-ND
Rubber reducing insert Ø 60/32 mm



Quantity (packing)	1 pcs
Quantity (pallet)	–
Material	rubber

SA2000 1/2" CHROM
Fill and flush kit with STOP button
Package content: A150-1/2", A2000, blind plug, screws, gaskets



Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs

SA2000 3/8" CHROM
Fill and flush kit with STOP button
Package content: A150-3/8", A2000, blind plug, screws, gaskets



Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs

SA2000K 1/2" CHROM
Fill and flush kit with STOP button
Package content: A160-1/2", A2000, blind plug, screws, gaskets



Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs

SA2000K 3/8" CHROM
Fill and flush kit with STOP button
Package content: A160-3/8", A2000, blind plug, screws, gaskets



Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs

SA2000S 1/2" CHROM
Fill and flush kit with STOP button
Package content: A17-1/2", A2000, screws, gaskets



Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs

SA2000S 3/8" CHROM
Fill and flush kit with STOP button
Package content: A17-3/8", A2000, screws, gaskets



Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs

SA2000SK 1/2" CHROM
Fill and flush kit with STOP button
Package content: A18-1/2", A2000, screws, gaskets



Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs

SA2000SK 3/8" CHROM
Fill and flush kit with STOP button
Package content: A18-3/8", A2000, screws, gaskets



Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs

SA08A 1/2" CHROM
Fill and flush kit with DUAL control button
Package content: A150-1/2", A08A, blind plug, screws, gaskets



Quantity (packing)	16 pcs
Quantity (pallet)	256 pcs

SA08A 3/8" CHROM
Fill and flush kit with DUAL control button
Package content: A150-3/8", A08A, blind plug, screws, gaskets



Quantity (packing)	16 pcs
Quantity (pallet)	256 pcs

SA08AK 1/2" CHROM
Fill and flush kit with DUAL control button
Package content: A160-1/2", A08A, blind plug, screws, gaskets



Quantity (packing)	16 pcs
Quantity (pallet)	256 pcs

SA08AK 3/8" CHROM
Fill and flush kit with DUAL control button
Package content: A160-3/8", A08A, blind plug, screws, gaskets



Quantity (packing)	16 pcs
Quantity (pallet)	256 pcs

SA08AS 1/2" CHROM
Fill and flush kit with DUAL control button
Package content: A17-1/2", A08A, screws, gaskets



Quantity (packing)	16 pcs
Quantity (pallet)	256 pcs

SA08AS 3/8" CHROM
Fill and flush kit with DUAL control button
Package content: A17-3/8", A08A, screws, gaskets



Quantity (packing)	16 pcs
Quantity (pallet)	256 pcs

SA08ASK 1/2" CHROM
Fill and flush kit with DUAL control button
Package content: A18-1/2", A08A, screws, gaskets



Quantity (packing)	16 pcs
Quantity (pallet)	256 pcs

SA08ASK 3/8" CHROM
Fill and flush kit with DUAL control button
Package content: A18-3/8", A08A, screws, gaskets



Quantity (packing)	16 pcs
Quantity (pallet)	256 pcs

V0018-ND
Button cover (A2000)



Quantity (packing)	1 pcs
Quantity (pallet)	- pcs

P0014-ND
Button complete set chrome (A05)



Quantity (packing)	1 pcs
Quantity (pallet)	- pcs

V0011-ND
Button complete set chrome (A2000)



Quantity (packing)	1 pcs
Quantity (pallet)	- pcs

V0296-ND
Button complete set chrome (A08A)



Quantity (packing)	1 pcs
Quantity (pallet)	- pcs

V0015-ND
Seal 64×30×2 mm



Quantity (packing)	1 pcs
Quantity (pallet)	- pcs

N0020-ND
End cap chrome



Quantity (packing)	1 pcs
Quantity (pallet)	- pcs

V0285-ND
new
Seal 64×30×2 mm, silicone



Quantity (packing)	1000 pcs
Quantity (pallet)	- pcs
Material	silicone



WC seats

WC seats ____ 74
WC seats Basic ____ 74
WC seats Duroplast ____ 74
WC seats Softclose ____ 75
WC seats Slim ____ 76
WC seats – hinges ____ 77

WC seats



soft close

SOFTCLOSE system – Slow closing WC seat cover

The SOFTCLOSE system is characterised by its slow seat closing action. The mechanism within the hinges of the WC seat ensure a smooth and quiet closure onto the ceramics. A big advantage of this system is to protect the WC pan from damage caused by accidental dropping of the seat. It also ensures greater safety and comfort for the user when handling the seat. It is particularly suitable for public areas and for families with children.

Duroplast

Toilet seats made of high-quality Duroplast material will satisfy even the most demanding Customers. Duroplast material greatly reduces discomfort of sitting on a cold surface of a WC seat.



click system

CLICK system for easy cleaning

CLICK system on WC seat hinges allows for easier and faster cleaning of the WC pan and seat itself. The seat is released from the pan by pressing the two buttons on the inner side of the seat hinges, allowing it to be lifted clear for cleaning. The seat is easily and quickly returned to its original position by pressing it back onto the hinges.




Setting of hinges for perfect compatibility

Easy mounting of Alca seats onto the WC pan is guaranteed thanks to the large range of possible adjustment of the seat hinges. This together with the shape of the WC seats enable them to be fitted to many types of ceramics. The hinges are made of stainless steel and are white powder paint coated to blend them into the ceramic surface, this also ensures long life and durability.



Comfortable top mounting

For Duroplast seats with CLICK system we offer an alternative to the classic bottom mounting hinges. Designed for toilet bowls with limited access the hinge system can be mounted and tightened from the top surface only, eliminating the need to gain access from below.





2in1

The integrated seat insert with magnetic holder

Duroplast seats A603 and A606 are equipped with a fully integrated infant potty seat insert. It is attached to the hinge pins and can be easily removed. The insert is made of lightweight polypropylene material so that a child can safely and simply manipulate the seat. When not use the potty seat insert is retained magnetically by the seat cover allowing normal adult use.





WC Seats with print

We also offer WC seats with color printing with three themes – flower, shell and zen.



A60 – COMPATIBILITY CHART

	✓✓	✓
Manufacturer	Type	Type
ALCADRAIN	Alca, Grand (C)	
CERSANIT	President (C), Terra, Moduo	Solari (C)
DEK		Wecco (C)
IDEAL STANDARD	Eurovit (Ecco) (C), Eurovit (Ecco), Simplicity, Simplicity (C), Vidima SevaMix (C), Ulysse 2 (C)	
JIKA	Mio, Lyra (C), Lyra Plus (C), Dino, Easy / Olymp, Olymp (C), Zeta (C), Zeta Plus (C), Roman (C), Lukas, Norma (C), Euroline (C), Deep New Handicap	
KOLO	Style, Nova top, Napoli (C), Rekord (C), Rekord	Primo, Piano (C)
SANITEC / KERAMAG		Renova Nr. 1
VITRA	Concept 100 (Ptáček), SeaBay (C), Pera	
VILLEROY & BOCH	Omnia, Omnia Pro, Omnia Compact	

A3553 – COMPATIBILITY CHART

	✓✓	✓
Manufacturer	Type	Type
ALCADRAIN		Alca
CERSANIT	Kompakt 393, Kompakt Kaskada	Delfi
IDEAL STANDARD	Vidima SevaMix (C), Ulysse 2 (C)	Simplicity, Simplicity (C), Eurovit (C), Eurovit
JIKA	Dino Rimless	Lyra Plus, Tigo, Tigo (C), Zeta
KOLO		Piano (C), Piano
PTÁČEK		Easy, Concept
RICHTER + FRENZEL	Optiline Europa	
WINKIEL		Lecico (C)

A6550 – COMPATIBILITY CHART

	✓✓	✓
Manufacturer	Type	Type
ALCADRAIN		Alca, Grand (C)
CERSANIT	Kompakt 393, Kompakt Kaskada	Delfi, Iryda (C), Koral (C), WC Kompakt President (C)
GUSTAVSBERG		Saval
IDEAL STANDARD	Vidima SevaMix (C), Ulysse 2 (C)	Simplicity, Simplicity (C), Eurovit (C), Eurovit
JIKA	Dino Rimless	Lyra Plus, Tigo, Tigo (C), Zeta, Dino, Mio, Lukas, Rigo, Norma, Pluto, Neo (C), Roman
KOLO		Piano (C), Piano, Primo, Idol Simple, Nova Rimfree
LECICO		Lecico (C)
PTÁČEK		Easy, Concept
RICHTER + FRENZEL	Optiline Europa	
TRIKER		EP 63 (C)

A6551 – COMPATIBILITY CHART

	✓✓	✓
Manufacturer	Type	Type
ALCADRAIN	Grand (C)	
JIKA	Lyra Plus (C), Lyra (C)	
MITO	Kompakt 373	
PTÁČEK	Easy (C), Concept (C)	

A601 – COMPATIBILITY CHART

	✓✓	✓
Manufacturer	Type	Type
ALCADRAIN	Alca	
CERSANIT	Terra, President (C), Moduo	Delfi
DEK	Wecco (C)	
FAYANS	Neo	
GUSTAVSBERG	Saval	Nautic
IDEAL STANDARD	Eurovit, Simplicity (C), Simplicity	Eurovit (C), Ulysse 2 (C), Vidima SevaMix
JIKA	Easy / Olymp, Zeta Plus (C), Roman (C)	Tigo, Olymp, Deep New Handicap
KERAMAG		Renova
KERAMIN	Omega (C)	
KOLO	Rekord (C)	Primo, Rekord / Krainer
SANINDUSA	Cetus	

✓✓ = WC seat fully compatible with toilet bowl
✓ = WC seat compatible with toilet bowl but not perfect fit
(C) = combi WC
(T) = top installation

indicative list

A602, A603 – COMPATIBILITY CHART

	✓✓	✓
Manufacturer	Type	Type
ALCADRAIN	Alca	
ALFÖLDI	Saval, Bázis, Solinár	
CERSANIT	Terra, Lotos, Classic, Ellada, Eko-2000, Koral, Atlantic, Solari, Family, Meteor, Trento, Relax, Moduo	Iryda, Olimpia, Prezident, Roma, Merida, Delfi
DEK	Wecco (C)	
DOLOMITE	Garda	
FAYANS	Neo	
GALASSIA		Eden (T)
GUSTAVSBERG	Saval, Nautic	
IDEAL STANDARD	Eurovit, Simplicity (C), Simplicity, Storm, Seva M, Seva Mega	Eurovit (C), SevaMix
JIKA	Easy / Olymp, Dino, Roma, Lyra, Norma	Easy / Zeta (C), Tigo, Deep New Handicap
KERAMAG		Renova Nr.1
KERAMIN	Omega (C)	
KERASAN	Godia	
KOLO	Rekord, Idol, Impuls, Primo	Nova Top, Rekord / Krainer
MONDIAL	4031	
MULTI	Eur	
ROCA	Zoom	
ROSA	Elegans, Komfort, Evro, Premier, Ressa	
SAMARSKJI STROJFARFOR	Sanata	
SANINDUSA	Cetus	
SANTEK	Boreal, Briz	
SANTERI		Vita, Sonata
VILLEROY BOCH		O.novo
VITRA	Saval	

A604, A606 – COMPATIBILITY CHART

	✓✓	✓
Manufacturer	Type	Type
ALCADRAIN	Alca	
ALFÖLDI	Saval, Bázis, Solinár	
CERSANIT	Terra, Lotos, Classic, Ellada, Eko-2000, Koral, Atlantic, Solari, Family, Meteor, Trento, Relax, Moduo	Iryda, Olimpia, Prezident, Roma, Merida, Delfi
DEK	Wecco (C)	
DOLOMITE	Garda	
FAYANS	Neo	
GALASSIA		Eden (T)
GUSTAVSBERG	Saval, Nautic	
IDEAL STANDARD	Eurovit, Simplicity (C), Simplicity, Storm, Seva M, Seva Mega	Eurovit (C), SevaMix
JIKA	Easy / Olymp, Dino, Roma, Lyra, Norma	Easy / Zeta (C), Tigo, Deep New Handicap
KERAMAG		Renova Nr.1
KERAMIN	Omega (C)	
KERASAN	Godia	
KOLO	Rekord, Idol, Impuls, Primo	Nova Top, Rekord / Krainer
MONDIAL	4031	
MULTI	Eur	
ROCA	Zoom	
ROSA	Elegans, Komfort, Evro, Premier, Ressa	
SAMARSKJI STROJFARFOR	Sanata	
SANINDUSA	Cetus	
SANTEK	Boreal, Briz	
SANTERI		Vita, Sonata
VILLEROY BOCH		O.novo
VITRA	Saval	Normus

✓✓ = WC seat fully compatible with toilet bowl
✓ = WC seat compatible with toilet bowl but not perfect fit
(C) = combi WC
(T) = top installation

indicative list

A66 – COMPATIBILITY CHART

	✓✓	✓
Manufacturer	Type	Type
CERSANIT	President, Merida, Terra, Larga Oval (C)(T),	City Oval (T)
DOLOMITE	Clodia	
GALASSIA	Dream (T)	
GLACERA	Montanaro, Base	
HORNBACH		Dalea, Luna
IDEAL STANDARD	Eurovit (Ecco)	Vidima SevaMix (C)
JIKA	Mio, Dino, Easy / Olymp, Cubito, Zeta, Tigo	Zeta Plus (C), Dino Rimless
KERAMAG		Renova
KERASAN	Flo	
LAUFEN	Pro, Form	Lua (T)
RICHTER + FRENZEL	Optiset Optiline	
ROCA		Ona (T)
SAT		Infinitio (T)
VILLEROY & BOCH	Omnia, Omnia Architectura	
VITRA	S50-52 cm, Sento (T)	Integra (C)(T)

A67 – COMPATIBILITY CHART

	✓✓	✓
Manufacturer	Type	Type
CERSANIT	President, Merida, Terra	
DOLOMITE	Clodia	
GALASSIA	Dream (T)	
GLACERA	Montanaro, Base	
HORNBACH		Dalea, Luna
IDEAL STANDARD	Eurovit (Ecco)	Vidima SevaMix (C)
JIKA	Mio, Dino, Easy / Olymp, Cubito, Zeta, Lyra Plus, Tigo	Zeta Plus (C), Dino Rimless
KERAMAG		Renova
KERASAN	Flo	
LAUFEN	Pro, Form	Lua (T)
RAVAK	Chrome RimOff	
RICHTER + FRENZEL	Optiset Optiline	
VILLEROY & BOCH	Omnia, Omnia Architectura	
VITRA	S50-52 cm	

A67SLIM – COMPATIBILITY CHART

	✓✓	✓
Manufacturer	Type	Type
CERSANIT	President, Merida, Terra, Iryda (C), Larga Oval (C)(T)	Olimpia, Olimpia (C), Iryda
DOLOMITE	Clodia	
GLACERA	Montanaro, Base	
HORNBACH		Dalea, Luna
IDEAL STANDARD		Vidima SevaMix (C)
JIKA	Mio, Dino, Easy / Olymp, Cubito, Zeta, Dino Rimless, Lyra Plus, Tigo, Deep New Handicap	
JUNGBORN	Elena (C), Dalea, Melissa	
KERAMAG	Renova Nr. 1, Renova	
KERASAN	Flo	
LAUFEN		Lua (T)
KOLO	Style, Impuls	Quatro
RAVAK	Uni Chrome RimOff, Uni Chrome Rim	
VILLEROY & BOCH	Subway, Omnia Architectura	
VITRA	S50-52 cm	

✓✓ = WC seat fully compatible with toilet bowl
✓ = WC seat compatible with toilet bowl but not perfect fit
(C) = combi WC
(T) = top installation

indicative list

A64SLIM – COMPATIBILITY CHART

	✓✓	✓
Manufacturer	Type	Type
ALCADRAIN	Alca	
ALFÖLDI	Saval	Bázis
CERSANIT	President (C), Terra, Family, Solari, Classic, Iryda (C), Moduo	Olimpia, Olimpia (C), Iryda
DOLOMITE	Garda	
FAYANS	Neo	
GUSTAVSBERG	Saval, Nautic	
IDEAL STANDARD	Eurovit (Ecco)(C), Simplicity (C), Vidima Storm	Vidima SevaMix (C), Ulysse 2 (C), Vidima SevaM (C), Simplicity
JIKA	Lyra, Dino, Easy / Olymp, Zeta, Roman	Norma
KERAMAG		Renova Nr. 1
KERASAN	Godia	
KOLO	Nova Top, Delta, Impuls, Rekord, Idol (C)	Rekord (C), Piano (C), Primo
SANINDUSA	Cetus	
SANTEK	Boreal, Briz	
SANTERI		Vita, Sonata
VILLEROY & BOCH	Omnia, Omnia Pro, Omnia Compact	
VITRA	Pera, SeaBay (C)	Normus

A674S – COMPATIBILITY CHART

	✓✓	✓
Manufacturer	Type	Type
CERSANIT	Iryda, Iryda (C), Larga Oval (C)(T), Crea Oval (T), Mille	Delfi, Olimpia, Olimpia (C), Parva, Parva (C), City Oval (T)
FORM	Novalis	Corto
GUSTAVSBERG		Nautic
HORNBACH		Melissa, Luna
IDEAL STANDARD		Simplicity
JIKA	Dino Rimless, Easy, Lyra Plus, Mio, Mio (C), Tigo, Tigo (C)	
LAUFEN	Laufen Pro	
PTÁČEK		Concept 100
RAVAK	Uni Chrome RimOff, Uni Chrome Rim	
RICHTER + FRENZEL		Optiline Europa
ROCA		Ona (T)
SANITEC - KERAMAG - KOLO	Icon, Primo	Renova Nr. 1
SAT		Infinitio (T)
VILLEROY & BOCH	Verity, O.novo	
VITRA	Concept 500, Sento (T)	Integra (C)(T)

A678S – COMPATIBILITY CHART

	✓✓	✓
Manufacturer	Type	Type
ALCADRAIN	WC Alca MEDIC	

✓✓ = WC seat fully compatible with toilet bowl
✓ = WC seat compatible with toilet bowl but not perfect fit
(C) = combi WC
(T) = top installation


HINGES – COMPATIBILITY CHART

Hinges	Type
P0009-ND	A60
P096	A601, A601 BAHAMA, A601 PERGAMON, A601 PISTACHIO
P105	A602, A603, A604, A604 FLOWER, A604 SHELL, A604 ZEN, A604 BAHAMA, A604 PERGAMON, A604 PISTACHIO, A606, A674S
P105B	A602, A603, A604, A604 FLOWER, A604 SHELL, A604 ZEN, A604 BAHAMA, A604 PERGAMON, A604 PISTACHIO, A606, A674S
P106	A602, A603, A604, A604 FLOWER, A604 SHELL, A604 ZEN, A604 BAHAMA, A604 PERGAMON, A604 PISTACHIO, A606, A674S
P106B	A602, A603, A604, A604 FLOWER, A604 SHELL, A604 ZEN, A604 BAHAMA, A604 PERGAMON, A604 PISTACHIO, A606, A674S
P113	A602, A603, A604, A604 FLOWER, A604 SHELL, A604 ZEN, A604 BAHAMA, A604 PERGAMON, A604 PISTACHIO, A606, A674S, A67SLIM, A66, A67
Z0137B-ND	A64, A65, A66, A67
Z0952-ND	A64SLIM, A67SLIM
P157	A678S
P170	A6550, A6551
P179	A64, A66, A67

indicative list

A60
WC seat, polypropylene






Quantity (packing)	13 pcs
Quantity (pallet)	208 pcs
Hinges	P0009-ND
Material	polypropylene

A68
Potty training WC seat, polypropylene






Quantity (packing)	6 pcs
Quantity (pallet)	216 pcs
Hinges	–
Material	polypropylene

A6550
WC seat Basic, polypropylene






Quantity (packing)	15 pcs
Quantity (pallet)	270 pcs
Hinges	P170
Material	polypropylene

A602
WC seat universal, Click system, Duroplast






click system

Quantity (packing)	5 pcs
Quantity (pallet)	120 pcs
Hinges	P106B
Material	Duroplast

A603
WC seat universal with integrated insert, Click system, Duroplast






click system

Quantity (packing)	5 pcs
Quantity (pallet)	120 pcs
Hinges	P106B
Material	Duroplast
WC seat insert material	polypropylene

A678S
WC seat, for wall-hung WC for people with reduced mobility, Click system, Duroplast






click system soft close

Quantity (packing)	5 pcs
Quantity (pallet)	120 pcs
Hinges	P157
Material	Duroplast

A6551
WC seat Basic, polypropylene






Quantity (packing)	15 pcs
Quantity (pallet)	270 pcs
Hinges	P170
Material	polypropylene

A3553
WC seat Basic, polypropylene






Quantity (packing)	21 pcs
Quantity (pallet)	336 pcs
Hinges	–
Material	polypropylene

A601
WC seat, Duroplast






Quantity (packing)	5 pcs
Quantity (pallet)	120 pcs
Hinges	P096
Material	Duroplast

A604
WC seat universal Softclose, Click system, Duroplast






click system soft close

Quantity (packing)	5 pcs
Quantity (pallet)	120 pcs
Hinges	P106B
Material	Duroplast

A606
WC seat universal Softclose with integrated insert, Click system, Duroplast






click system soft close

Quantity (packing)	5 pcs
Quantity (pallet)	120 pcs
Hinges	P106B
Material	Duroplast

A66
WC seat Softclose, Click system, Duroplast






click system soft close

Quantity (packing)	5 pcs
Quantity (pallet)	80 pcs
Hinges	Z0137B-ND
Material	Duroplast

A604 FLOWER

WC seat universal Softclose, Click system, Duroplast






Quantity (packing)	5 pcs
Quantity (pallet)	120 pcs
Hinges	P106B
Material	Duroplast

A604 SHELL

WC seat universal Softclose, Click system, Duroplast






Quantity (packing)	5 pcs
Quantity (pallet)	120 pcs
Hinges	P106B
Material	Duroplast

A604 ZEN

WC seat universal Softclose, Click system, Duroplast






Quantity (packing)	5 pcs
Quantity (pallet)	120 pcs
Hinges	P106B
Material	Duroplast

A64SLIM

WC seat Slim Softclose, Click system, Duroplast






Quantity (packing)	5 pcs
Quantity (pallet)	80 pcs
Hinges	Z0952-ND
Material	Duroplast

P102

WC seat – integrated insert






Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Hinges	–
Material	polypropylene

A67

WC seat Softclose, Click system, Duroplast






Quantity (packing)	5 pcs
Quantity (pallet)	80 pcs
Hinges	Z0137B-ND
Material	Duroplast

A674S

WC seat Softclose, Click system, Duroplast






Quantity (packing)	5 pcs
Quantity (pallet)	120 pcs
Hinges	P106B
Material	Duroplast

A67SLIM

WC seat Slim Softclose, Click system, Duroplast





Quantity (packing)	5 pcs
Quantity (pallet)	80 pcs
Hinges	Z0952-ND
Material	Duroplast

P0009-ND
Hinges for A60



Quantity (packing)	1 pcs
Quantity (pallet)	–

P096
Hinges for A601



Quantity (packing)	1 pcs
Quantity (pallet)	–

P106
Hinges for bottom installation, stainless steel cover



Quantity (packing)	1 pcs
Quantity (pallet)	–

P106B
Hinges for bottom installation, white cover



Quantity (packing)	1 pcs
Quantity (pallet)	–

P105
Hinges with top installation, stainless steel cover



Quantity (packing)	1 pcs
Quantity (pallet)	–

P105B
Hinges for top installation, white cover



Quantity (packing)	1 pcs
Quantity (pallet)	–

Z0137B-ND
Hinges for A66, A67 (until 2014)



Quantity (packing)	1 pcs
Quantity (pallet)	–

P179
Hinges for A64, A66, A67, pin 6 mm (since 2015)



Quantity (packing)	1 pcs
Quantity (pallet)	–

Z0952-ND
Hinges for A64SLIM, A67SLIM



Quantity (packing)	1 pcs
Quantity (pallet)	–

P113
Dowel for top installation of WC seats



Quantity (packing)	1 pcs
Quantity (pallet)	–

P157
Hinges for A678S



Quantity (packing)	1 pcs
Quantity (pallet)	–

P170
Hinges for A6550, A6551




Quantity (packing)	1 pcs
Quantity (pallet)	–

Z1272-ND
Hinges for A64SLIM, A67SLIM for top installation



Quantity (packing)	1 pcs
Quantity (pallet)	–



Shower drains

Stainless steel shower drains 84
Stainless steel shower drains with fixed trap 84
Stainless steel shower drains for perforated grids 86
Stainless steel shower drains for full grids 90
Stainless steel shower drains Marble 93
Stainless steel shower drains with swivel trap 94
Fit and Go 96
Modular 97
Plastic shower drains 100
Plastic shower drains Simple with fixed trap 100
Plastic shower drains for perforated grids 102
Plastic shower drains for full grids 104
Plastic shower drains with a stainless steel edge 106
Plastic shower drains Optimal with fixed trap 108
Plastic shower drains with swivel trap 110
Stainless steel strips for sloped floor 115
Custom-made stainless steel shower drains 116

VIDEO

Classification of shower drains



The basic classification is according to the material of the shower drain body – stainless steel and plastic. Stainless steel shower drains are popular for their high durability and long lifespan. They are available in two variants – with a fixed trap, which is stable and low-maintenance, and with a swivel trap, which offers variability when connecting to the waste pipe and facilitates installation.

Plastic shower drains are an economical solution available in three product series – Simple, Optimal, and with a swivel trap. Simple is a practical package that includes a shower drain with a grid. Optimal is intended for projects. The product series with a swivel trap ensures maximum flexibility when connecting to the waste pipe.


Thanks to this classification, it is easy to find a shower drain, that meets both the technical requirements of the installation and the aesthetic demands of the user.

Installation in space

Installation to the wall

Stainless steel shower drains





1.0 Stainless steel shower drains with fixed trap

- 1.01 Stainless steel shower drains for perforated grids
- 1.02 Stainless steel shower drains for full grids
- 1.03 Stainless steel shower drains Marble

2.0 Stainless steel shower drains with swivel trap

- 2.01 Stainless steel shower drains Fit and Go
- 2.02 Stainless steel shower drains Modular

Plastic shower drains






3.0 Plastic shower drains Simple with fixed trap

- 3.01 Plastic shower drains for perforated grids
- 3.02 Plastic shower drains for full grids
- 3.03 Plastic shower drains with a stainless steel edge


4.0 Plastic shower drains Optimal with fixed trap



5.0 Plastic shower drains with swivel trap

Stainless steel shower drains with fixed trap

Top stainless steel shower drains Alca designed for perforated and full grids combine high quality workmanship, long lifespan, and wide installation options. Thanks to various shower drain heights, outlet directions, and placement options (in space and to the wall), they are an ideal choice for renovations and new buildings. The shower drains are made of durable stainless steel AISI 304 (DIN 1.4301), can withstand loads of up to 300 kg (class K3), and offer quick water drainage with a removable two-chamber trap.



TECHNICAL SPECIFICATIONS

Total installation height	70–158 mm
Minimum floor thickness	55–85 mm
Resistance of odour trap against the pressure	575–982 Pa
Outlet pipe diameter	DN 40, DN 50 mm
Drain channel width	60 mm
Flow rate (EN 1253-1)	35–68,8 l/min
Load class (EN 1253-1)	K3 = max. 300 kg
Material – drain body	stainless steel DIN 1.4301
Material – odour trap	polypropylene
Drain channel length	300–1450 mm

25 Year guarantee

25 Year guarantee of spare parts availability



Stainless steel shower drains for perforated grids

Grids are based on playful variations of geometric shapes.



Standard height **85 mm**

Flow rate up to **68,8 l/min**

Outlet pipe **DN 50**

See p. 86



Reduced height **55 mm**

Flow rate up to **44 l/min**

Outlet pipe **DN 40**

See p. 87



Stainless steel shower drains for full grids

Stainless steel, glass, and tile-insert grids.



Standard height **95 mm**

Flow rate up to **68,8 l/min**

Outlet pipe **DN 50**

See p. 90




Reduced height **65 mm**

Flow rate up to **44 l/min**

Outlet pipe **DN 40**

See p. 91



Stainless steel shower drains Marble

For large-format natural stone slabs and tiles of any thickness.



Standard height **100 mm**

Flow rate up to **60 l/min**

Outlet pipe **DN 50**

See p. 93



Reduced height **70 mm**

Flow rate **35 l/min**

Outlet pipe **DN 40**

See p. 93

STAINLESS STEEL SHOWER DRAINS FOR PERFORATED GRIDS

In standard (85 mm) and reduced (55 mm) variants. Installation in space or to the wall, with side or vertical drain outlet.

Installation **in space**

Installation to **the wall**
Sliding vertical insulating flange 10–15 mm.




Side outlet






Bottom outlet





Standard height **85 mm**

Reduced height **55 mm**




Product	Technical drawing	Installation options	Dimensions			Code
			L1 (mm)	L2 (mm)	G (mm)	
Construction height to the flange: 85 mm (total construction height 100–158 mm, edge height 15 mm)						
		• Horizontal flange • Installation in space • Side outlet DN 50 • Odour trap 50 mm • Flow rate 60 l/min	300	360	60	APZ1-300
			550	610	60	APZ1-550
			650	710	60	APZ1-650
			750	810	60	APZ1-750
			850	910	60	APZ1-850
			950	1010	60	APZ1-950
			1050	1110	60	APZ1-1050
			1150	1210	60	APZ1-1150
			1450	1510	60	APZ1-1450
		• Horizontal flange • Installation in space • Side outlet DN 50 • Odour trap 50 mm • Flow rate 60 l/min	300	360	60	APZ1BLACK-300
			550	610	60	APZ1BLACK-550
			650	710	60	APZ1BLACK-650
			750	810	60	APZ1BLACK-750
			850	910	60	APZ1BLACK-850
			950	1010	60	APZ1BLACK-950
			1050	1110	60	APZ1BLACK-1050
			1150	1210	60	APZ1BLACK-1150
			1450	1510	60	APZ1BLACK-1450
		• Horizontal flange • Installation in space • Bottom outlet DN 50 • Odour trap 50 mm • Flow rate 68,8 l/min	300	360	60	APZ1001-300
			550	610	60	APZ1001-550
			650	710	60	APZ1001-650
			750	810	60	APZ1001-750
			850	910	60	APZ1001-850
			950	1010	60	APZ1001-950
			1050	1110	60	APZ1001-1050
			1150	1210	60	APZ1001-1150
			1450	1510	60	APZ1001-1450

Product	Technical drawing	Installation options	Dimensions			Code
			L1 (mm)	L2 (mm)	G (mm)	
Construction height to the flange: 85 mm (total construction height 100–158 mm, edge height 15 mm)						
		• Horizontal flange • Installation in space • Side outlet DN 50 • Odour trap 50 mm • Flow rate 60 l/min • Antivandal	300	360	60	APZ11-300M
			550	610	60	APZ11-550M
			650	710	60	APZ11-650M
			750	810	60	APZ11-750M
			850	910	60	APZ11-850M
			950	1010	60	APZ11-950M
			1050	1110	60	APZ11-1050M
			1150	1210	60	APZ11-1150M
		• Sliding vertical flange • Installation to the wall • Side outlet DN 50 • Odour trap 50 mm • Flow rate 60 l/min	550	610	60	APZ4-550
			650	710	60	APZ4-650
			750	810	60	APZ4-750
			850	910	60	APZ4-850
			950	1010	60	APZ4-950
			1050	1110	60	APZ4-1050
			1150	1210	60	APZ4-1150
		• Sliding vertical flange • Installation to the wall • Bottom outlet DN 50 • Odour trap 50 mm • Flow rate 68,8 l/min	550	610	60	APZ1004-550
			650	710	60	APZ1004-650
			750	810	60	APZ1004-750
			850	910	60	APZ1004-850
			950	1010	60	APZ1004-950
			1050	1110	60	APZ1004-1050
			1150	1210	60	APZ1004-1150
Construction height to the flange: 55 mm (total construction height 70–96 mm, edge height 15 mm)						
		• Horizontal flange • Installation in space • Side outlet DN 40 • Odour trap 28 mm • Flow rate 35 l/min	300	360	60	APZ101-300
			550	610	60	APZ101-550
			650	710	60	APZ101-650
			750	810	60	APZ101-750
			850	910	60	APZ101-850
			950	1010	60	APZ101-950
			1050	1110	60	APZ101-1050
			1150	1210	60	APZ101-1150
			1450	1510	60	APZ101-1450
		• Horizontal flange • Installation in space • Side outlet DN 40 • Odour trap 28 mm • Flow rate 35 l/min	300	360	60	APZ101BLACK-300
			550	610	60	APZ101BLACK-550
			650	710	60	APZ101BLACK-650
			750	810	60	APZ101BLACK-750
			850	910	60	APZ101BLACK-850
			950	1010	60	APZ101BLACK-950
			1050	1110	60	APZ101BLACK-1050
			1150	1210	60	APZ101BLACK-1150
			1450	1510	60	APZ101BLACK-1450

Product	Technical drawing	Installation options	Dimensions			Code
			L1 (mm)	L2 (mm)	G (mm)	
Construction height to the flange: 55 mm (total construction height 70–96 mm, edge height 15 mm)						
low 		• Horizontal flange • Installation in space • Bottom outlet DN 40 • Odour trap 28 mm • Flow rate 44 l/min	300	360	60	APZ1101-300
			550	610	60	APZ1101-550
			650	710	60	APZ1101-650
			750	810	60	APZ1101-750
			850	910	60	APZ1101-850
			950	1010	60	APZ1101-950
			1050	1110	60	APZ1101-1050
			1150	1210	60	APZ1101-1150
low 		• Horizontal flange • Installation in space • Side outlet DN 40 • Odour trap 28 mm • Flow rate 35 l/min • Antivandal	300	360	60	APZ111-300M
			550	610	60	APZ111-550M
			650	710	60	APZ111-650M
			750	810	60	APZ111-750M
			850	910	60	APZ111-850M
			950	1010	60	APZ111-950M
			1050	1110	60	APZ111-1050M
			1150	1210	60	APZ111-1150M
low 		• Sliding vertical flange • Installation to the wall • Side outlet DN 40 • Odour trap 28 mm • Flow rate 35 l/min	550	610	60	APZ104-550
			650	710	60	APZ104-650
			750	810	60	APZ104-750
			850	910	60	APZ104-850
			950	1010	60	APZ104-950
			1050	1110	60	APZ104-1050
			1150	1210	60	APZ104-1150
low 		• Sliding vertical flange • Installation to the wall • Bottom outlet DN 40 • Odour trap 28 mm • Flow rate 44 l/min	550	610	60	APZ1104-550
			650	710	60	APZ1104-650
			750	810	60	APZ1104-750
			850	910	60	APZ1104-850
			950	1010	60	APZ1104-950
			1050	1110	60	APZ1104-1050
			1150	1210	60	APZ1104-1150

VARIANT WITHOUT TRAP

Product	Technical drawing	Installation options	Dimensions			Code
			L1 (mm)	L2 (mm)	G (mm)	
Construction height to the flange: 85 mm (total construction height 100–158 mm, edge height 15 mm)						
		• Horizontal flange • Installation in space • Bottom outlet DN 40 • For connection to the central trap • Flow rate >80 l/min	300	360	60	APZ2001-300
			550	610	60	APZ2001-550
			650	710	60	APZ2001-650
			750	810	60	APZ2001-750
			850	910	60	APZ2001-850
			950	1010	60	APZ2001-950
			1050	1110	60	APZ2001-1050
			1150	1210	60	APZ2001-1150

PERFORATED GRIDS FOR STAINLESS STEEL SHOWER DRAINS WITH A FIXED TRAP



i Stainless steel-matt

Code	LINE-300M	LINE-550M	LINE-650M	LINE-750M	LINE-850M	LINE-950M	LINE-1050M	LINE-1150M	LINE-1450M
Length (mm)	300	550	650	750	850	950	1050	1150	1450



i Stainless steel black-matt

Code	PURE-300BLACK	PURE-550BLACK	PURE-650BLACK	PURE-750BLACK	PURE-850BLACK	PURE-950BLACK	PURE-1050BLACK	PURE-1150BLACK	PURE-1450BLACK
Length (mm)	300	550	650	750	850	950	1050	1150	1450



i Stainless steel-matt

Code	PURE-300M	PURE-550M	PURE-650M	PURE-750M	PURE-850M	PURE-950M	PURE-1050M	PURE-1150M	PURE-1450M
Length (mm)	300	550	650	750	850	950	1050	1150	1450



i Stainless steel-matt

Code	BUBLE-300M	BUBLE-550M	BUBLE-650M	BUBLE-750M	BUBLE-850M	BUBLE-950M	BUBLE-1050M	BUBLE-1150M	BUBLE-1450M
Length (mm)	300	550	650	750	850	950	1050	1150	1450

STAINLESS STEEL SHOWER DRAINS FOR FULL GRIDS

In standard (95 mm) and reduced (65 mm) variants. Installation in space or to the wall, with side or vertical drain outlet.

Installation **in space**

Installation to **the wall**




Side outlet






Bottom outlet

Standard height **95 mm**

Reduced height **65 mm**



Product	Technical drawing	Installation options	Dimensions			Code
			L1 (mm)	L2 (mm)	G (mm)	
Construction height to the flange: 95 mm (total construction height 110–168 mm, edge height 15 mm)						
		• Horizontal flange • Installation in space • Side outlet DN 50 • Odour trap 50 mm • Flow rate 60 l/min	300	360	60	APZ6-300
			550	610	60	APZ6-550
			650	710	60	APZ6-650
			750	810	60	APZ6-750
			850	910	60	APZ6-850
			950	1010	60	APZ6-950
			1050	1110	60	APZ6-1050
			1150	1210	60	APZ6-1150
		• Horizontal flange • Installation in space • Bottom outlet DN 50 • Odour trap 50 mm • Flow rate 68,8 l/min	300	360	60	APZ1006-300
			550	610	60	APZ1006-550
			650	710	60	APZ1006-650
			750	810	60	APZ1006-750
			850	910	60	APZ1006-850
			950	1010	60	APZ1006-950
			1050	1110	60	APZ1006-1050
			1150	1210	60	APZ1006-1150
		• Vertical flange • Installation to the wall • Side outlet DN 50 • Odour trap 50 mm • Flow rate 60 l/min	300	360	60	APZ16-300
			550	610	60	APZ16-550
			650	710	60	APZ16-650
			750	810	60	APZ16-750
			850	910	60	APZ16-850
			950	1010	60	APZ16-950
			1050	1110	60	APZ16-1050
			1150	1210	60	APZ16-1150

Product	Technical drawing	Installation options	Dimensions			Code
			L1 (mm)	L2 (mm)	G (mm)	
Construction height to the flange: 95 mm (total construction height 110–168 mm, edge height 15 mm)						
		• Vertical flange • Installation to the wall • Bottom outlet DN 50 • Odour trap 50 mm • Flow rate 68,8 l/min	300	360	60	APZ1016-300
			550	610	60	APZ1016-550
			650	710	60	APZ1016-650
			750	810	60	APZ1016-750
			850	910	60	APZ1016-850
			950	1010	60	APZ1016-950
			1050	1110	60	APZ1016-1050
			1150	1210	60	APZ1016-1150
Construction height to the flange: 65 mm (total construction height 80–106 mm, edge height 15 mm)						
		• Horizontal flange • Installation in space • Side outlet DN 40 • Odour trap 28 mm • Flow rate 35 l/min	300	360	60	APZ106-300
			550	610	60	APZ106-550
			650	710	60	APZ106-650
			750	810	60	APZ106-750
			850	910	60	APZ106-850
			950	1010	60	APZ106-950
			1050	1110	60	APZ106-1050
			1150	1210	60	APZ106-1150
		• Horizontal flange • Installation in space • Side outlet DN 40 • Odour trap 28 mm • Flow rate 44 l/min	300	360	60	APZ1106-300
			550	610	60	APZ1106-550
			650	710	60	APZ1106-650
			750	810	60	APZ1106-750
			850	910	60	APZ1106-850
			950	1010	60	APZ1106-950
			1050	1110	60	APZ1106-1050
			1150	1210	60	APZ1106-1150
		• Vertical flange • Installation to the wall • Side outlet DN 40 • Odour trap 28 mm • Flow rate 35 l/min	300	360	60	APZ116-300
			550	610	60	APZ116-550
			650	710	60	APZ116-650
			750	810	60	APZ116-750
			850	910	60	APZ116-850
			950	1010	60	APZ116-950
			1050	1110	60	APZ116-1050
			1150	1210	60	APZ116-1150
		• Vertical flange • Installation to the wall • Bottom outlet DN 40 • Odour trap 30 mm • Flow rate 40 l/min	300	360	60	APZ1116-300
			550	610	60	APZ1116-550
			650	710	60	APZ1116-650
			750	810	60	APZ1116-750
			850	910	60	APZ1116-850
			950	1010	60	APZ1116-950
			1050	1110	60	APZ1116-1050
			1150	1210	60	APZ1116-1150

FULL GRIDS FOR STAINLESS STEEL SHOWER DRAINS WITH A FIXED TRAP





Stainless steel-matt

Code	POSH-300MN	POSH-550MN	POSH-650MN	POSH-750MN	POSH-850MN	POSH-950MN	POSH-1050MN	POSH-1150MN
Length (mm)	300	550	650	750	850	950	1050	1150





Stainless steel-matt

Code	DESIGN-300MN	DESIGN-550MN	DESIGN-650MN	DESIGN-750MN	DESIGN-850MN	DESIGN-950MN	DESIGN-1050MN	DESIGN-1150MN
Length (mm)	300	550	650	750	850	950	1050	1150



For embedding tiles

Code	FLOOR-300	FLOOR-550	FLOOR-650	FLOOR-750	FLOOR-850	FLOOR-950	FLOOR-1050	FLOOR-1150
Length (mm)	300	550	650	750	850	950	1050	1150

Glass-white

Code	GL1200-300	GL1200-550	GL1200-650	GL1200-750	GL1200-850	GL1200-950	GL1200-1050	GL1200-1150
Length (mm)	300	550	650	750	850	950	1050	1150




Glass-black

Code	GL1204-300	GL1204-550	GL1204-650	GL1204-750	GL1204-850	GL1204-950	GL1204-1050	GL1204-1150
Length (mm)	300	550	650	750	850	950	1050	1150

STAINLESS STEEL SHOWER DRAINS MARBLE FOR FULL GRID

Thanks to the fact that the shower drain and grid have no edges, you are not limited in any way when choosing tiles. You can use the surface of any height, from ultra-thin large-format tiles to robust natural stone slabs.



Installation **in space**

Side outlet

Standard height **100 mm**

Reduced height **70 mm**

All **in package**

Product	Technical drawing	Installation options	Dimensions			Code
			L1 (mm)	L2 (mm)	G (mm)	
Construction height to the flange: 100–158 mm						
		• Horizontal flange • Installation in space • Side outlet DN 50 • Odour trap 50 mm • Flow rate 60 l/min	300	360	56	APZ15-300
			550	610	56	APZ15-550
			650	710	56	APZ15-650
			750	810	56	APZ15-750
			850	910	56	APZ15-850
			950	1010	56	APZ15-950
			1050	1110	56	APZ15-1050
			1150	1210	56	APZ15-1150
Construction height to the flange: 70–97 mm						
low		• Horizontal flange • Installation in space • Side outlet DN 40 • Odour trap 28 mm • Flow rate 35 l/min	300	360	56	APZ115-300
			550	610	56	APZ115-550
			650	710	56	APZ115-650
			750	810	56	APZ115-750
			850	910	56	APZ115-850
			950	1010	56	APZ115-950
			1050	1110	56	APZ115-1050
			1150	1210	56	APZ115-1150

Stainless steel shower drains with swivel trap

Top stainless steel shower drains Alca designed for perforated and full grids combine high quality workmanship, long lifespan, and wide installation options. Due to various heights of the shower drains, directions of outlet, and placement options (in the space or to the wall), they are an ideal choice for renovations and new buildings. The shower drains are made of durable stainless steel AISI 304 (DIN 1.4301), can withstand loads of up to 300 kg (class K3), and offer quick water drainage with a swivel trap.




TECHNICAL SPECIFICATIONS

Total installation height	69–170 mm
Minimum floor thickness	54–105 mm
Resistance of odour trap against the pressure	270–540 Pa
Outlet pipe diameter	DN 40, DN 50 mm
Drain channel width	71 mm
Flow rate (EN 1253-1)	40–58 l/min
Load class (EN 1253-1)	K3 = max. 300 kg
Material – drain body	stainless steel DIN 1.4301
Material – odour trap	polypropylene
Drain channel length	550–950 mm

25 Year guarantee

25 Year guarantee of spare parts availability



Stainless steel shower drains Fit and Go

Two-sided grid – full or tile-insert.



Standard height
81 mm

Flow rate up to
50 l/min

Outlet pipe
DN 50

Swivel trap



Reduced height
54 mm

Flow rate up to
40 l/min

Outlet pipe
DN 40

Swivel trap

See p. 96



Stainless steel shower drains Modular

Perforated, full and tile-insert grids.



Heights
54 mm, 81 mm, 105 mm

Flow rate up to
58 l/min

Outlet pipe
DN 40, DN 50

Swivel trap





See p. 97

STAINLESS STEEL SHOWER DRAINS APZ13, APZ23 FIT AND GO WITH TWO-SIDED GRID

Sets APZ13 and APZ23 Fit and Go include a stainless steel shower drain, two heights of traps, and a two-sided grid DOUBLE.



- Installation **in space**
- Installation to **the wall**
- **Side** outlet
- Standard height **81 mm**
- Reduced height **54 mm**
- **Swivel trap**
- All **in package**

Product	Technical drawing	Installation options	Dimensions			Code
			L1 (mm)	L2 (mm)	G (mm)	
Construction height to the flange: 81 mm (total construction height 96–150 mm, edge height 15 mm)						
		• Horizontal flange • Installation in space • Side outlet DN 50 • Odour trap 30 mm • Flow rate 50 l/min	550	610	71	APZ13-DOUBLE9-550
			650	710	71	APZ13-DOUBLE9-650
			750	810	71	APZ13-DOUBLE9-750
			850	910	71	APZ13-DOUBLE9-850
			950	1010	71	APZ13-DOUBLE9-950
		• Vertical flange • Installation to the wall • Side outlet DN 50 • Odour trap 30 mm • Flow rate 50 l/min	750	810	71	APZ23-DOUBLE9-750
			850	910	71	APZ23-DOUBLE9-850
			950	1010	71	APZ23-DOUBLE9-950
Construction height to the flange: 54 mm (total construction height 69–86 mm, edge height 15 mm)						
		• Horizontal flange • Installation in space • Side outlet DN 40 • Odour trap 31 mm • Flow rate 40 l/min	750	810	71	APZ13-DOUBLE6-750
			850	910	71	APZ13-DOUBLE6-850
			950	1010	71	APZ13-DOUBLE6-950

STAINLESS STEEL SHOWER DRAINS APZ13, APZ23 MODULAR

Stainless steel shower drains APZ13 and APZ23 Modular have been designed as modular products according to current standards in Western markets. There are three length variants with three optional waste traps and seven grids.





- Installation **in space**
- Installation to **the wall**
- **Side** outlet
- Three construction heights **54 mm, 81 mm, 105 mm**
- **Swivel trap**

Modular system – assemble your shower drain according to your needs

We offer three length variants of the shower drain body with three optional traps and three grids.

1 **Drain body** 2 **Trap** 3 **Grid**

Order separately the shower drain body, trap and grid.

Product	Technical drawing	Installation options	Dimensions			Code
			L1 (mm)	L2 (mm)	G (mm)	
Construction height according to selected trap						
		• Horizontal flange • Installation in space	750	810	71	APZ13-750
			850	910	71	APZ13-850
			950	1010	71	APZ13-950
		• Vertical flange • Installation to the wall	750	810	71	APZ23-750
			850	910	71	APZ23-850
			950	1010	71	APZ23-950

STAINLESS STEEL SHOWER DRAINS APZ13, APZ23 MODULAR

Product	Technical drawing	Installation options	Dimensions			Code
			L1 (mm)	L2 (mm)	G (mm)	
Construction height to the flange: 54 mm (total construction height 69–86 mm, edge height 15 mm)						
						APZ-S6
		• Side outlet DN 40 • Odour trap 31 mm • Flow rate 40 l/min				
Construction height to the flange: 81 mm (total construction height 96–150 mm, edge height 15 mm)						
						APZ-S9
		• Side outlet DN 50 • Odour trap 30 mm • Flow rate 50 l/min				
Construction height to the flange: 105 mm (total construction height 120–170 mm, edge height 15 mm)						
						APZ-S12
		• Side outlet DN 50 • Odour trap 50 mm • Flow rate 58 l/min				

PERFORATED AND FULL GRIDS FOR STAINLESS STEEL SHOWER DRAINS MODULAR



Stainless steel-matt

Code	ZIP-750M	ZIP-850M	ZIP-950M
Length (mm)	750	850	950



Stainless steel-matt / For embedding tiles

Code	DOUBLE-750M	DOUBLE-850M	DOUBLE-950M
Length (mm)	750	850	950



Stainless steel-matt

Code	SPACE-750M	SPACE-850M	SPACE-950M
Length (mm)	750	850	950

P095
Set of combined odour traps for stainless steel shower drains Alca (standard building height)



Quantity (packing) 1 pc
Quantity (pallet) - pcs

P143
Combined odour trap SMART for APZ-S6



Quantity (packing) 1 pc
Quantity (pallet) - pcs

P144
Combined odour trap SMART for APZ-S9



Quantity (packing) 1 pc
Quantity (pallet) - pcs

P145
Combined odour trap SMART for APZ-S12



Quantity (packing) 1 pc
Quantity (pallet) - pcs

Z1024-ND
Odour trap for APZ-S6



Quantity (packing) 1 pc
Quantity (pallet) - pcs

Z1023-ND
Odour trap for APZ-S9



Quantity (packing) 1 pc
Quantity (pallet) - pcs

Z1025-ND
Odour trap for APZ-S12



Quantity (packing) 1 pc
Quantity (pallet) - pcs

AHP80
Waterproof tape – length 1200 mm



Quantity (packing) 1 pc
Quantity (pallet) - pcs

Plastic shower drains Simple with fixed trap

Plastic shower drains Simple designed for perforated and full grids are made of highly durable plastic that withstands chemicals. You can place them in the space or to the wall, and due to their low construction height (62 mm), they are an ideal choice for renovations and constructions where there is a problem with lack of floor space. The shower drains can handle loads of up to 300 kg (class K3) and offer a combined odour trap.




TECHNICAL SPECIFICATIONS

Total installation height	74–111 mm
Minimum floor thickness	62 mm
Resistance of odour trap against the pressure	640 Pa
Outlet pipe diameter	DN 40 mm
Drain channel width	60–64 mm
Flow rate (EN 1253-1)	24–28 l/min
Load class (EN 1253-1)	K3 = max. 300 kg
Material – drain body	polypropylene
Material – odour trap	polypropylene
Drain channel length	550–950 mm

6 Year guarantee

25 Year guarantee of spare parts availability



Plastic shower drains for perforated grids

Lightweight and durable shower drains designed for installation with perforated grids.




Standard height **62 mm**

Flow rate up to **28 l/min**

Outlet pipe **DN 40**

See p. 102



Plastic shower drains for full grids

Solution for safe and reliable water drainage with full grids.




Standard height **62 mm**

Flow rate up to **24 l/min**

Outlet pipe **DN 40**

See p. 104



Plastic shower drains with stainless steel edge

Economic variant supplemented with a stainless steel edge.



Standard height **62 mm**

Flow rate up to **24 l/min**

Outlet pipe **DN 40**

See p. 106

PLASTIC SHOWER DRAINS FOR PERFORATED GRIDS

In the standard (62 mm) variant. Installation in space or to the wall, with side drain outlet.


Installation **in space**





Installation to **the wall**



Side outlet

Standard height **62 mm**

All **in package**



Product	Technical drawing	Installation options	Dimensions			Code
			L1 (mm)	L2 (mm)	G (mm)	
Construction height to the flange: 62 mm (total construction height 74–110 mm, edge height 12 mm)						
		• Horizontal flange • Installation in space • Side outlet DN 40 • Odour trap 29 mm • Flow rate 28 l/min	550	610	60	APZ10BLACK-550M
			650	710	60	APZ10BLACK-650M
			750	810	60	APZ10BLACK-750M
			850	910	60	APZ10BLACK-850M
			950	1010	60	APZ10BLACK-950M
		• Horizontal flange • Installation in space • Side outlet DN 40 • Odour trap 29 mm • Flow rate 28 l/min	550	610	60	APZ10BLACK-550BRASS
			650	710	60	APZ10BLACK-650BRASS
			750	810	60	APZ10BLACK-750BRASS
			850	910	60	APZ10BLACK-850BRASS
			950	1010	60	APZ10BLACK-950BRASS
		• Horizontal flange • Installation in space • Side outlet DN 40 • Odour trap 29 mm • Flow rate 28 l/min	550	610	60	APZ9-550M
			650	710	60	APZ9-650M
			750	810	60	APZ9-750M
			850	910	60	APZ9-850M
			950	1010	60	APZ9-950M

Product	Technical drawing	Installation options	Dimensions			Code
			L1 (mm)	L2 (mm)	G (mm)	
Construction height to the flange: 62 mm (total construction height 74–110 mm, edge height 12 mm)						
		• Horizontal flange • Installation in space • Side outlet DN 40 • Odour trap 29 mm • Flow rate 28 l/min	550	610	60	APZ10-550M
			650	710	60	APZ10-650M
			750	810	60	APZ10-750M
			850	910	60	APZ10-850M
			950	1010	60	APZ10-950M
		• Vertical flange • Installation to the wall • Side outlet DN 40 • Odour trap 29 mm • Flow rate 28 l/min	650	710	60	APZ30-650M
			750	810	60	APZ30-750M
			850	910	60	APZ30-850M

SPZ06-ND
Odour trap for plastic shower drains
APZ19, APZ20



Quantity (packing)	1 pc
Quantity (pallet)	- pcs

PERFORATED GRIDS FOR PLASTIC SHOWER DRAINS SIMPLE

Stainless steel-black matt



Stainless steel-matt



Brass



Stainless steel-matt



PLASTIC SHOWER DRAINS FOR FULL GRIDS

In the standard (62 mm) variant. Installation in space with side drain outlet, packaged with a full two-sided grid.









Installation **in space**

Side outlet

Standard height **62 mm**

All **in package**

Product	Technical drawing	Installation options	Dimensions			Code
			L1 (mm)	L2 (mm)	G (mm)	
Construction height to the flange: 62 mm (total construction height 74–110 mm, edge height 12 mm)						
		• Horizontal flange • Installation in space • Side outlet DN 40 • Odour trap 25 mm • Flow rate 24 l/min	550	610	62	APZ19-550
			650	710	62	APZ19-650
			750	810	62	APZ19-750
			850	910	62	APZ19-850
			950	1010	62	APZ19-950
		• Horizontal flange • Installation in space • Side outlet DN 40 • Odour trap 25 mm • Flow rate 24 l/min	550	610	62	APZ19BLACK-550-G-B
			650	710	62	APZ19BLACK-650-G-B
			750	810	62	APZ19BLACK-750-G-B
			850	910	62	APZ19BLACK-850-G-B
			950	1010	62	APZ19BLACK-950-G-B
		• Horizontal flange • Installation in space • Side outlet DN 40 • Odour trap 25 mm • Flow rate 24 l/min	550	610	62	APZ19BLACK-550-RG-B
			650	710	62	APZ19BLACK-650-RG-B
			750	810	62	APZ19BLACK-750-RG-B
			850	910	62	APZ19BLACK-850-RG-B
			950	1010	62	APZ19BLACK-950-RG-B

Product	Technical drawing	Installation options	Dimensions			Code
			L1 (mm)	L2 (mm)	G (mm)	
Construction height to the flange: 62 mm (total construction height 74–110 mm, edge height 12 mm)						
		• Horizontal flange • Installation in space • Side outlet DN 40 • Odour trap 25 mm • Flow rate 24 l/min	550	610	62	APZ19BLACK-550-N-B
			650	710	62	APZ19BLACK-650-N-B
			750	810	62	APZ19BLACK-750-N-B
			850	910	62	APZ19BLACK-850-N-B
			950	1010	62	APZ19BLACK-950-N-B
		• Horizontal flange • Installation in space • Side outlet DN 40 • Odour trap 25 mm • Flow rate 24 l/min	550	610	62	APZ19BLACK-550-GM-B
			650	710	62	APZ19BLACK-650-GM-B
			750	810	62	APZ19BLACK-750-GM-B
			850	910	62	APZ19BLACK-850-GM-B
			950	1010	62	APZ19BLACK-950-GM-B
		• Horizontal flange • Installation in space • Side outlet DN 40 • Odour trap 25 mm • Flow rate 24 l/min	550	610	62	APZ19BLACK-550
			650	710	62	APZ19BLACK-650
			750	810	62	APZ19BLACK-750
			850	910	62	APZ19BLACK-850
			950	1010	62	APZ19BLACK-950

FULL GRIDS FOR PLASTIC SHOWER DRAINS SIMPLE

Gold-brushed matt stainless steel



Rose gold-brushed matt stainless steel



Nickel-brushed matt stainless steel



Stainless steel-matt / For embedding tiles



Gun metal-brushed matt stainless steel



Stainless steel-black matt / For embedding tiles



PLASTIC SHOWER DRAINS WITH STAINLESS STEEL EDGE

In the standard (62 mm) variant. Installation in space with side drain outlet, packaged with a full two-sided grid.



Installation **in space**

Side outlet


Standard height **62 mm**

All **in package**

Product	Technical drawing	Installation options	Dimensions			Code
			L1 (mm)	L2 (mm)	G (mm)	

Construction height to the flange: 62 mm (total construction height 75–111 mm, edge height 13 mm)





- Horizontal flange
- Installation in space
- Side outlet DN 40
- Odour trap 25 mm
- Flow rate 24 l/min

550	610	64	APZ20-550
650	710	64	APZ20-650
750	810	64	APZ20-750
850	910	64	APZ20-850
950	1010	64	APZ20-950



Plastic shower drains with stainless steel edge

Represent an economical solutionin the segment of shower drains andit offers an optimal price quality ratio. The grid a the edge of plastic shower drain are made of high quality stainless steel. Other plastic parts of the shower drain and odour trap remain hidden in the floor.

TWO-SIDED GRID FOR PLASTIC SHOWER DRAIN WITH STAINLESS STEEL EDGE

Stainless steel-matt / For embedding tiles



Shower drain configurator

We have launched a shower drain configurator on our website, which will significantly facilitate orientation in a wide portfolio of Alca shower drains. You are able to quickly find a shower drain suitable for your bathroom by selecting the items in the configurator according to your preferences.



Plastic shower drains Optimal with fixed trap

Plastic shower drains Optimal with a fixed trap designed for perforated and full grids are made of highly durable plastic that withstands chemicals. You place them in the space, they have sloped bodies and a two-chamber odor trap with easy cleanability and a flow rate of 63 l/min. Shower drains Optimal can handle loads of up to 300 kg (class K3).





Installation **in space**

Side outlet

Standard height **85 mm**

Flow rate up to **63 l/min**


Outlet pipe **DN 50**

6 Year guarantee

25 Year guarantee of spare parts availability

TECHNICAL SPECIFICATIONS

Total installation height	100–125 mm
Minimum floor thickness	85 mm
Resistance of odour trap against the pressure	710 Pa
Outlet pipe diameter	DN 50 mm
Drain channel width	61,5 mm
Flow rate (EN 1253-1)	63 l/min
Load class (EN 1253-1)	K3 = max. 300 kg
Material – drain body	polypropylene
Material – odour trap	polypropylene
Drain channel length	650–1050 mm

Product	Technical drawing	Installation options	Dimensions			Code
			L1 (mm)	L2 (mm)	G (mm)	
Construction height to the flange: 85 mm (total construction height 100–125 mm, edge height 15 mm)						
		• Horizontal flange • Installation in space • Side outlet DN 50 • Odour trap 50 mm • Flow rate 63 l/min	650	710	61,5	APZ12-650
			750	810	61,5	APZ12-750
			850	910	61,5	APZ12-850
			950	1010	61,5	APZ12-950
			1050	1110	61,5	APZ12-1050

PERFORATED AND FULL GRIDS FOR PLASTIC SHOWER DRAINS OPTIMAL



i Stainless steel-matt

Code	LINE-650M	LINE-750M	LINE-850M	LINE-950M	LINE-1050M
Length (mm)	650	750	850	950	1050



i Stainless steel-matt

Code	PURE-650M	PURE-750M	PURE-850M	PURE-950M	PURE-1050M
Length (mm)	650	750	850	950	1050



i Stainless steel-matt

Code	BUBLE-650M	BUBLE-750M	BUBLE-850M	BUBLE-950M	BUBLE-1050M
Length (mm)	650	750	850	950	1050



i Stainless steel-matt / For embedding tiles

Code	OPTION-650M	OPTION-750M	OPTION-850M	OPTION-950M	OPTION-1050M
Length (mm)	650	750	850	950	1050

Plastic shower drains with swivel trap

Plastic shower drains Optimal with a fixed trap designed for perforated and full grids are made of highly durable plastic that withstands chemicals. You place them in space and, thanks to two heights of traps, they are suitable for renovations as well as new buildings. The shower drains support loads of up to 300 kg (K3 class) and offer a modular system, enabling customers to configure their own shower drain or choose a complete set with the shower drain, grid, and trap included in the package.




TECHNICAL SPECIFICATIONS

Total installation height	76–110 mm
Minimum floor thickness	61–80 mm
Resistance of odour trap against the pressure	270–380 Pa
Outlet pipe diameter	DN 40, DN 50 mm
Drain channel width	61,5 mm
Flow rate (EN 1253-1)	40–80 l/min
Load class (EN 1253-1)	K3 = max. 300 kg
Material – drain body	polypropylene
Material – odour trap	polypropylene
Drain channel length	550–850 mm

6 Year guarantee

25 Year guarantee of spare parts availability



Plastic shower drains – modular system

Perforated, full and tile-insert grids.




Heights
61 mm, 70 mm, 80 mm

Flow rate up to
40, 50, >80 l/min

Outlet pipe
DN 40, DN 50

Swivel trap

See p. 112



Plastic shower drains – complete package

Two-sided grid – full or tile-insert.



Standard height
80 mm

Flow rate up to
50 l/min

Outlet pipe
DN 50

Swivel trap



Reduced height
61 mm

Flow rate up to
40 l/min


Outlet pipe
DN 40

Swivel trap

See p. 114

PLASTIC SHOWER DRAINS – MODULAR SYSTEM

The modular system offers a choice. The shower drain can be connected to a central trap; alternatively, rotating traps are available in two height variants along with perforated and full grids.



Installation
in space

Side
outlet

Three construction heights
61 mm, 70 mm, 80 mm


Swivel trap

Modular system – assemble your shower drain according to your needs

We offer four shower drain body length variants, available with two trap options and four grid designs.

1 **Drain body** 2 **Trap** 3 **Grid**

Order separately the shower drain body, trap and grid.

Product	Technical drawing	Installation options	Dimensions			Code
			L1 (mm)	L2 (mm)	G (mm)	
Construction height to the flange: 70 mm (total construction height 85–110 mm, edge height 15 mm)						
		• Installation in space • Bottom outlet DN 50 • For connection to the central trap • Flow rate >80 l/min	550	610	61,5	APZ2012-550
			650	710	61,5	APZ2012-650
			750	810	61,5	APZ2012-750
			850	910	61,5	APZ2012-850

Product	Technical drawing	Installation options	Dimensions			Code
			L1 (mm)	L2 (mm)	G (mm)	
Construction height to the flange: 61 mm (total construction height 76–105 mm, edge height 15 mm)						
						P142
		• Side outlet DN 40 • Odour trap 31 mm • Flow rate 40 l/min				
Construction height to the flange: 80 mm (total construction height 95–110 mm, edge height 15 mm)						
						P138
		• Side outlet DN 50 • Odour trap 30 mm • Flow rate 50 l/min				

PERFORATED AND FULL GRIDS FOR PLASTIC SHOWER DRAIN WITH ROTATING TRAP



Stainless steel-matt

Code	LINE-650M	LINE-750M	LINE-850M	LINE-950M	LINE-1050M
Length (mm)	650	750	850	950	1050



Stainless steel-matt

Code	PURE-650M	PURE-750M	PURE-850M	PURE-950M	PURE-1050M
Length (mm)	650	750	850	950	1050



Stainless steel-matt

Code	BUBLE-650M	BUBLE-750M	BUBLE-850M	BUBLE-950M	BUBLE-1050M
Length (mm)	650	750	850	950	1050



Stainless steel-matt / For embedding tiles

Code	OPTION-650M	OPTION-750M	OPTION-850M	OPTION-950M	OPTION-1050M
Length (mm)	650	750	850	950	1050

PLASTIC SHOWER DRAINS – COMPLETE PACKAGE

In the standard (80 mm) and reduced (61 mm) variant. Installation in space, rotating trap with side drain outlet and two-sided grid – stainless steel or tile-insert.



Installation **in space**

Side outlet

Standard height **80 mm**


Reduced height **61 mm**

Swivel trap

All **in package**

Product	Technical drawing	Installation options	Dimensions			Code
			L1 (mm)	L2 (mm)	G (mm)	
Construction height to the flange: 61 mm (total construction height 76–105 mm, edge height 15 mm)						
550	610	61,5	APZ2012-OPTION6-550			
650	710	61,5	APZ2012-OPTION6-650			
750	810	61,5	APZ2012-OPTION6-750			
850	910	61,5	APZ2012-OPTION6-850			






- Installation in space
- Side outlet DN 40
- Odour trap 31 mm
- Flow rate 40 l/min

Construction height to the flange: 80 mm (total construction height 95–110 mm, edge height 15 mm)

550	610	61,5	APZ2012-OPTION9-550
650	710	61,5	APZ2012-OPTION9-650
750	810	61,5	APZ2012-OPTION9-750
850	910	61,5	APZ2012-OPTION9-850






- Installation in space
- Side outlet DN 50
- Odour trap 30 mm
- Flow rate 50 l/min

STAINLESS STEEL STRIPS FOR SLOPED FLOOR

Single-sided




Quantity (packing)	1 pc
Dimensions (piece)	1000×36×27,5 mm
Material	stainless steel DIN 1.4301

Table of variants for stainless steel strips for sloped floor

Code	Flange height	Length (mm)	Type	Version
APZ901M/1000	12	1000	left	matt
APZ902M/1000	12	1000	right	matt
APZ903M/1000	14	1000	left	matt
APZ904M/1000	14	1000	right	matt
APZ901M/1200	12	1200	left	matt
APZ902M/1200	12	1200	right	matt
APZ903M/1200	14	1200	left	matt
APZ904M/1200	14	1200	right	matt
APZ901M/1600	12	1600	left	matt
APZ902M/1600	12	1600	right	matt
APZ903M/1600	14	1600	left	matt
APZ904M/1600	14	1600	right	matt

Two-sided







Quantity (packing)	1 pc
Dimensions (piece)	1000×36×27 mm
Material	stainless steel DIN 1.4301

Table of variants for stainless steel strips for sloped floor

Code	Flange height	Length (mm)	Type	Version
APZ905M/1000	12	1000	double-sided	matt
APZ905M/1200	12	1200	double-sided	matt
APZ906M/1000	14	1000	double-sided	matt
APZ906M/1200	14	1200	double-sided	matt





Custom manufacturing of stainless steel shower drains

We offer custom manufacturing of stainless steel shower drains that precisely meet the specific requirements of each project. Our solutions allow you to choose any length of the shower drain, specify the number of traps, and their exact placement for maximum drainage efficiency. We manufacture shower drains from high-quality stainless steel AISI 304 or AISI 316, which, due to its increased resistance to salt water, is the ideal choice for professional facilities, wellness centers, or food-processing environments.

Shower drain length, number of traps
according to project requirements


Material
stainless steel
AISI 304
AISI 316

Shape
linear
to corner

Project support



CORNER SHOWER DRAIN WITHOUT AN EDGE

Product	Technical drawing	Installation options	Dimensions (mm)				Code
			L1	L2	G1	G2	
Construction height to the flange: 100 mm (total construction height 110–170 mm, edge height 10 mm)							
		• Vertical flange • Corner mount • Side outlet DN 50 • Flow rate 60 l/min	475	340	270	382	ARZ1



LIFE

ⓘ Stainless steel-matt



TIME






ⓘ Stainless steel-matt



GRACE

ⓘ Stainless steel-matt

DRAIN SYSTEM FOR INSTALLION IN WALLS

Product	Technical drawing	Installation options	Dimensions			Code
			L1 (mm)	L2 (mm)	G (mm)	
Construction height to the flange: 100 mm (total construction height 165–220 mm)						
		• Vertical flange • Wall mount • Installation depth 64 mm • Side outlet DN 50 • Odour trap 50 mm • Flow rate 60 l/min	650	710	60	APZ5-EDEN-650
			750	810	60	APZ5-EDEN-750
			850	910	60	APZ5-EDEN-850
			950	1010	60	APZ5-EDEN-950
			1050	1110	60	APZ5-EDEN-1050
		• Vertical flange • Wall mount • Installation depth 64 mm • Side outlet DN 50 • Odour trap 50 mm • Flow rate 60 l/min	650	710	60	APZ5-SHADE-650
			750	810	60	APZ5-SHADE-750
			850	910	60	APZ5-SHADE-850
			950	1010	60	APZ5-SHADE-950
			1050	1110	60	APZ5-SHADE-1050
		• Vertical flange • Wall mount • Installation depth 64 mm • Side outlet DN 50 • Odour trap 50 mm • Flow rate 60 l/min	650	710	60	APZ5-TWIN-650
			750	810	60	APZ5-TWIN-750
			850	910	60	APZ5-TWIN-850
			950	1010	60	APZ5-TWIN-950
			1050	1110	60	APZ5-TWIN-1050

ⓘ APZ5-EDEN / Cover stainless steel-polished



ⓘ APZ5-TWIN / Cover for embedding tiles



ⓘ APZ5-SHADE / Cover stainless steel-matt



ALCA LIGHT

APZ5 Spa backlight		Length varieties of backlighting for APZ5 Spa shower drains				
Lighting colour	Length of the drain (mm)	650	750	850	950	1050
White	Code of backlighting in the length of the drain	AEZ 120-650	AEZ 120-750	AEZ 120-850	AEZ 120-950	AEZ 120-1050
Blue		AEZ 121-650	AEZ 121-750	AEZ 121-850	AEZ 121-950	AEZ 121-1050
Green		AEZ 122-650	AEZ 122-750	AEZ 122-850	AEZ 122-950	AEZ 122-1050
Red		AEZ 123-650	AEZ 123-750	AEZ 123-850	AEZ 123-950	AEZ 123-1050
Rainbow		AEZ 124-650	AEZ 124-750	AEZ 124-850	AEZ 124-950	AEZ 124-1050

Source for backlighting APZ5 Spa – AEZ310, AEZ320 – page 51. Overview of all order codes see page 221.



Outdoor drainage system

Outdoor drain channels _____ 120
Outdoor drain channels LOW (load class A15, B125) 122
Outdoor drain channels HOME (load class A15) 124
Outdoor drain channels STANDARD (load class B125) 126
Outdoor drain channels PROFI (load class C250) 127
Outdoor drain channels TOP (load class D400) 128
Outdoor slotted channels (load class C250) 129
Outdoor drain channels – accessories 123, 133
Universal rain drums _____ 134
Universal rain drums – accessories _____ 135
Drainage channels _____ 136

VIDEO


Low profile outdoor drainage system (height 60 mm)

A15 B125

- Modular system
- Lock-in mechanism
- Two types of cover gratings
- Hidden drain connectors



6



ACCESSORIES



AVZ-P018
End cap to close the drain channel with inlet DN40



AVZ-P017
End cap to close the drain channel



AVZ-P016
Socket for connection to the waste pipe DN110




AVZ-P015
Connecting piece of outdoor drain channel AVZ112

A15 GALVANIZED GRID




PLASTIC GRID



B125 GALVANIZED GRID



COMPOSITE GRID





Easy removal of knockout holes for outlet connection




Invisible connector for the creation of "L", "T" and "X" shapes


Professional outdoor drainage systems

A15 B125 C250 D400

- Modular system
- Lock-in mechanism
- Knockout holes for easy outlet connection
- Optional insertion of locking bars
- Possibility to divide into halves (1 m → 2× 0.5 m)



6



ACCESSORIES



AVZ-P010
Side end cap with connection to the waste pipe DN110



AVZ-P004
End cap to close the drain channel with a socket for inlet DN75



AVZ-P001
Socket for connection to the waste pipe DN110



AVZ-P003
Adapter for connection to a side inlet DN50




AVZ-P007
Odour trap for outdoor drains

A15 GALVANIZED GRID




PLASTIC GRID



B125 GALVANIZED GRID




COMPOSITE GRID



C250 GALVANIZED GRID



COMPOSITE GRID




CAST IRON GRID



D400 CAST IRON GRID



AVZ112-G102
Garage pack 3 m (2× end cap, 1× socket DN110)



LOW A15

Quantity (packing)	1 pc
Quantity (pallet)	30 pcs
Material	polypropylene filled with talc

AVZ112-G501
Garage pack 3 m (2× end cap, 1× socket DN110)



LOW A15

Quantity (packing)	1 pc
Quantity (pallet)	30 pcs
Material	polypropylene filled with talc

AVZ112-R102
Outdoor drain channel 60 mm with plastic frame and galvanized "C" profile grid A15



LOW A15

Quantity (packing)	1 pc
Quantity (pallet)	125 pcs
Material	polypropylene filled with talc

AVZ112-R501
Outdoor drain channel 60 mm with plastic frame and plastic grid A15



LOW A15

Quantity (packing)	1 pc
Quantity (pallet)	125 pcs
Material	polypropylene filled with talc

AVZ112-R103
Outdoor drain channel 60 mm with plastic frame and welded galvanized grid B125



LOW B125

Quantity (packing)	1 pc
Quantity (pallet)	125 pcs
Material	polypropylene filled with talc

AVZ112-R402
Outdoor drain channel 60 mm with plastic frame and composite grid B125



LOW B125

Quantity (packing)	1 pc
Quantity (pallet)	125 pcs
Material	polypropylene filled with talc

AVZ-P015
Connecting piece of outdoor drain channel AVZ112



Quantity (packing)	50 pcs
Quantity (pallet)	1400 pcs
Material	polypropylene filled with talc

AVZ-P016
Socket for connection to the waste pipe DN110



Quantity (packing)	50 pc
Quantity (pallet)	1400 pcs
Material	polypropylene filled with talc

AVZ-P017
End cap to close the drain channel



Quantity (packing)	200 pcs
Quantity (pallet)	5600 pcs
Material	polypropylene filled with talc

AVZ-P018
End cap to close the drain channel with inlet DN40



Quantity (packing)	30 pcs
Quantity (pallet)	840 pcs
Material	polypropylene filled with talc

AVZ102-R102
Outdoor drain channel 100 with plastic frame and galvanized "C" profile grid A15



HOME A15

Quantity (packing)	1 pc
Quantity (pallet)	60 pcs
Material	polypropylene filled with talc

AVZ102R-R102S
Outdoor drain box for AVZ102 with plastic frame and galvanized "C" profile grid A15



HOME A15

Quantity (packing)	1 pc
Quantity (pallet)	24 pcs
Material	polypropylene filled with talc

AVZ102-R501
Outdoor drain channel 100 mm with plastic frame and plastic grid A15



HOME A15

Quantity (packing)	1 pc
Quantity (pallet)	60 pcs
Material	polypropylene filled with talc

AVZ104-R401
Outdoor drain channel 100 mm with plastic frame and plastic grid A15



HOME A15

Quantity (packing)	1 pc
Quantity (pallet)	60 pcs
Material	polypropylene filled with talc

AVZ104R-R401
Outdoor drain box for AVZ104 with plastic frame and plastic grid A15



HOME A15

Quantity (packing)	1 pc
Quantity (pallet)	24 pcs
Material	polypropylene filled with talc

AVZ104-R402
Outdoor drain channel 100 mm with plastic frame and composite grid B125



STANDARD B125

Quantity (packing)	1 pc
Quantity (pallet)	60 pcs
Material	polypropylene filled with talc

AVZ104R-R402
Outdoor drain box for AVZ104 with plastic frame and composite grid B125



STANDARD B125

Quantity (packing)	1 pc
Quantity (pallet)	24 pcs
Material	polypropylene filled with talc

AVZ102-R103
Outdoor drain channel 100 mm with plastic frame and galvanized grid B125



STANDARD B125

Quantity (packing)	1 pc
Quantity (pallet)	60 pcs
Material	polypropylene filled with talc


AVZ102R-R103S
Outdoor drain box for AVZ102 with plastic frame and galvanized grid B125



STANDARD B125

Quantity (packing)	1 pc
Quantity (pallet)	24 pcs
Material	polypropylene filled with talc

AVZ103-R403
Outdoor drain channel 100 mm with metal frame and composite grid C250



PROFI C250

Quantity (packing)	1 pc
Quantity (pallet)	60 pcs
Material	polypropylene filled with talc

AVZ103R-R403
Outdoor drain box for AVZ103 with metal frame and composite grid C250



PROFI C250

Quantity (packing)	1 pc
Quantity (pallet)	24 pcs
Material	polypropylene filled with talc

AVZ103-R202
Outdoor drain channel 100 mm with metal frame and cast iron grid C250



PROFI C250

Quantity (packing)	1 pc
Quantity (pallet)	30 pcs
Material	polypropylene filled with talc

AVZ103R-R202
Outdoor drain box for AVZ103 with metal frame and cast iron grid C250



PROFI C250

Quantity (packing)	1 pc
Quantity (pallet)	24 pcs
Material	polypropylene filled with talc

AVZ103-R104
Outdoor drain channel 100 mm with metal frame and galvanized grid C250



PROFI C250

Quantity (packing)	1 pc
Quantity (pallet)	30 pcs
Material	polypropylene filled with talc

AVZ103R-R104S
Outdoor drain box for AVZ103 with metal frame and galvanized grid C250



PROFI C250

Quantity (packing)	1 pc
Quantity (pallet)	24 pcs
Material	polypropylene filled with talc

AVZ103-R201
Outdoor drain channel 100 mm with metal frame and a cast iron grid D400



TOP D400

Quantity (packing)	1 pc
Quantity (pallet)	30 pcs
Material	polypropylene filled with talc

AVZ103R-R201
Outdoor drain box for AVZ103 with metal frame and cast iron grid D400



TOP D400

Quantity (packing)	1 pc
Quantity (pallet)	24 pcs
Material	polypropylene filled with talc

AVZ101-R121
Outdoor slotted channel with asymmetrical extension 100 mm, galvanized steel

AVZ101-R321
Outdoor slotted channel with asymmetrical extension 100 mm, stainless steel



C250

Quantity (packing)	1 pc
Quantity (pallet)	30 pcs
Material	polypropylene filled with talc

AVZ101S-R121R
Outdoor slotted channel with asymmetrical access cover 100 mm, galvanized steel

AVZ101S-R321R
Outdoor slotted channel with asymmetrical access cover 100 mm, stainless steel



C250

Quantity (packing)	1 pc
Quantity (pallet)	30 pcs
Material	polypropylene filled with talc

AVZ101R-R121R
Outdoor slotted drain box with asymmetrical access cover 100 mm, galvanized steel

AVZ101R-R321R
Outdoor slotted drain box with asymmetrical access cover 100 mm, stainless steel



C250

Quantity (packing)	1 pc
Quantity (pallet)	30 pcs
Material	polypropylene filled with talc

AVZ101-R122
Outdoor slotted channel with asymmetrical extension 160 mm, galvanized steel

AVZ101-R322
Outdoor slotted channel with asymmetrical extension 160 mm, stainless steel



C250

Quantity (packing)	1 pc
Quantity (pallet)	30 pcs
Material	polypropylene filled with talc

AVZ101S-R122R
Outdoor slotted channel with asymmetrical access cover 160 mm, galvanized steel

AVZ101S-R322R
Outdoor slotted channel with asymmetrical access cover 160 mm, stainless steel



C250

Quantity (packing)	1 pc
Quantity (pallet)	30 pcs
Material	polypropylene filled with talc

AVZ101R-R122R
Outdoor slotted drain box with asymmetrical access cover 160 mm, galvanized steel

AVZ101R-R322R
Outdoor slotted drain box with asymmetrical access cover 160 mm, stainless steel



C250

Quantity (packing)	1 pc
Quantity (pallet)	30 pcs
Material	polypropylene filled with talc

AVZ101-R123
Outdoor slotted channel with symmetrical extension 100 mm, galvanized steel

AVZ101-R323
Outdoor slotted channel with symmetrical extension 100 mm, stainless steel



C250

Quantity (packing)	1 pc
Quantity (pallet)	30 pcs
Material	polypropylene filled with talc

AVZ101S-R123R
Outdoor slotted channel with symmetrical access cover 100 mm, galvanized steel

AVZ101S-R323R
Outdoor slotted channel with symmetrical access cover 100 mm, stainless steel



C250

Quantity (packing)	1 pc
Quantity (pallet)	30 pcs
Material	polypropylene filled with talc

AVZ101R-R123R
Outdoor slotted drain box with symmetrical access cover 100 mm, galvanized steel

AVZ101R-R323R
Outdoor slotted drain box with symmetrical access cover 100 mm, stainless steel



C250

Quantity (packing)	1 pc
Quantity (pallet)	30 pcs
Material	polypropylene filled with talc

AVZ101-R124
Outdoor slotted channel with symmetrical extension 160 mm, galvanized steel

AVZ101-R324
Outdoor slotted channel with symmetrical extension 160 mm, stainless steel



C250

Quantity (packing)	1 pc
Quantity (pallet)	30 pcs
Material	polypropylene filled with talc

AVZ101S-R124R
Outdoor slotted channel with symmetrical access cover 160 mm, galvanized steel

AVZ101S-R324R
Outdoor slotted channel with symmetrical access cover 160 mm, stainless steel



C250

Quantity (packing)	1 pc
Quantity (pallet)	30 pcs
Material	polypropylene filled with talc

AVZ101R-R124R
Outdoor slotted drain box with symmetrical access cover 160 mm, galvanized steel

AVZ101R-R324R
Outdoor slotted drain box with symmetrical access cover 160 mm, stainless steel



C250

Quantity (packing)	1 pc
Quantity (pallet)	30 pcs
Material	polypropylene filled with talc

AVZ-P001
Socket for connection to the waste pipe DN110



Quantity (packing)	50 pcs
Quantity (pallet)	800 pcs
Material	polypropylene filled with talc

AVZ-P002
Drain lock AVZ102-R102



Quantity (packing)	1 pc
Quantity (pallet)	- pcs
Material	polypropylene filled with talc

AVZ-P003
Adapter for connection to a side inlet DN50



Quantity (packing)	50 pcs
Quantity (pallet)	800 pcs
Material	polypropylene filled with talc

AVZ-P004
End cap to close the drain channel with a socket for inlet DN75



Quantity (packing)	50 pcs
Quantity (pallet)	800 pcs
Material	polypropylene filled with talc

AVZ-P008
Hook for removing the grid



Quantity (packing)	1 pc
Quantity (pallet)	- pcs
Material	galvanized metal

AVZ-P009
End cap to close the drain channel



Quantity (packing)	100 pcs
Quantity (pallet)	1600 pcs
Material	polypropylene filled with talc

AVZ-P010
Side end cap with connection to the waste pipe DN110



Quantity (packing)	30 pcs
Quantity (pallet)	- pcs
Material	polypropylene filled with talc

AVZ-P012
Basket for catching dirt large, stainless steel



Quantity (packing)	1 pc
Quantity (pallet)	24 pcs
Material	stainless steel

AVZ-P013
Basket for catching dirt large, galvanized steel



Quantity (packing)	1 pc
Quantity (pallet)	24 pcs
Material	galvanized metal

AVZ-P007
Odour trap for outdoor drains



Quantity (packing)	1 pcs
Quantity (pallet)	- pcs
Material	polypropylene

AGV1
Rain drum 300×155/110 mm straight outlet, black



Quantity (packing)	5 pcs
Quantity (pallet)	80 pcs
Material	polypropylene enriched with glass fiber

AGV1S
Rain drum 300×155/110 mm straight outlet, grey



Quantity (packing)	5 pcs
Quantity (pallet)	80 pcs
Material	polypropylene enriched with glass fiber

AGV2
Rain drum 300×155/125 mm straight outlet, black



Quantity (packing)	5 pcs
Quantity (pallet)	80 pcs
Material	polypropylene enriched with glass fiber

AGV2S
Rain drum 300×155/125 mm straight outlet, grey



Quantity (packing)	5 pcs
Quantity (pallet)	80 pcs
Material	polypropylene enriched with glass fiber

AGV3
Rain drum 300×155/110 mm side outlet, black



Quantity (packing)	4 pcs
Quantity (pallet)	120 pcs
Material	polypropylene enriched with glass fiber

AGV3S
Rain drum 300×155/110 mm side outlet, grey



Quantity (packing)	4 pcs
Quantity (pallet)	120 pcs
Material	polypropylene enriched with glass fiber

AGV4
Rain drum 300×155/125/110 mm straight outlet, black



Quantity (packing)	4 pcs
Quantity (pallet)	60 pcs
Material	polypropylene enriched with glass fiber

AGV4S
Rain drum 300×155/125/110 mm straight outlet, grey



Quantity (packing)	4 pcs
Quantity (pallet)	60 pcs
Material	polypropylene enriched with glass fiber

AGV911
Universal downpipe entry cover, black



Quantity (packing)	1 pc
Quantity (pallet)	- pcs
Material	polypropylene enriched with glass fiber

AGV911S
Universal downpipe entry cover, grey



Quantity (packing)	1 pc
Quantity (pallet)	- pcs
Material	polypropylene enriched with glass fiber

AGV941
Stainless steel basket



Quantity (packing)	70 pcs
Quantity (pallet)	1120 pcs
Material	stainless steel

AGV942
Stainless steel side grid



Quantity (packing)	100 pcs
Quantity (pallet)	2800 pcs
Material	stainless steel

LOCK
- The lock prevents unintentional opening of the lid, overflow of water during heavy rains
- Prevents the access of children at play
- If necessary, it is possible to remove the lock from the rain drum

INLET RINGS
- They are part of each package
- Diameters 80, 90, 100, 110, 125 mm
- They allow the connection of all types of roof gutters and downspouts

BASKET FOR LEAVES AND DIRT
- Captures coarse material (mainly leaves) and prevents clogging of sewer pipes
- The narrow bottom with ribs allows a gradual fall through of rotting leaves into sewerage
- Basket can be easily removed for cleaning

FLAP
- Frost-free odour trap – limits the transmission of gas from canalization
- Prevents the passage of rodents from the waste
- Closes under its own weight and is secured against flooding
- Restrict splashing water from the rain drum when removing the lock case

MATERIAL
- PP enriched with glass fiber
- Resistant to mechanical and thermal damage
- In black or grey colours

CONSTRUCTION
- Resistant to deformation during assembly and to the load (class K3 – bearing capacity of 300 kg)
- Ribbing ensures stability on the spot
- Steeper gradient of the rain drum body enables a faster and bigger water flow towards the sewer
- Flow rate 390 l/min
- Diameter of 110 mm, 125 or 125/110 mm


Drainage channel with a grid for embedding tiles or stone



DESIGN PLUS
powered by: ISH

The invisible solution of the outdoor drainage channel also impressed the judges at the ISH Trade Fair and awarded it the Design Plus powered by ISH 2023 award.


Drainage channels are suitable along facades on roof and ground terraces, in stonework greenery or walkways. The drainage system is linear with the possibility of connecting in the transverse and longitudinal direction.






- **Visually clean solution for terrace drainage system**
- **The width of the inlet slot is only 8 mm**
- **Height-adjustable**
- **The possibility of producing atypical solutions**
- **Galvanized or stainless steel solution**

ADZ104V-1000
Drainage channel 100 mm adjustable + Grid for embedding tiles, galvanized steel



Quantity (packing)	1 pc
Quantity (pallet)	– pcs
Material	galvanized steel

ADZ104V-1000
Grid for embedding tiles – The grid is included




All in package

ADZ304V-1000
Drainage channel 100 mm adjustable + Grid for embedding tiles, stainless steel



Quantity (packing)	1 pc
Quantity (pallet)	– pcs
Material	stainless steel

ADZ304V-1000
Grid for embedding tiles – The grid is included



All in package

ADZ-PT101
Connection tunnel, galvanized steel

ADZ-PT301
Connection tunnel, stainless steel



Quantity (packing)	–
Quantity (pallet)	–
Material	galvanized steel/stainless steel


ADZ-NA101
Drain throat extension neck + Grid for embedding tiles 300×300, galvanized steel

ADZ-NA301
Drain throat extension neck + Grid for embedding tiles 300×300, stainless steel



Quantity (packing)	–
Quantity (pallet)	–
Material	galvanized steel/stainless steel

ADZ351V
Drainage channel 75 mm adjustable, stainless steel



Quantity (packing)	1 pc
Quantity (pallet)	– pcs
Material	stainless steel

ADZ-R101
Grid for drainage channel 75 mm, galvanized steel

ADZ-R301
Grid for drainage channel 75 mm, stainless steel



ADZ-R102
Grid for drainage channel 75 mm, galvanized steel

ADZ-R302
Grid for drainage channel 75 mm, stainless steel



ADZ-R103
Grid for drainage channel 75 mm, galvanized steel

ADZ-R303
Grid for drainage channel 75 mm, stainless steel



ADZ-R304
Grid for drainage channel 75 mm, stainless steel



ADZ-P007
Coupler for drainage channel 75 mm, galvanized steel

ADZ-P005
Coupler for drainage channel 75 mm, stainless steel




Quantity (packing)	–
Quantity (pallet)	–
Material	galvanized steel/stainless steel

ADZ-P011
End cap for drainage channel 75 mm, stainless steel



Quantity (packing)	–
Quantity (pallet)	–
Material	stainless steel

ADZ352V
Drainage channel 100 mm adjustable, stainless steel



Quantity (packing)	1 pc
Quantity (pallet)	– pcs
Material	stainless steel

ADZ-R121
Grid for drainage channel 100 mm, galvanized steel

ADZ-R321
Grid for drainage channel 100 mm, stainless steel




ADZ-R122
Grid for drainage channel 100 mm, galvanized steel

ADZ-R322
Grid for drainage channel 100 mm, stainless steel



ADZ-R123
Grid for drainage channel 100 mm, galvanized steel

ADZ-R323
Grid for drainage channel 100 mm, stainless steel



ADZ-R324
Grid for drainage channel 100 mm, stainless steel



ADZ-P008
Coupler for drainage channel 100 mm, galvanized steel

ADZ-P006
Coupler for drainage channel 100 mm, stainless steel



Quantity (packing)	–
Quantity (pallet)	–
Material	galvanized steel/stainless steel


ADZ-P012
End cap for drainage channel 100 mm, stainless steel



Quantity (packing)	–
Quantity (pallet)	–
Material	stainless steel


ADZ101V
Drainage channel 75 mm adjustable, galvanized steel

ADZ301V
Drainage channel 75 mm adjustable, stainless steel



Quantity (packing)	1 pc
Quantity (pallet)	100 pcs
Material	galvanized steel/stainless steel

ADZ331V
Drainage channel 75 mm adjustable, stainless steel



Quantity (packing)	1 pc
Quantity (pallet)	100 pcs
Material	stainless steel

ADZ-R101
Grid for drainage channel 75 mm, galvanized steel

ADZ-R301
Grid for drainage channel 75 mm, stainless steel



ADZ-R102
Grid for drainage channel 75 mm, galvanized steel

ADZ-R302
Grid for drainage channel 75 mm, stainless steel



ADZ-R103
Grid for drainage channel 75 mm, galvanized steel

ADZ-R303
Grid for drainage channel 75 mm, stainless steel



ADZ-R304
Grid for drainage channel 75 mm, stainless steel



ADZ-P003
End cap for drainage channel 75 mm, galvanized steel

ADZ-P001
End cap for drainage channel 75 mm, stainless steel



Quantity (packing)	–
Quantity (pallet)	–
Material	galvanized steel/ stainless steel

ADZ-P007
Coupler for drainage channel 75 mm, galvanized steel

ADZ-P005
Coupler for drainage channel 75 mm, stainless steel



Quantity (packing)	–
Quantity (pallet)	–
Material	galvanized steel/stainless steel


ADZ-P011
End cap for drainage channel 75 mm, stainless steel



Quantity (packing)	–
Quantity (pallet)	–
Material	stainless steel


ADZ102V
Drainage channel 100 mm adjustable, galvanized steel

ADZ302V
Drainage channel 100 mm adjustable, stainless steel



Quantity (packing)	1 pc
Quantity (pallet)	100 pcs
Material	galvanized steel/stainless steel

ADZ332V
Drainage channel 100 mm adjustable, stainless steel



Quantity (packing)	1 pc
Quantity (pallet)	- pcs
Material	stainless steel

ADZ-R121
Grid for drainage channel 100 mm, galvanized steel

ADZ-R321
Grid for drainage channel 100 mm, stainless steel




ADZ-R122
Grid for drainage channel 100 mm, galvanized steel

ADZ-R322
Grid for drainage channel 100 mm, stainless steel




ADZ-R123
Grid for drainage channel 100 mm, galvanized steel

ADZ-R323
Grid for drainage channel 100 mm, stainless steel



ADZ-R324
Grid for drainage channel 100 mm, stainless steel



ADZ-P004
End cap for drainage channel 100 mm, galvanized steel

ADZ-P002
End cap for drainage channel 100 mm, stainless steel



Quantity (packing)	–
Quantity (pallet)	–
Material	galvanized steel/stainless steel

ADZ-P008
Coupler for drainage channel 100 mm, galvanized steel

ADZ-P006
Coupler for drainage channel 100 mm, stainless steel



Quantity (packing)	–
Quantity (pallet)	–
Material	galvanized steel/stainless steel


ADZ-P012
End cap for drainage channel 100 mm, stainless steel



Quantity (packing)	–
Quantity (pallet)	–
Material	stainless steel


ADZ101VR
Drainage corner channel 75 mm adjustable, galvanized steel

ADZ301VR
Drainage corner channel 75 mm adjustable, stainless steel



Quantity (packing)	1 pc
Quantity (pallet)	100 pcs
Material	galvanized steel/stainless steel


ADZ331VR
Drainage corner channel 75 mm adjustable, stainless steel



Quantity (packing)	1 pc
Quantity (pallet)	100 pcs
Material	galvanized steel/stainless steel


ADZ-R101R
Grid for drainage corner channel 75 mm, galvanized steel

ADZ-R301R
Grid for drainage corner channel 75 mm, stainless steel




ADZ-R102R
Grid for drainage corner channel 75 mm, galvanized steel

ADZ-R302R
Grid for drainage corner channel 75 mm, stainless steel




ADZ-R103R
Grid for drainage corner channel 75 mm, galvanized steel

ADZ-R303R
Grid for drainage corner channel 75 mm, stainless steel




ADZ-R304R
Grid for drainage corner channel 75 mm, stainless steel




ADZ102VR
Drainage corner channel 100 mm adjustable, galvanized steel

ADZ302VR
Drainage corner channel 100 mm adjustable, stainless steel



Quantity (packing)	1 pc
Quantity (pallet)	100 pcs
Material	galvanized steel/stainless steel

ADZ332VR
Drainage corner channel 100 mm adjustable, stainless steel



Quantity (packing)	1 pc
Quantity (pallet)	100 pcs
Material	galvanized steel/stainless steel

ADZ-R121R
Grid for drainage corner channel 100 mm, galvanized steel

ADZ-R321R
Grid for drainage corner channel 100 mm, stainless steel



ADZ-R122R
Grid for drainage corner channel 100 mm, galvanized steel

ADZ-R322R
Grid for drainage corner channel 100 mm, stainless steel




ADZ-R123R
Grid for drainage corner channel 100 mm, galvanized steel

ADZ-R323R
Grid for drainage corner channel 100 mm, stainless steel



ADZ-R324R
Grid for drainage corner channel 100 mm, stainless steel





Floor drains

Stainless steel floor drains _____ 146
Plastic floor drains with stainless steel grids _____ 147
Plastic floor drains with design grids_____151
Plastic floor drains with plastic grids_____ 152
Floor drains – accessories_____ 154
Waterproofing foil _____ 156

APV110
Floor drain stainless steel extra-low 130×130 mm side outlet, without grid, combined odour trap SMART





Flow rate	40 l/min
Material	stainless steel
Quantity (packing)	6 pcs
Quantity (pallet)	120 pcs

APV120
Floor drain stainless steel low 130×130 mm side outlet, without grid, combined odour trap SMART





Flow rate	50 l/min
Material	stainless steel
Quantity (packing)	1 pcs
Quantity (pallet)	120 pcs

APV130
Floor drain stainless steel 130×130 mm side outlet, without grid, combined odour trap



Flow rate	58 l/min
Material	stainless steel
Quantity (packing)	1 pcs
Quantity (pallet)	120 pcs

MPV011
Grid for stainless steel floor drains 102×102 mm stainless steel-matt



Material	stainless steel
Quantity (packing)	1 pcs
Quantity (pallet)	- pcs

MPV012
Grid for stainless steel floor drains 102×102 mm stainless steel-matt



Material	stainless steel
Quantity (packing)	1 pcs
Quantity (pallet)	- pcs

MPV013
Grid for stainless steel floor drains 92×92 mm stainless steel-matt



Material	stainless steel
Quantity (packing)	1 pcs
Quantity (pallet)	- pcs

MPV014
Grid for stainless steel floor drains 102×102 mm stainless steel-matt



Material	stainless steel
Quantity (packing)	1 pcs
Quantity (pallet)	- pcs

MPV015
Grid for stainless steel floor drains 102×102 mm stainless steel-matt



Material	stainless steel
Quantity (packing)	1 pcs
Quantity (pallet)	- pcs


MPV016
Grid for stainless steel floor drains 92×92 mm for embedding tiles



Material	stainless steel
Quantity (packing)	1 pcs
Quantity (pallet)	- pcs

APVN0100
Drain throat extension neck + Two-sided grid 130×130 mm, stainless steel






Flow rate	–
Material	stainless steel
Quantity (packing)	1 pcs
Quantity (pallet)	– pcs

APV140
Stainless steel floor drain 130×130 mm side outlet, two-sided stainless steel grid, wet odour trap






Flow rate	48 l/min
Material	stainless steel
Quantity (packing)	8 pcs
Quantity (pallet)	160 pcs

APV240
Stainless steel floor drain 130×130 mm straight outlet, two-sided stainless steel grid, wet odour trap






Flow rate	48 l/min
Material	stainless steel
Quantity (packing)	8 pcs
Quantity (pallet)	160 pcs

APV3513
Floor drain 105×105/50 mm side outlet, stainless steel grid, stainless steel flange and collar-2nd level insulation, combined odour trap SMART






Flow rate	46 l/min
Material	stainless steel, polypropylene
Quantity (packing)	1 pcs
Quantity (pallet)	120 pcs

APV3344
Floor drain 105×105/50/75 mm side outlet, stainless steel grid, stainless steel flange and collar-2nd level insulation, wet and dry odour trap






Flow rate	46/62 l/min
Material	polypropylene
Quantity (packing)	8 pcs
Quantity (pallet)	128 pcs

APV4344
Floor drain 105×105/50/75 mm straight outlet, stainless steel grid, stainless steel flange and collar-2nd level insulation, wet and dry odour trap






Flow rate	46/62 l/min
Material	polypropylene
Quantity (packing)	8 pcs
Quantity (pallet)	160 pcs

APV3444

Floor drain 150×150/50/75 mm side outlet, stainless steel grid, stainless steel flange and collar-2nd level insulation, wet and dry odour trap






Flow rate	46/62 l/min
Material	polypropylene
Quantity (packing)	8 pcs
Quantity (pallet)	128 pcs

APV4444

Floor drain 150×150/50/75 mm straight outlet, stainless steel grid, stainless steel flange and collar-2nd level insulation, wet and dry odour trap






Flow rate	46/62 l/min
Material	polypropylene
Quantity (packing)	8 pcs
Quantity (pallet)	160 pcs

APV26C

Floor drain 105×105/50 mm side outlet, stainless steel grid, collar-2nd level insulation, dry odour trap






Flow rate	62 l/min
Material	ABS, polypropylene
Quantity (packing)	8 pcs
Quantity (pallet)	160 pcs

APV26

Floor drain 105×105/50 mm side outlet, stainless steel grid, wet odour trap






Flow rate	32 l/min
Material	ABS, polypropylene
Quantity (packing)	25 pcs
Quantity (pallet)	400 pcs

APV1324

Floor drain 105×105/50 mm side outlet, stainless steel grid, stainless steel flange and collar-2nd level insulation, combined odour trap SMART







Flow rate	37 l/min
Material	polypropylene
Quantity (packing)	8 pcs
Quantity (pallet)	128 pcs

APV2324

Floor drain 105×105/50/75 mm straight outlet, stainless steel grid, stainless steel flange and collar-2nd level insulation, combined odour trap SMART






Flow rate	37 l/min
Material	polypropylene
Quantity (packing)	8 pcs
Quantity (pallet)	160 pcs

APV1321

Floor drain 105×105/50 mm side outlet, stainless steel grid, combined odour trap SMART






Flow rate	37 l/min
Material	polypropylene
Quantity (packing)	8 pcs
Quantity (pallet)	160 pcs

APV2321

Floor drain 105×105/50/75 mm straight outlet, stainless steel grid, combined odour trap SMART






Flow rate	37 l/min
Material	polypropylene
Quantity (packing)	8 pcs
Quantity (pallet)	160 pcs

APV1311

Floor drain 105×105/50 mm side outlet, stainless steel grid, wet odour trap






Flow rate	46 l/min
Material	polypropylene
Quantity (packing)	8 pcs
Quantity (pallet)	160 pcs

APV2311

Floor drain 105×105/50/75 mm straight outlet, stainless steel grid, wet odour trap






Flow rate	46 l/min
Material	polypropylene
Quantity (packing)	8 pcs
Quantity (pallet)	160 pcs

APV31BLACK

Floor drain 105×105/50 mm side outlet, stainless steel grid black-matt, combined odour trap SMART






Flow rate	37 l/min
Material	ABS, polypropylene
Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs

APV31

Floor drain 105×105/50 mm side outlet, stainless steel grid, combined odour trap SMART






Flow rate	37 l/min
Material	ABS, polypropylene
Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs

APV32BLACK

Floor drain 105×105/50 mm straight outlet, stainless steel grid black-matt, combined odour trap SMART






Flow rate	37 l/min
Material	ABS, polypropylene
Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs

APV32

Floor drain 105×105/50 mm straight outlet, stainless steel grid, combined odour trap SMART






Flow rate	37 l/min
Material	ABS, polypropylene
Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs

APV1

Floor drain 105×105/50 mm side outlet, stainless steel grid, wet odour trap






Flow rate	46 l/min
Material	ABS, polypropylene
Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs

APV2

Floor drain 105×105/50 mm straight outlet, stainless steel grid, wet odour trap






Flow rate	46 l/min
Material	ABS, polypropylene
Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs

APV5411

Floor drain 150×150/50 mm side outlet, stainless steel grid, wet odour trap






Flow rate	46 l/min
Material	ABS, polypropylene
Quantity (packing)	15 pcs
Quantity (pallet)	240 pcs

APV6411

Floor drain 150×150/50 mm straight outlet, stainless steel grid, wet odour trap






Flow rate	46 l/min
Material	ABS, polypropylene
Quantity (packing)	15 pcs
Quantity (pallet)	240 pcs

APV12

Floor drain 150×150/110 mm side outlet, stainless steel grid, collar-2nd level insulation, wet odour trap






Flow rate	89 l/min
Material	polypropylene
Quantity (packing)	8 pcs
Quantity (pallet)	160 pcs

APV13

Floor drain 150×150/110 mm straight outlet, stainless steel grid, collar-2nd level insulation, wet odour trap






Flow rate	89 l/min
Material	polypropylene
Quantity (packing)	8 pcs
Quantity (pallet)	160 pcs

APV101

Floor drain 105×105/50 mm side outlet, stainless steel grid, wet odour trap







Flow rate	46 l/min
Material	polypropylene
Quantity (packing)	8 pcs
Quantity (pallet)	160 pcs

APV102

Floor drain 105×105/50 mm side outlet, stainless steel grid, wet odour trap







Flow rate	46 l/min
Material	polypropylene
Quantity (packing)	8 pcs
Quantity (pallet)	160 pcs

APV103

Floor drain 105×105/50 mm side outlet, stainless steel grid, wet odour trap






Flow rate	46 l/min
Material	polypropylene
Quantity (packing)	8 pcs
Quantity (pallet)	160 pcs

APV201


Floor drain 105×105/50/75 mm straight outlet, stainless steel grid, wet odour trap






Flow rate	46 l/min
Material	polypropylene
Quantity (packing)	8 pcs
Quantity (pallet)	160 pcs


APV202
Floor drain 105×105/50/75 mm straight outlet, stainless steel grid, wet odour trap






Flow rate	46 l/min
Material	polypropylene
Quantity (packing)	8 pcs
Quantity (pallet)	160 pcs

APV203
Floor drain 105×105/50/75 mm straight outlet, stainless steel grid, wet odour trap






Flow rate	46 l/min
Material	polypropylene
Quantity (packing)	8 pcs
Quantity (pallet)	160 pcs

APV10
Floor drain 150×150/110 mm side outlet, grey grid, collar-2nd level insulation, wet odour trap






Flow rate	80 l/min
Material	polypropylene
Quantity (packing)	8 pcs
Quantity (pallet)	160 pcs

APV11
Floor drain 150×150/110 mm straight outlet, grey grid, collar-2nd level insulation, wet odour trap






Flow rate	80 l/min
Material	ABS, polypropylene
Quantity (packing)	8 pcs
Quantity (pallet)	160 pcs

APV5111
Floor drain 105×105/50 mm side outlet, grey grid, wet odour trap






Flow rate	46 l/min
Material	ABS, polypropylene
Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs

APV6111
Floor drain 105×105/50 mm straight outlet, grey grid, wet odour trap






Flow rate	46 l/min
Material	ABS, polypropylene
Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs

APV5211
Floor drain 150×150/50 mm side outlet, grey grid, wet odour trap






Flow rate	46 l/min
Material	ABS, polypropylene
Quantity (packing)	15 pcs
Quantity (pallet)	240 pcs

APV6211
Floor drain 150×150/50 mm straight outlet, grey grid, wet odour trap






Flow rate	46 l/min
Material	ABS, polypropylene
Quantity (packing)	15 pcs
Quantity (pallet)	240 pcs

APV3
Floor drain 150×150/50 mm side outlet, grey grid, wet odour trap






Flow rate	24 l/min
Material	polypropylene
Quantity (packing)	50 pcs
Quantity (pallet)	600 pcs

APV4
Floor drain 150×150/50 mm straight outlet, grey grid, wet odour trap






Flow rate	24 l/min
Material	polypropylene
Quantity (packing)	50 pcs
Quantity (pallet)	600 pcs

APV15
Floor drain 150×150/50 mm side outlet, white grid, wet odour trap






Flow rate	24 l/min
Material	ABS
Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs

APV16
Floor drain 150×150/50 mm straight outlet, grey grid, wet odour trap





Flow rate	24 l/min
Material	ABS
Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs

APV0006
Stainless steel flange seal



Material	rubber (NBR)
Quantity (packing)	–
Quantity (pallet)	–

MPV001
Design grid 102×102 mm stainless steel--polished



Material	stainless steel
Quantity (packing)	–
Quantity (pallet)	–

MPV002
Design grid 102×102 mm stainless steel--polished



Material	stainless steel
Quantity (packing)	–
Quantity (pallet)	–

MPV003
Design grid 102×102 mm stainless steel--polished



Material	stainless steel
Quantity (packing)	–
Quantity (pallet)	–

MPV004
Grid 102×102 mm stainless steel-polished



Material	stainless steel
Quantity (packing)	–
Quantity (pallet)	–

MPV004-BLACK
Grid 102×102 mm stainless steel, black--matt



Material	stainless steel
Quantity (packing)	–
Quantity (pallet)	–

APV0010
Wet odour trap



inter

Flow rate	46 l/min
Material	polypropylene
Quantity (packing)	50 pcs
Quantity (pallet)	1400 pcs

APV0020
Combined odour trap SMART



inter smart

Flow rate	37 l/min
Material	polypropylene
Quantity (packing)	50 pcs
Quantity (pallet)	1400 pcs

APV0030
Dry odour trap



exter

Flow rate	57–62 l/min
Material	polypropylene
Quantity (packing)	50 pcs
Quantity (pallet)	1400 pcs

APV0050
Wet odour trap for APV26, APV26C



exter

Flow rate	32 l/min
Quantity (packing)	50 pcs
Quantity (pallet)	1400 pcs
Material	polypropylene

APV0060
Dry odour trap for APV26, APV26C



exter

Flow rate	62 l/min
Quantity (packing)	50 pcs
Quantity (pallet)	1400 pcs
Material	polypropylene

APV0800
Drain throat extension neck DN105



inter exter

Quantity (packing)	–
Quantity (pallet)	–
Material	polypropylene

P143
Combined odour trap SMART for APZ-S6



Quantity (packing)	1 pc
Quantity (pallet)	- pcs

P144
Combined odour trap SMART for APZ-S9



Quantity (packing)	1 pc
Quantity (pallet)	- pcs

P145
Combined odour trap SMART for APZ-S12



Quantity (packing)	1 pc
Quantity (pallet)	- pcs


P198
new

Template for APV3513



Quantity (packing)	- pc
Quantity (pallet)	- pcs

AIZ1
Self-adhesive waterproof membrane for a floor drain 300×300 mm



Quantity (packing)	50 pcs
Quantity (pallet)	1400 pcs

AIZ3
Waterproof membrane 2000×1300 mm



Quantity (packing)	10 pcs
Quantity (pallet)	160 pcs

COMPATIBILITY OF FLOOR DRAINS WITH ODOUR TRAPS

Type of odour trap	Code	Included in package	Compatibility
wet	APV0010	APV140, APV240, APV101, APV201, APV102, APV202, APV103, APV203, APV1311, APV2311, APV1, APV2, APV5411, A6411, APV5111, APV6111, APV5211, APV6211, APV3344, APV4344, APV3444, APV4444	APV1324, APV2324, APV1321, APV2321, APV31, APV31BLACK, APV32, APV32BLACK
SMART	APV0020	APV1324, APV2324, APV1321, APV2321	APV140, APV240, APV101, APV201, APV102, APV202, APV103, APV203, APV1311, APV2311, APV1, APV2, APV5411, A6411, APV5111, APV6111, APV5211, APV6211, APV3344, APV4344, APV3444, APV4444, APV1324, APV2324, APV1321, APV2321, APV31, APV32
dry	APV0030	APV1324, APV2324, APV1321, APV2321, APV31, APV32, APV3344, APV4344, APV3444, APV4444	APV140, APV240, APV101, APV201, APV102, APV202, APV103, APV203, APV1311, APV2311, APV1, APV2, APV5411, A6411, APV5111, APV6111, APV5211, APV6211, APV1324, APV2324, APV1321, APV2321
wet – reduced	APV0050	APV26	APV26C
dry – reduced	APV0060	APV26C	APV26



Wastes and traps

Products from recycled material ____ 160
Bath wastes and traps ____ 162
- Bath waste and traps Basic 162
- Bath waste and traps pop-up 162
- Bath waste and traps CLICK/CLACK 164
- Bath waste and traps with overflow filler 165
- Bath waste and traps for whirlpool bathtubs 168
- Bath waste and traps – accessories 169

Shower wastes and traps ____ 170
- For bathtubs with drain outlet 50 mm 170
- For bathtubs with drain outlet 60 mm 172
- For bathtubs with drain outlet 90 mm 173

Wash-basin wastes and traps ____ 175
- Wash-basin wastes and traps with outlet 175
- Wash-basin wastes and traps with coupling nut 176
- Wash-basin wastes and traps – outlets 177

Metal program ____ 177
- Wash-basin wastes and traps – CLICK/CLACK outlets 177
- Angle valves 180
- Wash-basin wastes and traps 180

Sink wastes and traps ____ 183
- Sink wastes and traps with outlet 183
- Sink wastes and traps with coupling nut 186
- Sink wastes and traps – outlets 187

Wash-basin and sink wastes and traps – accessories ____ 189
Urinal and bidet traps ____ 191
Traps for household appliances ____ 192
Appliance traps – accessories ____ 194

We make products from recycled materials

We are a responsible company that thinks about future generations and therefore behaves respectfully towards the environment. We produce from recycled material and thus transform waste into a meaningful product. In addition, we rid the planet of waste plastic. We pack our products in recyclable materials and therefore do not even produce secondary waste.

- **Made in Czech Republic**
- Top quality – **strength, tightness, long service life**
- We pack products made from **recycled material in recyclable LDPE film**

Plastic recycling process



A33E
Sink waste G 6/4" with stainless steel grid Ø 70 mm, rubber plug



Quantity (packing)	100 pcs
Quantity (pallet)	2800 pcs
Material	recycled polypropylene

A34E
Sink waste G 6/4" raised, with stainless steel grid Ø 70 mm, rubber plug



Quantity (packing)	100 pcs
Quantity (pallet)	2800 pcs
Material	recycled polypropylene

A434E
Washbasin waste and trap DN 40 space--saving with G 5/4" union nut



Quantity (packing)	12 pcs
Quantity (pallet)	336 pcs
Material	recycled polypropylene

A44M-DN40E
Connector for trap DN 40 with G 6/4" union nut and two Ø 17–23 mm connectors, length 265 mm, plastic



Quantity (packing)	25 pcs
Quantity (pallet)	700 pcs
Material	recycled polypropylene

A44MN-DN40E
Connector for trap DN 40 with G 6/4" union nut, length 265 mm, plastic



Quantity (packing)	25 pcs
Quantity (pallet)	400 pcs
Material	recycled polypropylene

A80-DN40E
Tubular sink waste and trap DN 40 with G 6/4" union nut

A80-DN50E
Tubular sink waste and trap DN 50 with G 6/4" union nut



Quantity (packing)	15 pcs
Quantity (pallet)	420 pcs
Material	recycled polypropylene

A81-DN40E
Tubular sink waste and trap DN 40 with Ø 17–23 mm connector and G 6/4" union nut

A81-DN50E
Tubular sink waste and trap DN 50 with Ø 17–23 mm connector and G 6/4" union nut



Quantity (packing)	15 pcs
Quantity (pallet)	420 pcs
Material	recycled polypropylene

A872PE
Sink waste and trap DN 40 space-saving with Ø 17–23 mm connector and G 6/4" union nut



Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material	recycled polypropylene


A84-DN50/40E
Tubular sink waste and trap DN 50/40 with two Ø 17–23 mm connectors, G 6/4" union nut and flexible hose



Quantity (packing)	10 pcs
Quantity (pallet)	280 pcs
Material	recycled polypropylene


Length variants of bath wastes and traps – page 218

A501
Bath trap, length 57 cm, rubber plug, plastic, chrome-polished




Quantity (packing)	24 pcs
Quantity (pallet)	384 pcs
Material – plug/grid	PVC/plastic

A502
Bath trap, length 57 cm, rubber plug, plastic, white-polished




Quantity (packing)	24 pcs
Quantity (pallet)	384 pcs
Material – plug/grid	PVC/plastic

A51B
Bath pop-up waste and trap, length 57 cm, metal/plastic, chrome-polished/ white-polished




Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material – plug/control knob	metal/plastic

A51BM
Bath pop-up waste and trap, length 57 cm, plastic, white-polished




Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material – plug/control knob	plastic/plastic

A51CR
Bath pop-up waste and trap, length 57 cm, metal/plastic, chrome-polished




Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material – plug/control knob	metal/plastic

A51CRM
Bath pop-up waste and trap, length 57 cm, plastic, chrome-polished




Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material – plug/control knob	plastic/plastic

A55K
Bath pop-up waste and trap, length 57 cm, metal, chrome-polished




Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material – plug/control knob	metal/metal

A55BLACK
Bath pop-up waste and trap, length 57 cm, metal, black-matt




Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material – plug/control knob	metal/metal

A55K-G-B
Bath pop-up waste and trap, length 57 cm, metal, GOLD-brushed matt




Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material – plug/control knob	metal/metal

A55K-RG-B
Bath pop-up waste and trap, length 57 cm, metal, RED GOLD-brushed matt




Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material – plug/control knob	metal/metal

A55K-N-B
Bath pop-up waste and trap, length 57 cm, metal, NICKEL-brushed matt




Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material – plug/control knob	metal/metal

A55K-GM-B
Bath pop-up waste and trap, length 57 cm, metal, GUN METAL-brushed matt




Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material – plug/control knob	metal/metal

A55KM
ath pop-up waste and trap, length 57 cm, plastic/metal, chrome-polished




Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material – plug/control knob	plastic/metal

A55KM-WHITE
Bath pop-up waste and trap, length 57 cm, metal, white-matt




Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material – plug/control knob	metal/metal

A516CKM
Bath CLICK/CLACK waste and trap with flat overflow, length 57 cm, metal/plastic, chrome-polished




Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material – plug/cap	metal/plastic

A504CKM
Bath CLICK/CLACK waste and trap, length 57 cm, metal, chrome-polished




Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material – plug/cap	metal/metal

A507CKM
Bath CLICK/CLACK waste and trap, length 57 cm, metal, chrome-polished




Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material – plug/cap	metal/metal

A507CK
Bath CLICK/CLACK waste and trap, length 57 cm, small plug, metal, chrome-polished




Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material – plug/cap	metal/metal

A507BLACK
Bath CLICK/CLACK waste and trap, length 57 cm, metal, black-matt




Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material – plug/cap	metal/metal

A505CRM
Bath CLICK/CLACK waste and trap, length 57 cm, plastic, chrome-polished




Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material – plug/grid	plastic/plastic

A505CKM
Bath CLICK/CLACK waste and trap, length 57 cm, metal/plastic, chrome-polished



Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material – plug/grid	metal/plastic

A508CKM
Bath CLICK/CLACK waste and trap with overflow filling, length 57 cm, plastic, chrome-polished



Quantity (packing)	12 pcs
Quantity (pallet)	192 pcs
Material – plug/control knob	plastic/plastic

Top cleaning
Products containing the top cleaning waste outlet (A392C, A392BLACK, A504CKM, A505CKM, A507CKM, A507BLACK, A508CKM, A509CKM, A516CKM, A465C-50, A465BLACK-50) now have a new construction design for even easier cleaning of the outlet.



MECHANISM INNOVATION FOR LONGER LIFETIME



EASY CLEANING

REMOVABLE WASTE OUTLET


Easy cleaning of the waste and trap from the top (from the inside bathtub area)



A509CKM

Bath CLICK/CLACK waste and trap with overflow filling for thick-walled baths, length 57 cm, plastic, chrome-polished






Quantity (packing)	12 pcs
Quantity (pallet)	192 pcs
Material – plug/cap	plastic/plastic

A564CRM1

Bath pop-up waste and trap with overflow filling, length 57 cm, plastic, chrome--polished






Quantity (packing)	12 pcs
Quantity (pallet)	192 pcs
Material – plug/control knob	plastic/plastic

A564B

Bath pop-up waste and trap with overflow filling, length 57 cm, metal, white-polished






Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material – plug/control knob	metal/metal

A564CRM2

Bath pop-up waste and trap with overflow filling, length 57 cm, plastic, chrome--polished






Quantity (packing)	12 pcs
Quantity (pallet)	192 pcs
Material – plug/control knob	plastic/plastic

A564CRM3

Bath pop-up waste and trap with overflow filling, length 57 cm, plastic, chrome--polished






Quantity (packing)	12 pcs
Quantity (pallet)	192 pcs
Material – plug/control knob	plastic/plastic

A564KM1

Bath pop-up waste and trap with overflow filling, length 57 cm, metal, chrome-po-lished






Quantity (packing)	12 pcs
Quantity (pallet)	192 pcs
Material – plug/control knob	metal/metal

A564BLACK

Bath pop-up waste and trap with overflow filling, length 57 cm, metal, black-matt






Quantity (packing)	12 pcs
Quantity (pallet)	192 pcs
Material – plug/control knob	metal/metal

A564KM3

Bath pop-up waste and trap with overflow filling, length 57 cm, metal, chrome-po-lished






Quantity (packing)	12 pcs
Quantity (pallet)	192 pcs
Material – plug/control knob	metal/metal

A565CRM1

Bath pop-up waste and trap with overflow filling for thick-walled baths, length 57 cm, plastic, chrome-polished






Quantity (packing)	12 pcs
Quantity (pallet)	192 pcs
Material – plug/control knob	plastic/plastic

A565KM1

Bath pop-up waste and trap with overflow filling for thick-walled baths, length 57 cm, metal, chrome-polished






Quantity (packing)	12 pcs
Quantity (pallet)	192 pcs
Material – plug/control knob	metal/metal

A566-112122-57

Bath trap for whirlpool baths, length 57 cm, plastic, chrome-polished



Quantity (packing)	12 pcs
Quantity (pallet)	192 pcs
Material – plug/control knob	plastic/plastic

A566-273133-57

Bath trap with overflow filling for whirlpool baths, length 57 cm, metal, chrome-polished




Quantity (packing)	12 pcs
Quantity (pallet)	192 pcs
Material – plug/control knob	metal/metal

Determining the lenght of Alca bath wastes

Determining the necessary length of the bath waste for different bathtub models is very easy. The waste hole in the bottom of the tub and an the overflow opening in the wall of the tub are combined perpendiculars (Hmax and H2). By adding the perpendicular lines, then we get the desired waste length (L).

Hmax + H2 = L



A53-DN40

Odour trap for bath traps G 6/4" × DN 40



Quantity (packing)	75 pcs
Quantity (pallet)	1200 pcs
Material	polypropylene

A53-DN50

Odour trap for bath traps G 6/4" × DN 40/50



Quantity (packing)	70 pcs
Quantity (pallet)	1120 pcs
Material	polypropylene

A53-6/4"


Odour trap for bath traps G 6/4" × G 6/4"



Quantity (packing)	75 pcs
Quantity (pallet)	1200 pcs
Material	polypropylene

A53-7/4"

Odour trap for bath traps G 6/4" × G 7/4"



Quantity (packing)	75 pcs
Quantity (pallet)	1200 pcs
Material	polypropylene

A531


Odour trap for bath traps, low-profile, G 6/4" × DN 40/50



Quantity (packing)	75 pcs
Quantity (pallet)	1200 pcs
Material	polypropylene

A532-DN40


Odour trap for bath traps, low-profile, G 6/4" × DN 40



Quantity (packing)	75 pcs
Quantity (pallet)	1200 pcs
Material	polypropylene

A532-DN50

Odour trap for bath traps, low-profile, G 6/4" × DN 40/50



Quantity (packing)	75 pcs
Quantity (pallet)	1200 pcs
Material	polypropylene

A533-DN50


Odour trap for bath traps, low-profile, G 6/4" × DN 40/50



Quantity (packing)	75 pcs
Quantity (pallet)	1200 pcs
Material	polypropylene

A506KM
Shower waste and trap CLICK/CLACK, reduced height, waste outlet 50 mm, DN 40/50, metal, chrome-polished






Quantity (packing)	25 pcs
Quantity (pallet)	400 pcs
Material – plug/grid	metal/plastic

A476
Shower waste and trap CLICK/CLACK, waste outlet 50 mm, DN 40, plastic, chro-me-polished






Quantity (packing)	30 pcs
Quantity (pallet)	840 pcs
Material – trap body/plug	polypropylene/ plastic

A471CR-50
Shower waste and trap, reduced height, waste outlet 50 mm, DN 50, cover Ø 71 mm, plastic, chrome-polished






Quantity (packing)	25 pcs
Quantity (pallet)	700 pcs
Material – trap body/cover	polypropylene/ plastic

A503KM
Shower waste and trap CLICK/CLACK, waste outlet 50 mm, DN 40/50, metal, chrome-polished






Quantity (packing)	25 pcs
Quantity (pallet)	400 pcs
Material – plug/grid	metal/plastic

A461-50
Shower waste and trap with odour trap, waste outlet 50 mm, DN 40/50, metal, stainless steel-polished






Quantity (packing)	54 pcs
Quantity (pallet)	864 pcs
Material	polypropylene

A462-50
Shower waste and trap with odour trap and elbow 45°, waste outlet 50 mm, DN 40/50, metal, stainless steel-polished






Quantity (packing)	35 pcs
Quantity (pallet)	560 pcs
Material	polypropylene

A52
Connection elbow 45° for shower traps, G 6/4" × DN 40/50






Quantity (packing)	75 pcs
Quantity (pallet)	2100 pcs
Material	ABS

A465B-50
Shower waste and trap CLICK/CLACK, waste outlet 50 mm, DN 40, metal, white-polished






Quantity (packing)	30 pcs
Quantity (pallet)	840 pcs
Material – trap body/plug	polypropylene/ metal

A465C-50
Shower waste and trap CLICK/CLACK, waste outlet 50 mm, DN 40, metal, chro-me-polished






Quantity (packing)	30 pcs
Quantity (pallet)	840 pcs
Material – trap body/plug	polypropylene/ metal

A465BLACK-50
Shower waste and trap CLICK/CLACK, waste outlet 50 mm, DN 40, metal, black-matt






Quantity (packing)	30 pcs
Quantity (pallet)	840 pcs
Material – trap body/plug	polypropylene/ metal

A466-50
Shower waste and trap CLICK/CLACK, waste outlet 50 mm, DN 40, plastic, chro-me-polished






Quantity (packing)	30 pcs
Quantity (pallet)	840 pcs
Material – trap body/plug	polypropylene/ plastic

A46-50
Shower waste and trap, waste outlet 50 mm, DN 40, grid Ø 72 mm, metal, stain-less steel-polished






Quantity (packing)	30 pcs
Quantity (pallet)	840 pcs
Material – trap body/cover	polypropylene/ metal

A47B-50
Shower waste and trap, waste outlet 50 mm, DN 40, cover Ø 71 mm, plastic, white-polished






Quantity (packing)	30 pcs
Quantity (pallet)	840 pcs
Material – trap body/ cover	polypropylene/ plastic

A47CR-50
Shower waste and trap, waste outlet 50 mm, DN 40, cover Ø 71 mm, plastic, chrome-polished






Quantity (packing)	30 pcs
Quantity (pallet)	840 pcs
Material – trap body/ cover	polypropylene/ plastic

A465CK-50
Shower waste and trap CLICK/CLACK, waste outlet 50 mm, DN 40, small plug Ø 42 mm, metal, chrome-polished






Quantity (packing)	30 pcs
Quantity (pallet)	30 pcs
Material – trap body/ cover	polypropylene/ metal

A471CR-60
Shower waste and trap, reduced height, waste outlet 60 mm, DN 50, cover Ø 91 mm, plastic, chrome-polished






Quantity (packing)	25 pcs
Quantity (pallet)	700 pcs
Material – trap body/ cover	polypropylene/ plastic

A47CR-60
Shower waste and trap, waste outlet 60 mm, DN 40, cover Ø 91 mm, plastic, chrome-polished






Quantity (packing)	30 pcs
Quantity (pallet)	840 pcs
Material – trap body/ cover	polypropylene/ plastic

A46-60
Shower waste and trap, waste outlet 60 mm, DN 40, grid Ø 86 mm, metal, stainless steel-polished






Quantity (packing)	30 pcs
Quantity (pallet)	840 pcs
Material – trap body/ cover	polypropylene/ metal


A47B-60
Shower waste and trap, waste outlet 60 mm, DN 40, cover Ø 91 mm, plastic, white-polished






Quantity (packing)	30 pcs
Quantity (pallet)	840 pcs
Material – trap body/ cover	polypropylene/ plastic

A491CR
Shower waste and trap, reduced height, waste outlet 90 mm, DN 50, plastic, chrome-polished






Quantity (packing)	15 pcs
Quantity (pallet)	420 pcs
Material – trap body/ cover	polypropylene/ plastic


A492CR
Shower waste and trap for thick-walled trays, reduced height, waste outlet 90 mm, DN 50, plastic, chrome-polished






Quantity (packing)	15 pcs
Quantity (pallet)	420 pcs
Material – trap body/ cover	polypropylene/ plastic

A491BLACK
Shower waste and trap, reduced height, waste outlet 90 mm, DN 50, plastic, black-matt






Quantity (packing)	15 pcs
Quantity (pallet)	420 pcs
Material – trap body/ cover	polypropylene/ plastic

A492BLACK
Shower waste and trap for thick-walled trays, reduced height, waste outlet 90 mm, DN 50, plastic, black-matt






Quantity (packing)	15 pcs
Quantity (pallet)	420 pcs
Material – trap body/ cover	polypropylene/ plastic

A48
Shower waste and trap, waste outlet 90 mm, DN 40, grid Ø 115 mm, metal, stainless steel-polished






Quantity (packing)	24 pcs
Quantity (pallet)	672 pcs
Material – trap body/ cover	polypropylene/ metal

A49B
Shower waste and trap, waste outlet
90 mm, DN 40, plastic, white-polished






Quantity (packing)	24 pcs
Quantity (pallet)	672 pcs
Material – trap body/ cover	polypropylene/ plastic

A49CR
Shower waste and trap, waste outlet
90 mm, DN 40, plastic, chrome-polished






Quantity (packing)	24 pcs
Quantity (pallet)	672 pcs
Material – trap body/ cover	polypropylene/ plastic

A49K
Shower waste and trap, waste outlet
90 mm, DN 40, metal, chrome-polished






Quantity (packing)	24 pcs
Quantity (pallet)	672 pcs
Material – trap body/ cover	polypropylene/ metal

A49K MAT
Shower waste and trap, waste outlet
90 mm, DN 40, metal, chrome-matt






Quantity (packing)	24 pcs
Quantity (pallet)	672 pcs
Material – trap body/ cover	polypropylene/ metal

A49K-B
Shower waste and trap, waste outlet
90 mm, DN 40, metal, white-polished






Quantity (packing)	24 pcs
Quantity (pallet)	672 pcs
Material – trap body/ cover	polypropylene/ metal

A49BLACK
Shower waste and trap, waste outlet
90 mm, DN 40, metal, black-matt





Quantity (packing)	24 pcs
Quantity (pallet)	672 pcs
Material – trap body/ cover	polypropylene/ metal

A41
Washbasin trap DN 40 with stainless steel grid Ø 62 mm, rubber plug

A410
Washbasin trap DN 32 with stainless steel grid Ø 62 mm, rubber plug



Quantity (packing)	25 pcs
Quantity (pallet)	700 pcs
Material	polypropylene

A42
Washbasin trap DN 40 with plastic grid Ø 62 mm, rubber plug

A420
Washbasin trap DN 32 with plastic grid Ø 62 mm, rubber plug



Quantity (packing)	25 pcs
Quantity (pallet)	700 pcs
Material	polypropylene

A411
Washbasin trap DN 32 with stainless steel grid Ø 62 mm, rubber plug



Quantity (packing)	25 pcs
Quantity (pallet)	700 pcs
Material	polypropylene

A412-DN40
Washbasin trap DN 40 space-saving with stainless steel grid Ø 62 mm, rubber plug



Quantity (packing)	20 pcs
Quantity (pallet)	560 pcs
Material	polypropylene

A421
Washbasin trap DN 32 with plastic grid Ø 62 mm, rubber plug



Quantity (packing)	25 pcs
Quantity (pallet)	700 pcs
Material	polypropylene

A41P
Washbasin trap DN 40 with Ø 17–23 mm connector and stainless steel grid Ø 62 mm, rubber plug

A410P
Washbasin trap DN 32 with Ø 17–23 mm connector and stainless steel grid Ø 62 mm, rubber plug



Quantity (packing)	20 pcs
Quantity (pallet)	560 pcs
Material	polypropylene

A42P
Washbasin trap DN 40 with Ø 17–23 mm connector and plastic grid Ø 62 mm, rubber plug

A420P
Washbasin trap DN 32 with Ø 17–23 mm connector and plastic grid Ø 62 mm, rubber plug



Quantity (packing)	20 pcs
Quantity (pallet)	560 pcs
Material	polypropylene

A413
Washbasin trap DN 40 space-saving with stainless steel grid Ø 62 mm



Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material	polypropylene

A41R
Washbasin trap DN 40 with stainless steel grid Ø 62 mm, chain, rubber plug



Quantity (packing)	25 pcs
Quantity (pallet)	700 pcs
Material	polypropylene

A42R
Washbasin trap DN 40 with plastic grid Ø 62 mm, chain, rubber plug



Quantity (packing)	25 pcs
Quantity (pallet)	700 pcs
Material	polypropylene

A41PR
Washbasin trap DN 40 with Ø 17–23 mm connector and stainless steel grid Ø 62 mm, chain, rubber plug



Quantity (packing)	20 pcs
Quantity (pallet)	560 pcs
Material	polypropylene

A45F-DN40
Washbasin and bidet trap DN 40 with G 5/4" union nut, plastic

A45F-DN32
Washbasin and bidet trap DN 32 with G 5/4" union nut, plastic



Quantity (packing)	25 pcs
Quantity (pallet)	700 pcs
Material	polypropylene

A43
Washbasin trap DN 40 with G 5/4" union nut

A430
Washbasin trap DN 32 with G 5/4" union nut



Quantity (packing)	25 pcs
Quantity (pallet)	700 pcs
Material	polypropylene

A43P
Washbasin trap DN 40 with Ø 17–23 connector and G 5/4" union nut

A430P
Washbasin trap DN 32 with Ø 17–23 connector and G 5/4" union nut



Quantity (packing)	25 pcs
Quantity (pallet)	700 pcs
Material	polypropylene

new

A43S-DN32
Washbasin furniture trap DN 32 with G 5/4" union nut

A43S-DN40
Washbasin furniture trap DN 40 with G 5/4" union nut



Quantity (packing)	25 pcs
Quantity (pallet)	700 pcs
Material	polypropylene

new

A43SD-DN32
Wash-basin furniture trap DN 32 with union nut 5/4", double washbasin



Quantity (packing)	12 pcs
Quantity (pallet)	336 pcs
Material	polypropylene

A434
Washbasin trap DN 40 space-saving with G 5/4" union nut

A434-DN32
Washbasin trap DN 32 space-saving with G 5/4" union nut



Quantity (packing)	– pcs
Quantity (pallet)	– pcs
Material	polypropylene

A80-DN32
Tubular washbasin trap DN 32 with G 5/4" union nut



Quantity (packing)	15 pcs
Quantity (pallet)	420 pcs
Material	polypropylene

P066-ND
Replacement seal set for washbasin traps



Quantity (packing)	–
Quantity (pallet)	–
Material	rubber

A31
Washbasin waste G 5/4" with stainless steel grid Ø 62 mm, rubber plug



Quantity (packing)	100 pcs
Quantity (pallet)	2800 pcs
Material	polypropylene

A32
Washbasin waste G 5/4" with plastic grid Ø 62 mm, rubber plug



Quantity (packing)	100 pcs
Quantity (pallet)	2800 pcs
Material	polypropylene

A439
Washbasin waste G 5/4" metal, rubber plug



Quantity (packing)	40 pcs
Quantity (pallet)	640 pcs
Material	stainless steel

A750+A31
Flexi pipe G 5/4" × DN 32/40, plastic + Washbasin waste G 5/4" with stainless steel grid Ø 62 mm, rubber plug



Quantity (packing)	60 pcs
Quantity (pallet)	960 pcs
Material	polypropylene

A391
Washbasin waste CLICK/CLACK G 5/4" with overflow, small plug, metal, chrome--polished



Quantity (packing)	40 pcs
Quantity (pallet)	1280 pcs
Material	metal with chrome finish

A392C
Washbasin waste CLICK/CLACK G 5/4" with overflow, large plug, metal, chrome--polished



Quantity (packing)	30 pcs
Quantity (pallet)	960 pcs
Material	metal with chrome finish

A392B
Washbasin waste CLICK/CLACK G 5/4" with overflow, large plug, metal, white--polished



Quantity (packing)	30 pcs
Quantity (pallet)	960 pcs
Material	metal with white-polished finish

A392BLACK
Washbasin waste CLICK/CLACK G 5/4" with overflow, large plug, metal, black--matt



Quantity (packing)	30 pcs
Quantity (pallet)	960 pcs
Material	metal with black-matt finish

A392-G-B
Washbasin waste CLICK/CLACK G 5/4" with overflow, large plug, metal, GOLD--brushed matt



Quantity (packing)	30 pcs
Quantity (pallet)	960 pcs
Material	metal with PVD finish

A392-RG-B
Washbasin waste CLICK/CLACK G 5/4" with overflow, large plug, metal, RED GOLD-brushed matt



Quantity (packing)	30 pcs
Quantity (pallet)	960 pcs
Material	metal with PVD finish

A392-N-B
Washbasin waste CLICK/CLACK G 5/4" with overflow, large plug, metal, NICKEL--brushed matt



Quantity (packing)	30 pcs
Quantity (pallet)	960 pcs
Material	metal with PVD finish

A392-GM-B
Washbasin waste CLICK/CLACK G 5/4" with overflow, large plug, metal, GUN METAL-brushed matt



Quantity (packing)	30 pcs
Quantity (pallet)	960 pcs
Material	metal with PVD finish

A393
Washbasin waste CLICK/CLACK G 5/4" with overflow, square plug, metal, chro-me-polished



Quantity (packing)	30 pcs
Quantity (pallet)	840 pcs
Material	metal with chrome finish

A394
Washbasin waste CLICK/CLACK G 5/4" without overflow, small plug, metal, chro-me-polished



Quantity (packing)	40 pcs
Quantity (pallet)	1120 pcs
Material	metal with chrome finish

A395
Washbasin waste CLICK/CLACK G 5/4" without overflow, large plug, metal, chro-me-polished



Quantity (packing)	30 pcs
Quantity (pallet)	840 pcs
Material	metal with chrome finish

A395B
Washbasin waste CLICK/CLACK G 5/4" without overflow, large plug, metal, white--polished



Quantity (packing)	30 pcs
Quantity (pallet)	840 pcs
Material	metal with white-polished finish

A39
Washbasin waste CLICK/CLACK G 5/4" with overflow, small plug, metal, chrome--polished



Quantity (packing)	40 pcs
Quantity (pallet)	1120 pcs
Material	metal with chrome finish

A390
Washbasin waste CLICK/CLACK G 5/4" with overflow, large plug, metal, chrome--polished



Quantity (packing)	40 pcs
Quantity (pallet)	1120 pcs
Material	metal with chrome finish

A396
Washbasin waste G 5/4" for basins without overflow, large non-closing plug, metal, chrome-polished



Quantity (packing)	30 pcs
Quantity (pallet)	840 pcs
Material	metal with chrome finish

A396SN
Washbasin waste G 5/4" lowered, for ba-sins without overflow, large non-closing plug, metal, chrome-polished



Quantity (packing)	30 pcs
Quantity (pallet)	840 pcs
Material	metal with chrome finish

A396BLACK
Washbasin waste G 5/4", for basins without overflow, large non-closing plug, metal, black-matt

Quantity (packing)	30 pcs
Quantity (pallet)	840 pcs
Material	metal with black-matt finish

A396B
Washbasin waste G 5/4", for basins without overflow, large non-closing plug, metal, white-polished

Quantity (packing)	30 pcs
Quantity (pallet)	840 pcs
Material	metal with white-polished finish

A328B
Washbasin overflow for basins without integrated overflow, white



Quantity (packing)	70 pcs
Quantity (pallet)	1120 pcs
Material – body/cap	polypropylene/ plastic

A328CR
Washbasin overflow for basins without integrated overflow, chrome



Quantity (packing)	70 pcs
Quantity (pallet)	1120 pcs
Material – body/ cap	polypropylene/ chrome-plated plastic

ARV001
Angle valve with filter 1/2" × 3/8", round, chrome-polished

ARV003
Angle valve with filter 1/2" × 1/2", round, chrome-polished



Quantity (packing)	60 pcs
Quantity (pallet)	1680 pcs
Material	metal with chrome finish

ARV001-BLACK
Angle valve 1/2" × 3/8", square, chrome--polished

ARV003-BLACK
Angle valve with filter 1/2" × 1/2", round, black-matt



Quantity (packing)	60 pcs
Quantity (pallet)	1680 pcs
Material	metal with black-matt finish

ARV001B
Angle valve with filter 1/2" × 3/8", round, white-polished

ARV003B
Angle valve with filter 1/2" × 1/2", round, white-polished



Quantity (packing)	72 pcs
Quantity (pallet)	1680 pcs
Material	metal with white-polished finish

ARV001-G-B
Angle valve with filter 1/2" × 3/8", round, GOLD-brushed matt



Quantity (packing)	60 pcs
Quantity (pallet)	1680 pcs
Material	metal with PVD finish

ARV001-RG-B
Angle valve with filter 1/2" × 3/8", round, bronze-antic



Quantity (packing)	60 pcs
Quantity (pallet)	1680 pcs
Material	metal with PVD finish

ARV001-N-B
Angle valve with filter 1/2" × 3/8", round, RED GOLD-brushed matt



Quantity (packing)	60 pcs
Quantity (pallet)	1680 pcs
Material	metal with PVD finish

ARV001-GM-B
Angle valve with filter 1/2" × 3/8", round, NICKEL-brushed matt



Quantity (packing)	60 pcs
Quantity (pallet)	1680 pcs
Material	metal with PVD finish

ARV002
Angle valve 1/2" × 3/8", square, chrome--polished

ARV004
Angle valve 1/2" × 1/2", square, chrome--polished



Quantity (packing)	72 pcs
Quantity (pallet)	2016 pcs
Material	metal with chrome finish

A400
Washbasin trap DN 32 DESIGN, round, metal, chrome-polished



Quantity (packing)	12 pcs
Quantity (pallet)	336 pcs
Material	chrome-plated brass

A400BLACK
Washbasin trap DN 32 DESIGN, round, metal, black-matt



Quantity (packing)	12 pcs
Quantity (pallet)	336 pcs
Material	chrome-plated brass with black-matt finish

A400B
Washbasin trap DN 32 DESIGN, round, metal, white-polished



Quantity (packing)	12 pcs
Quantity (pallet)	336 pcs
Material	chrom-plated brass with white-polished finish

A400-G-B
Washbasin trap DN 32 DESIGN, round, metal, GOLD-brushed matt



Quantity (packing)	12 pcs
Quantity (pallet)	336 pcs
Material	brass with PVD finish

A400-RG-B
Washbasin trap DN 32 DESIGN, round, metal, RED GOLD-brushed matt



Quantity (packing)	12 pcs
Quantity (pallet)	336 pcs
Material	brass with PVD finish

A400-N-B
Washbasin trap DN 32 DESIGN, round, metal, NICKEL-brushed matt



Quantity (packing)	12 pcs
Quantity (pallet)	336 pcs
Material	brass with PVD finish

A400-GM-B
Washbasin trap DN 32 DESIGN, round, metal, GUN METAL-brushed matt



Quantity (packing)	12 pcs
Quantity (pallet)	336 pcs
Material	brass with PVD finish

A401
Washbasin trap DN 32 DESIGN, square, metal, chrome-polished



Quantity (packing)	12 pcs
Quantity (pallet)	336 pcs
Material	chrome-plated brass

A402
Washbasin trap DN 32 DESIGN, solid, metal, chrome-plated



Quantity (packing)	7 pcs
Quantity (pallet)	252 pcs
Material	chrome-plated brass

A403
Washbasin trap DN 32 DESIGN, space-saving, metal, chrome-polished



Quantity (packing)	10 pcs
Quantity (pallet)	160 pcs
Material	chrome-plated brass

A431
Washbasin trap DN 32 with G 5/4" union nut, metal, chrome-polished



Quantity (packing)	20 pcs
Quantity (pallet)	560 pcs
Material	chrome-plated brass

A437
Washbasin trap DN 32 with G 5/4" waste, rubber plug, metal, chrome-polished



Quantity (packing)	20 pcs
Quantity (pallet)	560 pcs
Material	chrome-plated brass

A432
Tubular washbasin trap DN 32 with G 5/4" union nut, metal, chrome-polished



Quantity (packing)	25 pcs
Quantity (pallet)	700 pcs
Material	chrome-plated brass

A4320
Tubular washbasin trap DN 32 with G 5/4" union nut, extended, metal, chrome-polished



Quantity (packing)	20 pcs
Quantity (pallet)	560 pcs
Material	chrome-plated brass

A4320BLACK
Tubular washbasin trap DN 32 with G 5/4" union nut, metal, black-matt



Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material	chrome-plated brass with black-matt finish

A438
Metal elbow for concealed trap DN 32 with G 5/4" union nut



Quantity (packing)	15 pcs
Quantity (pallet)	420 pcs
Material	chrome-plated metal

A4000
Extension piece for metal washbasin traps DN 32, length 150 mm, metal, chrome-polished



Quantity (packing)	50 pcs
Quantity (pallet)	1400 pcs
Material	chrome-plated brass

A4000BLACK
Extension piece for metal washbasin traps DN 32, length 150 mm, metal, black-matt



Quantity (packing)	50 pcs
Quantity (pallet)	1400 pcs
Material	chrome-plated brass with black-matt finish

A4000B
Extension piece for metal washbasin traps DN 32, length 150 mm, metal, white-polished



Quantity (packing)	15 pcs
Quantity (pallet)	420 pcs
Material	chrom-plated brass with white-polished finish

A31P
Sink waste G 6/4" with Ø 17–23 mm connector, stainless steel grid Ø 62 mm, rubber plug



Quantity (packing)	75 pcs
Quantity (pallet)	2100 pcs
Material	polypropylene

A441-DN50/40
Sink waste and trap DN 40/50 with stainless steel grid Ø 70 mm, rubber plug



Quantity (packing)	25 pcs
Quantity (pallet)	700 pcs
Material	polypropylene

A441P-DN50/40
Sink waste and trap DN 40/50 with Ø 17–23 mm connector and stainless steel grid Ø 70 mm, rubber plug



Quantity (packing)	20 pcs
Quantity (pallet)	560 pcs
Material	polypropylene

A442-DN50/40
Sink waste and trap DN 40/50 with plastic grid Ø 70 mm, rubber plug



Quantity (packing)	25 pcs
Quantity (pallet)	700 pcs
Material	polypropylene

A442P-DN50/40
Sink waste and trap DN 40/50 with Ø 17–23 mm connector and plastic grid Ø 70 mm, rubber plug



Quantity (packing)	20 pcs
Quantity (pallet)	560 pcs
Material	polypropylene

A444-DN50/40
Sink waste and trap DN 40/50 with stainless steel grid Ø 70 mm and flexible overflow, rubber plug



Quantity (packing)	15 pcs
Quantity (pallet)	420 pcs
Material	polypropylene

A444P-DN50/40
Sink waste and trap DN 40/50 with Ø 17–23 mm connector, stainless steel grid Ø 70 mm and flexible overflow, rubber plug



Quantity (packing)	15 pcs
Quantity (pallet)	420 pcs
Material	polypropylene

A446-DN50/40
Sink waste and trap DN 40/50 with stainless steel grid Ø 115 mm



Quantity (packing)	15 pcs
Quantity (pallet)	420 pcs
Material	polypropylene

A446P-DN50/40
Sink waste and trap DN 40/50 with Ø 17–23 connector and stainless steel grid Ø 115



Quantity (packing)	15 pcs
Quantity (pallet)	420 pcs
Material	polypropylene

A447-DN50/40
Sink waste and trap DN 40/50 with stainless steel grid Ø 115 mm and flexible overflow



Quantity (packing)	15 pcs
Quantity (pallet)	420 pcs
Material	polypropylene

A447P-DN50/40
Sink waste and trap DN 40/50 with Ø 17–23 mm connector, stainless steel grid Ø 115 mm and flexible overflow



Quantity (packing)	14 pcs
Quantity (pallet)	392 pcs
Material	polypropylene

A449-DN50/40
Double-sink waste and trap DN 40/50 with stainless steel grids Ø 70 mm, rubber plug



Quantity (packing)	10 pcs
Quantity (pallet)	280 pcs
Material	polypropylene

A449P-DN50/40
Double-sink waste and trap DN 40/50 with Ø 17–23 mm connector, stainless steel grids Ø 70 mm, rubber plug



Quantity (packing)	10 pcs
Quantity (pallet)	280 pcs
Material	polypropylene

A453P
Double-sink waste and trap DN 40/50 with Ø 17–23 connector and stainless steel grids Ø 115



Quantity (packing)	10 pcs
Quantity (pallet)	160 pcs
Material	polypropylene

A454P
Double-sink waste and trap DN 40/50 two-level, with Ø 17–23 mm connector and stainless steel grids Ø 115 mm



Quantity (packing)	12 pcs
Quantity (pallet)	192 pcs
Material	polypropylene

A456P
Double-sink waste and trap DN 40/50 two-level, with Ø 17–23 mm connector, stainless steel grids Ø 115 mm and flexible overflow



Quantity (packing)	8 pcs
Quantity (pallet)	128 pcs
Material	polypropylene

A800-DN40
Tubular sink waste and trap DN 40 with stainless steel grid Ø 70 mm, rubber plug

A800-DN50
Tubular sink waste and trap DN 50 with stainless steel grid Ø 70 mm, rubber plug



Quantity (packing)	15 pcs
Quantity (pallet)	420 pcs
Material	polypropylene

A810-DN40
Tubular sink waste and trap DN 40 with stainless steel grid Ø 70 mm and Ø 17–23 mm connector, rubber plug

A810-DN50
Tubular sink waste and trap DN 50 with stainless steel grid Ø 70 mm and Ø 17–23 mm connector, rubber plug



Quantity (packing)	15 pcs
Quantity (pallet)	420 pcs
Material	polypropylene

A820-DN40
Tubular sink waste and trap DN 40 with stainless steel grid Ø 70 mm and two Ø 17–23 mm connectors, rubber plug

A820-DN50
Tubular sink waste and trap DN 50 with stainless steel grid Ø 70 mm and two Ø 17–23 mm connectors, rubber plug



Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material	polypropylene

A830-DN50/40
Tubular sink waste and trap DN 50/40 with Ø 17–23 mm connector, stainless steel grid Ø 70 mm and flexible hose, rubber plug



Quantity (packing)	10 pcs
Quantity (pallet)	280 pcs
Material	polypropylene

A840-DN50/40
Tubular sink waste and trap DN 50/40 with stainless steel grid Ø 70 mm, two Ø 17–23 mm connectors and flexible hose, rubber plug



Quantity (packing)	10 pcs
Quantity (pallet)	280 pcs
Material	polypropylene

A870P-DN40
Sink waste and trap DN 40 space-saving with Ø 17–23 mm connector and stainless steel grid Ø 70 mm, rubber plug



Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material	polypropylene

A464-DN50
Sink waste and trap DN 50 with stainless steel grid Ø 80 mm, rubber plug



Quantity (packing)	25 pcs
Quantity (pallet)	400 pcs
Material	polypropylene

A8000
Double-sink waste and trap DN 40/50 universal, with two Ø 17–23 mm connectors, stainless steel grids Ø 70 mm and Ø 115 mm, rubber plug



Quantity (packing)	5 pcs
Quantity (pallet)	80 pcs
Material	polypropylene

P067-ND
Replacement seal set for sink traps



Quantity (packing)	–
Quantity (pallet)	–
Material	rubber

P046
Tube with rosette DN 40 for plastic wastes and traps



Quantity (packing)	50 pcs
Quantity (pallet)	1400 pcs
Material	PVC

P047
Tube with rosette DN 50 for plastic wastes and traps



Quantity (packing)	40 pcs
Quantity (pallet)	1120 pcs
Material	PVC

P109
Space-saving connection G 6/4" × G 6/4" for sink wastes and traps



Quantity (packing)	25 pcs
Quantity (pallet)	400 pcs
Material	polypropylene

A443-DN50/40
Sink waste and trap DN 40/50 with G 6/4" union nut



Quantity (packing)	25 pcs
Quantity (pallet)	700 pcs
Material	polypropylene

A443P-DN50/40
Sink waste and trap DN 40/50 with G 6/4" union nut and Ø 17–23 mm connector



Quantity (packing)	25 pcs
Quantity (pallet)	700 pcs
Material	polypropylene

A448-DN50/40
Double-sink waste and trap DN 40/50 with G 6/4" union nuts



Quantity (packing)	10 pcs
Quantity (pallet)	280 pcs
Material	polypropylene

A448P-DN50/40
Double-sink waste and trap DN 40/50 with Ø 17–23 mm connector and G 6/4" union nuts



Quantity (packing)	10 pcs
Quantity (pallet)	280 pcs
Material	polypropylene

A80-DN40 / A80-DN50
Tubular sink waste and trap DN 40 with G 6/4" union nut



Quantity (packing)	15 pcs
Quantity (pallet)	420 pcs
Material	polypropylene

A80-DN50/40
Tubular sink waste and trap DN 50/40 with G 6/4" union nut and flexible hose



Quantity (packing)	10 pcs
Quantity (pallet)	280 pcs
Material	polypropylene

A80V-DN40 (new)
Pipe trap with coupling nut G 6/4" × DN 40

A80V-DN50 (new)
Pipe trap with coupling nut G 6/4" × DN 50



Quantity (packing)	20 pcs
Quantity (pallet)	560 pcs
Material	polypropylene

A81V-DN40 (new)
Pipe trap with coupling nut G 6/4" × DN 40 and connector Ø 18,5 mm

A81V-DN50 (new)
Pipe trap with coupling nut G 6/4" × DN 50 and connector Ø 18,5 mm



Quantity (packing)	20 pcs
Quantity (pallet)	560 pcs
Material	polypropylene

A81-DN40
Tubular sink waste and trap DN 40 with Ø 17–23 mm connector and G 6/4" union nut

A81-DN50
Tubular sink waste and trap DN 50 with Ø 17–23 mm connector and G 6/4" union nut



Quantity (packing)	15 pcs
Quantity (pallet)	420 pcs
Material	polypropylene

A82-DN40
Tubular sink waste and trap DN 40 with two Ø 17–23 mm connectors and G 6/4" union nut

A82-DN50
Tubular sink waste and trap DN 50 with two Ø 17–23 connectors and G 6/4" union nut



Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material	polypropylene

A83-DN50/40
Tubular sink waste and trap DN 50/40 with Ø 17–23 mm connector, G 6/4" union nut and flexible hose



Quantity (packing)	10 pcs
Quantity (pallet)	280 pcs
Material	polypropylene

A84-DN50/40
Tubular sink waste and trap DN 50/40 with two Ø 17–23 connectors, G 6/4" union nut and flexible hose



Quantity (packing)	10 pcs
Quantity (pallet)	280 pcs
Material	polypropylene

A872P
Sink waste and trap DN 40 space-saving with Ø 17–23 mm connector and G 6/4" union nut



Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material	polypropylene

A873
Universal sink waste and trap DN 40/50 for concealed installation, space-saving, with G 6/4" / G 5/4" union nut



Quantity (packing)	10 pcs
Quantity (pallet)	280 pcs
Material	polypropylene

A770+A33
Flexible connection G 6/4" × DN 40/50 plastic + Sink waste G 6/4" with stainless steel grid Ø 70 mm, rubber plug



Quantity (packing)	50 pcs
Quantity (pallet)	800 pcs
Material	polypropylene

A33
Sink waste G 6/4" with stainless steel grid Ø 70 mm, rubber plug



Quantity (packing)	100 pcs
Quantity (pallet)	2800 pcs
Material	polypropylene

A33P
Sink waste G 6/4" with Ø 17–23 mm connector and stainless steel grid Ø 70 mm, rubber plug



Quantity (packing)	75 pcs
Quantity (pallet)	2100 pcs
Material	polypropylene

A331
Sink waste G 6/4" with stainless steel grid Ø 70 mm and flexible overflow, rubber plug



Quantity (packing)	40 pcs
Quantity (pallet)	1120 pcs
Material	polypropylene

A34
Sink waste G 6/4" raised, with stainless steel grid Ø 70 mm, rubber plug



Quantity (packing)	100 pcs
Quantity (pallet)	2800 pcs
Material	polypropylene

A37
Sink waste G 6/4" with stainless steel grid Ø 115 mm



Quantity (packing)	50 pcs
Quantity (pallet)	1400 pcs
Material	polypropylene

A38
Sink waste G 6/4" with stainless steel grid Ø 115 and flexible overflow



Quantity (packing)	25 pcs
Quantity (pallet)	700 pcs
Material	polypropylene

A30
Pipe adapter for trap G 6/4" × G 6/4" with Ø 17–23 mm connector, plastic



Quantity (packing)	75 pcs
Quantity (pallet)	2100 pcs
Material	polypropylene

A44MN-DN40
Pipe adapter for trap DN 40 with G 6/4" union nut, length 265 mm, plastic



Quantity (packing)	25 pcs
Quantity (pallet)	400 pcs
Material	polypropylene

A44MS-DN40
Pipe adapter for trap DN 40 with G 6/4" union nut and Ø 17–23 mm connector, length 265 mm, plastic



Quantity (packing)	40 pcs
Quantity (pallet)	1120 pcs
Material	polypropylene

A44MS-DN32 (new)
Adapter pipe with coupling nut 5/4" and connector



Quantity (packing)	50 pcs
Quantity (pallet)	800 pcs
Material	polypropylene

A44M-DN40
Pipe adapter for trap DN 40 with G 6/4" union nut and two Ø 17–23 mm connectors, length 265, plastic



Quantity (packing)	25 pcs
Quantity (pallet)	700 pcs
Material	polypropylene

P212-DN40 (new)
Extension piece for plastic traps DN 40, length 265 mm, plastic, white-polished



Quantity (packing)	100 pcs
Quantity (pallet)	1600 pcs
Material	polypropylene

A300
Pipe adapter for trap with double-sided combined threads G 6/4" / G 5/4" and Ø 17–23 connector, plastic



Quantity (packing)	60 pcs
Quantity (pallet)	1680 pcs
Material	polypropylene

S0556-ND
Reducer for trap G 5/4" × G 6/4", plastic



Quantity (packing)	100 pcs
Quantity (pallet)	3200 pcs
Material	polypropylene

S0506-ND
Reducer for trap G 6/4" × G 5/4", plastic



Quantity (packing)	100 pcs
Quantity (pallet)	3200 pcs
Material	polypropylene

S0507-ND
Reducer for trap G 5/4" × G 6/4", plastic



Quantity (packing)	100 pcs
Quantity (pallet)	3200 pcs
Material	polypropylene

P0048-ND
Connector G 1" × Ø 17–23 mm for connecting washing machine or dishwasher to trap



Quantity (packing)	100 pcs
Quantity (pallet)	1600 pcs
Material	polypropylene

P0049-ND
Connector G 1" × Ø 8–16 mm for connecting dryer to trap



Quantity (packing)	100 pcs
Quantity (pallet)	1600 pcs
Material	polypropylene

P148
Double connector G 1" × Ø 17–23 mm for connecting washing machine and dishwasher to trap



Quantity (packing)	70 pcs
Quantity (pallet)	1960 pcs
Material	polypropylene

P155Z-G1 (new)
Double connector G 1" × Ø 17–23 mm for connecting washing machine and dishwasher to trap, with non-return valves



Quantity (packing)	70 pcs
Quantity (pallet)	1960 pcs
Material	polypropylene

P156Z-G1
new

Double connector G 1" × Ø 8–23 mm for connecting washing machine and dryer to trap, with non-return valves



Quantity (packing)	70 pcs
Quantity (pallet)	1960 pcs
Material	polypropylene

P155Z

Double connector DN 40/32 × Ø 17–23 mm for connecting washing machine and dish-washer to trap, with non-return valves



Quantity (packing)	50 pcs
Quantity (pallet)	800 pcs
Material	polypropylene

P156Z

Double connector DN 40/32 × Ø 8–23 mm for connecting washing machine and dryer to trap, with non-return valves



Quantity (packing)	50 pcs
Quantity (pallet)	1400 pcs
Material	polypropylene

P066-ND

Replacement seal set for washbasin traps



Quantity (packing)	1 pcs
Quantity (pallet)	–
Material	rubber

P067-ND

Replacement seal set for sink traps



Quantity (packing)	1 pcs
Quantity (pallet)	–
Material	rubber

S0156-ND

Rubber reducing insert Ø 50/40 mm



Quantity (packing)	1 pcs
Quantity (pallet)	–
Material	rubber

S0688-ND

Rubber reducing insert Ø 36/10 mm



Quantity (packing)	1 pcs
Quantity (pallet)	–
Material	rubber

Z0003-ND

Rubber reducing insert Ø 40/32 mm



Quantity (packing)	1 pcs
Quantity (pallet)	–
Material	rubber

Z0004-ND

Rubber reducing insert Ø 50/32 mm



Quantity (packing)	1 pcs
Quantity (pallet)	–
Material	rubber

S1606-ND

Rubber pipe sealing 63/40



Quantity (packing)	1 pcs
Quantity (pallet)	–
Material	rubber

Z0026-ND

Rubber reducing insert Ø 60/32 mm



Quantity (packing)	1 pcs
Quantity (pallet)	–
Material	rubber

A22

Rosette DN 33 – washbasin overflow cover, plastic, chrome-polished



Quantity (packing)	200 pcs
Quantity (pallet)	5600 pcs
Material	chrome-plated plastic

A21

Rosette DN 35 – washbasin overflow cover, plastic, chrome-polished



Quantity (packing)	200 pcs
Quantity (pallet)	5600 pcs
Material	chrome-plated plastic

A45A

Urinal trap DN 40 with Ø 55 mm gasket, plastic



Quantity (packing)	25 pcs
Quantity (pallet)	700 pcs
Material	polypropylene

A45B

Urinal trap DN 40 horizontal with rubber reducing insert Ø 50, plastic



Quantity (packing)	25 pcs
Quantity (pallet)	700 pcs
Material	polypropylene

A45C

Urinal trap DN 40/50 vertical with rubber reducing insert Ø 50, plastic



Quantity (packing)	25 pcs
Quantity (pallet)	700 pcs
Material	polypropylene

A438

Metal elbow for concealed trap DN 32 with G 5/4" union nut



Quantity (packing)	15 pcs
Quantity (pallet)	420 pcs
Material	chrome-plated metal

A45E

Tubular bidet trap DN 32 extended with G 5/4" union nut, metal, chrome-polished



Quantity (packing)	25 pcs
Quantity (pallet)	700 pcs
Material	chrome-plated metal

A45F-DN32
Washbasin and bidet trap DN 32 with G 5/4" union nut, plastic

A45F-DN40
Washbasin and bidet trap DN 40 with G 5/4" union nut, plastic



Quantity (packing)	25 pcs
Quantity (pallet)	700 pcs
Material	polypropylene

A45G
Tubular bidet trap DN 32 with G 5/4" union nut, metal, chrome-polished



Quantity (packing)	25 pcs
Quantity (pallet)	800 pcs
Material	chrome-plated metal

ATS001
Urinal pressure flush valve



Quantity (packing)	20 pcs
Quantity (pallet)	560 pcs
Material	chrome-plated metal

AKS1
Funnel trap DN 32 for dripping condensate



Quantity (packing)	70 pcs
Quantity (pallet)	1120 pcs
Material	polypropylene

AKS1Z
Funnel trap DN 32 for dripping condensate, with ball-type dry odour trap



Quantity (packing)	70 pcs
Quantity (pallet)	1120 pcs
Material	polypropylene

AKS2
Tubular trap for dripping condensate DN 40, rubber reducing insert 10–32 mm



Quantity (packing)	15 pcs
Quantity (pallet)	420 pcs
Material	polypropylene

AKS3
Tubular trap for dripping condensate DN 40 with G 6/4" / G 5/4" union nut



Quantity (packing)	15 pcs
Quantity (pallet)	420 pcs
Material	polypropylene

AKS4
Concealed trap for dripping condensate DN 40/50, stainless steel



Quantity (packing)	25 pcs
Quantity (pallet)	400 pcs
Material	polypropylene

AKS5
Funnel trap DN 32 for dripping condensate, with ball-type dry trap seal and hose holder



Quantity (packing)	60 pcs
Quantity (pallet)	960 pcs
Material	polypropylene

AKS6
HT 40/50 × G 1/2" connection reducer for traps for dripping condensate



Quantity (packing)	100 pcs
Quantity (pallet)	2800 pcs
Material	polypropylene

AKS7
Concealed trap for dripping condensate DN 40/50 with Ø 17–23 mm connector, stainless steel



Quantity (packing)	25 pcs
Quantity (pallet)	400 pcs
Material	polypropylene

AKS8-DN40
Tubular funnel trap for dripping condensate DN 40

AKS8-DN50
Tubular funnel trap for dripping condensate DN 50



Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material	polypropylene

APS1
External trap for washing machine or dishwasher, DN 32, chrome



Quantity (packing)	100 pcs
Quantity (pallet)	2800 pcs
Material	chrome-plated ABS

APS2
External trap for washing machine or dishwasher, DN 32, white



Quantity (packing)	100 pcs
Quantity (pallet)	2800 pcs
Material	ABS

APS3
Concealed trap for washing machine or dishwasher, DN 40/50, stainless steel



Quantity (packing)	40 pcs
Quantity (pallet)	1120 pcs
Material	polypropylene

APS3P
Concealed trap for washing machine or dishwasher with air-admittance valve, DN 40/50, stainless steel



Quantity (packing)	25 pcs
Quantity (pallet)	400 pcs
Material	polypropylene

APS4
Concealed trap for washing machine or dishwasher, DN 40/50, white



Quantity (packing)	40 pcs
Quantity (pallet)	1120 pcs
Material	polypropylene

APS6
Concealed trap for washing machine and dryer, DN 50/40, stainless steel



Quantity (packing)	18 pcs
Quantity (pallet)	288 pcs
Material	polypropylene

APS7-DN40
Tubular trap for washing machine or dishwasher with Ø 17–23 mm connector, DN 40

APS7-DN50
Tubular trap for washing machine or dishwasher with Ø 17–23 mm connector, DN 50



Quantity (packing)	15 pcs
Quantity (pallet)	420 pcs
Material	polypropylene

P210 new
Extension for concealed washing machine trap G 1" × G 1"



Quantity (packing)	100 pcs
Quantity (pallet)	1600 pcs
Material	polypropylene

APS6V new
Concealed washing machine trap with water inlet, stainless steel, DN 40 and DN 50



Quantity (packing)	18 pcs
Quantity (pallet)	288 pcs
Material	polypropylene

P148
Double connector G 1" × Ø 17–23 mm for connecting washing machine and dishwasher to trap



Quantity (packing)	70 pcs
Quantity (pallet)	1960 pcs
Material	polypropylene

P155Z
Double connector DN 40/32 × Ø 17–23 mm for connecting washing machine and dishwasher to trap, with non-return valves



Quantity (packing)	50 pcs
Quantity (pallet)	800 pcs
Material	polypropylene

P156Z
Double connector DN 40/32 × Ø 8–23 mm for connecting washing machine and dryer to trap, with non-return valves



Quantity (packing)	50pcs
Quantity (pallet)	1400 pcs
Material	polypropylene

P157Z
Double connector DN 40/32 × Ø 8–16 mm for connecting two appliances to trap, with non-return valves



Quantity (packing)	50 pcs
Quantity (pallet)	1400 pcs
Material	polypropylene

Space-saving furniture trap

The innovative design saves space in your washbasin cabinet. The trap shape is designed to provide maximum space under the washbasin. Despite its compact design, our trap has high flow rate. The water drains quickly, thus ensuring cleanliness and hygiene.

Benefits

- Especially suitable for cabinets under the washbasin
- Connection to waste pipe DN 40 and DN 32 mm
- Flow rate up to 34 l/min
- Odour trap 50 mm
- Union nut G 5/4"
- Adjustable, adjustable height
- Easy to clean



A43S-DN32
Washbasin furniture trap DN 32 with G 5/4" union nut

Variant for double sink



A43SD-DN32
Wash-basin furniture trap DN 32 with union nut 5/4", double washbasin



Flexi pipes

Flexi pipes _____ 198
Flexi pipes – accessories _____ 199

VIDEO

A794
Flexi pipe 40–32×32–40



Quantity (packing)	110 pcs
Quantity (pallet)	1760 pcs
Material	polypropylene

A710
Flexi pipe 40×40



Quantity (packing)	130 pcs
Quantity (pallet)	2080 pcs
Material	polypropylene

A720
Flexi pipe 50/40×40/50



Quantity (packing)	70 pcs
Quantity (pallet)	1120 pcs
Material	polypropylene

A795
Flexi pipe 50/40×40



Quantity (packing)	120 pcs
Quantity (pallet)	1920 pcs
Material	polypropylene

A730
Flexi pipe 5/4"×40 plastic




Quantity (packing)	120 pcs
Quantity (pallet)	1920 pcs
Material	polypropylene

A740
Flexi pipe 5/4"×40 metal




Quantity (packing)	120 pcs
Quantity (pallet)	1920 pcs
Material	polypropylene

A750
Flexi pipe 5/4"×32/40 plastic




Quantity (packing)	120 pcs
Quantity (pallet)	1920 pcs
Material	polypropylene

A760
Flexi pipe 5/4"×32/40 metal



Quantity (packing)	120 pcs
Quantity (pallet)	1920 pcs
Material	polypropylene

A770
Flexi pipe 6/4"×40/50 plastic




Quantity (packing)	90 pcs
Quantity (pallet)	1440 pcs
Material	polypropylene

A780
Flexi pipe 6/4"×40/50 metal



Quantity (packing)	90 pcs
Quantity (pallet)	1440 pcs
Material	polypropylene

A791
Flexi pipe 6/4"×40 plastic



Quantity (packing)	110 pcs
Quantity (pallet)	1760 pcs
Material	polypropylene

A792
Flexi pipe 6/4"×40 metal



Quantity (packing)	110 pcs
Quantity (pallet)	1760 pcs
Material	polypropylene

A793
Flexi pipe 6/4" with reduction to 5/4"×50/40 plastic



Quantity (packing)	80 pcs
Quantity (pallet)	1280 pcs
Material	polypropylene

A7990
Two-component seal 5/4" (10 pcs)



Quantity (packing)	10 pcs
Quantity (pallet)	–
Material	elastomer

A7991
Two-component seal 6/4" (10 pcs)



Quantity (packing)	10 pcs
Quantity (pallet)	–
Material	elastomer

A7992
Two-component seal 1" (10 pcs)



Quantity (packing)	10 pcs
Quantity (pallet)	–
Material	elastomer

A7993
Flexi pipe holder (10 pcs)



Quantity (packing)	10 pcs
Quantity (pallet)	–
Material	polypropylene





WC accessories

WC flexi connectors _____ 202
WC connectors _____ 202
Air admittance heads _____ 204
Bath access doors _____ 205

VIDEO

A97
Flexible connector for floor-standing WC, 80–110 mm × 90–110 mm, length 280–550 mm, PP, white



Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material	polypropylene

A97L
Flexible connector for floor-standing WC, 70–110 mm × 90–110 mm, length 260–650 mm, PP, white



Quantity (packing)	14 pcs
Quantity (pallet)	–
Material	polypropylene

A97SN
Flexible connector for floor-standing WC, 70–110 mm × 90–110 mm, length 230–530 mm, PP, white



Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material	polypropylene

A970
Flexible connector for floor-standing WC, 80–110 mm × 90–110 mm, length 280–550 mm, PP, white



Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material	polypropylene

M9006
Flexible elbow waste connector for wall-hung WC, 90 mm × 90–110 mm, length 450 mm, PP, white



Quantity (packing)	25 pcs
Quantity (pallet)	400 pcs
Material	polypropylene

A90-22
Connector for floor-standing WC, elbow 22°, DN 110, length 165 mm, PP, white



Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material	polypropylene

A90-45
Connector for floor-standing WC, 45° elbow, DN 110, length 90 mm, PP, white



Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material	polypropylene

A90-90A
Connector for floor-standing WC, 90° elbow, DN 110, length 230 mm, PP, white



Quantity (packing)	12 pcs
Quantity (pallet)	192 pcs
Material	polypropylene

A90-90P40A
Connector for floor-standing WC, 90° elbow with DN 40 inlet, DN 110, length 230 mm, PP, white



Quantity (packing)	12 pcs
Quantity (pallet)	192 pcs
Material	polypropylene

A90-90P50A
Connector for floor-standing WC, 90° elbow with DN 50 inlet, DN 110, length 230 mm, PP, white



Quantity (packing)	12 pcs
Quantity (pallet)	192 pcs
Material	polypropylene

A90-90P40/50A
new

Connector for floor-standing WC, 90° elbow with DN 40/50 inlet, DN 110, length 230 mm, PP, white



Quantity (packing)	12 pcs
Quantity (pallet)	192 pcs
Material	polypropylene

A90-90R
new

Connector for floor-standing WC, adjustable elbow 0–90°, DN 110, length 275 mm, PP, white



Quantity (packing)	10 pcs
Quantity (pallet)	160 pcs
Material	polypropylene

A91-150
Connector for floor-standing WC, straight, DN 110, length 150 mm, PP, white



Quantity (packing)	30 pcs
Quantity (pallet)	480 pcs
Material	polypropylene

A91-250
Connector for floor-standing WC, straight, DN 110, length 250 mm, PP, white



Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material	polypropylene

A91-400
Connector for floor-standing WC, straight, DN 110, length 400 mm, PP, white



Quantity (packing)	14 pcs
Quantity (pallet)	224 pcs
Material	polypropylene

A92
Connector for floor-standing WC, eccentric 15 mm, DN 110, length 158 mm, PP, white



Quantity (packing)	30 pcs
Quantity (pallet)	480 pcs
Material	polypropylene

A98
WC small rosette 110 mm, PP, white



Quantity (packing)	75 pcs
Quantity (pallet)	1200 pcs
Material	polypropylene

A980
WC large rosette 110 mm, PP, white



Quantity (packing)	30 pcs
Quantity (pallet)	840 pcs
Material	polypropylene

A991
Connector for floor-standing WC, straight, 110 mm, length 125 mm, PP, white



Quantity (packing)	35 pcs
Quantity (pallet)	560 pcs
Material	polypropylene

A991-20
Connector for floor-standing WC, eccentric 20 mm, 110 mm, length 125 mm, PP, white



Quantity (packing)	35 pcs
Quantity (pallet)	560 pcs
Material	polypropylene

S1642-ND
WC connection cuff



Quantity (packing)	120 pcs
Quantity (pallet)	–
Material	TPE

A991-40
Connector for floor-standing WC, eccentric 40 mm, 110 mm, length 125 mm, PP, white



Quantity (packing)	35 pcs
Quantity (pallet)	560 pcs
Material	polypropylene

A99
WC gasket for floor-standing WC, straight, 90–110 mm, length 100 mm, PVC, white



Quantity (packing)	50 pcs
Quantity (pallet)	800 pcs
Material	PVC

A990
WC gasket for floor-standing WC, eccentric 20 mm, 90–110 mm, length 100 mm, PVC, white



Quantity (packing)	50 pcs
Quantity (pallet)	800 pcs
Material	PVC

APH40
Air admittance valve DN 40



Quantity (packing)	75 pcs
Quantity (pallet)	2100 pcs
Material	polypropylene

APH50
Air admittance valve DN 50



Quantity (packing)	50 pcs
Quantity (pallet)	1200 pcs
Material	polypropylene

APH75
Air admittance valve DN 75



Quantity (packing)	50 pcs
Quantity (pallet)	800 pcs
Material	polypropylene

APH110
Air admittance valve DN 110



Quantity (packing)	50 pcs
Quantity (pallet)	800 pcs
Material	polypropylene

AVD001
Bath access door 150×150, white



Quantity (packing)	60 pcs
Quantity (pallet)	1680 pcs
Material	polypropylene

AVD002
Bath access door 150×300, white



Quantity (packing)	30 pcs
Quantity (pallet)	360 pcs
Material	polypropylene

AVD003
Bath access door 300×300, white



Quantity (packing)	20 pcs
Quantity (pallet)	320 pcs
Material	polypropylene

AVD004
Bath access door magnetic (under the tiles), adjustable height



Quantity (packing)	100 pcs
Quantity (pallet)	–
Material	metal

AVD005
Bath access door magnetic (under the tiles), basic



Quantity (packing)	100 pcs
Quantity (pallet)	–
Material	metal

new

APX-B1
PureX - Blue Line 1"

APX-B3/4
PureX - Blue Line 3/4"




Quantity (packing)	1 pcs
Quantity (pallet)	- pcs
Material	-

Product lines

PROGRAM INDIVIDUAL

FUN-RG-B
Flush plate for pre-wall installation systems, RED GOLD-brushed matt



G-B RG-B N-B GM-B

APZ19-RG-B
Shower drain with an edge for two-sided grid, RED GOLD-brushed matt



G-B RG-B N-B GM-B

A400-RG-B
Washbasin trap DN 32 DESIGN, round, metal, RED GOLD-brushed matt



G-B RG-B N-B GM-B

A392-RG-B
Washbasin waste CLICK/CLACK G 5/4" with overflow, large plug, metal, RED GOLD-brushed matt



G-B RG-B N-B GM-B

A55K-RG-B
Bath pop-up waste and trap, length 57 cm, metal, RED GOLD-brushed matt



G-B RG-B N-B GM-B

ARV001-RG-B
Angle valve with filter 1/2" × 3/8", round, bronze-antic



G-B RG-B N-B GM-B



INDIVIDUAL

YOURS IN EVERY DETAIL

Perfect match

It is possible that we can match your personal taste with charming pink tones. Or you might prefer a dazzling gold colour? Maybe your natural match is the gun metal. No matter what you decide, you can always rely on certain things. The perfect colour fastness and the resistance to abrasion. And so even your bathroom can be brought to perfection in every last detail.

CODES FOR COLOUR VARIANTS	
G-B	Gold-brushed matt
RG-B	Red gold-brushed matt
N-B	Nickel-brushed matt
GM-B	Gun metal-brushed matt

PROGRAM BLACK-MATT

APZ1BLACK
Shower drain with an edge for perforated grids, black-matt



APZ101BLACK Low
Shower drain with an edge for perforated grids, black-matt



PURE BLACK
Grid for shower drain, black-matt



APZ10BLACK Simple
Shower drain with an edge for perforated grids, black-matt



APZ19BLACK Simple
Shower drain with an edge for two-sided grid, black-matt
(550, 650, 750, 850, 950 mm)



M1878
Flush plate for pre-wall installation systems, black-matt



M1878-7
Flush plate for pre-wall installation systems, black-matt/gold-matt



M1978
Flush plate for pre-wall installation systems, black-matt



M1978-7
Flush plate for pre-wall installation systems, black-matt/gold-matt



M578
Flush plate for pre-wall installation systems, black-matt



M678
Flush plate for pre-wall installation systems, black-matt



M778
Flush plate for pre-wall installation systems, black-matt/chrome-polished



M778-5
Flush plate for pre-wall installation systems, black-matt/gold-polished



MOON-BLACK
Flush plate for pre-wall installation systems, inox-black matt



TURN-BLACK
Flush plate for pre-wall installation systems, inox-black matt



FUN-BLACK
Flush plate for pre-wall installation systems, inox-black matt



M278
Flush plate for pre-wall installation systems, black-matt



A400BLACK
Washbasin trap DN 32 DESIGN, round, metal, black-matt



A4320BLACK
Tubular washbasin trap DN 32 with G 5/4" union nut, metal, black-matt



A4000BLACK
Extension piece for metal washbasin traps DN 32, length 150 mm, metal, black-matt



A55BLACK
Bath pop-up waste and trap, length 57 cm, metal, black-matt



A507BLACK
Bath CLICK/CLACK waste and trap, length 57 cm, metal, black-matt



A564BLACK
Bath pop-up waste and trap with overflow filling, length 57 cm, metal, black-matt



A491BLACK
Shower waste and trap, reduced height, waste outlet 90 mm, DN 50, plastic, black-matt



A492BLACK
Shower waste and trap for thick-walled trays, reduced height, waste outlet 90 mm, DN 50, plastic, black-matt



A465BLACK-50
Shower waste and trap CLICK/CLACK, waste outlet 50 mm, DN 40, metal, black-matt



A49BLACK
Shower waste and trap, waste outlet 90 mm, DN 40, metal, black-matt



A392BLACK
Washbasin waste CLICK/CLACK G 5/4" with overflow, large plug, metal, black-matt



A396BLACK
Washbasin waste G 5/4", for basins without overflow, large non-closing plug, metal, black-matt



APV31BLACK
Floor drain 105×105/50 mm side outlet, stainless steel grid black-matt, combined odour trap SMART



APV32BLACK
Floor drain 105×105/50 mm straight outlet, stainless steel grid black-matt, combined odour trap SMART



MPV004-BLACK
Grid 102×102 mm stainless steel, black--matt



ARV001-BLACK
Angle valve 1/2" × 3/8", square, chrome--polished



ARV003-BLACK
Angle valve with filter 1/2" × 1/2", round, black-matt



PROGRAM WHITE-POLISHED

M570
Flush plate for pre-wall installation systems, white-polished



M670
Flush plate for pre-wall installation systems, white-polished



M770
Flush plate for pre-wall installation systems, white-polished/ chrome-polished



M775
Flush plate for pre-wall installation systems, white-polished/ gold-polished



MOON-WHITE
Flush plate for pre-wall installation systems, inox-white polished




TURN-WHITE
Flush plate for pre-wall installation systems, inox-white polished



RAY-GL1200
Flush plate for pre-wall installation systems, alunox-matt



FUN-WHITE
Flush plate for pre-wall installation systems, inox-white polished



M70
Flush plate for pre-wall installation systems, white-polished



M270
Flush plate for pre-wall installation systems, white-polished



A51B
Bath pop-up waste and trap, length 57 cm, metal/plastic, chrome-polished/ white-polished



A51BM
Bath pop-up waste and trap, length 57 cm, plastic, white-polished



A564B
Bath pop-up waste and trap with overflow filling, length 57 cm, metal, white-polished



GL1200
GLASS – Grid for shower drain, glass-white



A400B
Washbasin trap DN 32 DESIGN, round, metal, white-polished



A4000B
Extension piece for metal washbasin traps DN 32, length 150 mm, metal, white-polished



ARV001B
Angle valve with filter 1/2" × 3/8", round, white-polished

ARV003B
Angle valve with filter 1/2" × 1/2", round, white-polished



A392B
Washbasin waste CLICK/CLACK G 5/4" with overflow, large plug, metal, white-polished



A395B
Washbasin waste CLICK/CLACK G 5/4" without overflow, large plug, metal, white-polished



A396B
Washbasin waste G 5/4", for basins without overflow, large non-closing plug, metal, white--polished



A47B-50
Shower waste and trap, waste outlet 50 mm, DN 40, cover Ø 71 mm, plastic, white-polished



A47B-60
Shower waste and trap, waste outlet 60 mm, DN 40, cover Ø 91 mm, plastic, white-polished



A49B
Shower waste and trap, waste outlet 90 mm, DN 40, plastic, white-polished



A49K-B
Shower waste and trap, waste outlet 90 mm, DN 40, metal, white-polished



A465B-50
Shower waste and trap CLICK/CLACK, waste outlet 50 mm, DN 40, metal, white-polished



PROGRAM BRASS

MOON-BRASS
Flush plate for pre-wall installation systems, brass




TURN-BRASS
Flush plate for pre-wall installation systems, brass



FUN-BRASS
Flush plate for pre-wall installation systems, brass



M57-BR-M
Flush plate for pre-wall installation systems, BRASS-matt



APZ10BLACK-BRASS Simple
Shower drain with an edge for perforated grids, brass





Product news 2026

AS120/1120 Sádromodul
Pre-wall installation system for toilets with bidet function



A108F 5:1 SET-01
Set: mounting frame, waste sink inc. grid, insulation, flush plate



M9000K-DN110
Connector kit for wall-hung WC, DN 110, length 300 mm, PE, chrome



AM122/1120D Sádromodul
Pre-wall installation system for dry build up (plasterboard), split frame



WC AURA
Wall-hung WC



M976
Bracket for fixing to the wall, 2 pcs



AM123/1120E
Pre-wall installation system for dry build up (plasterboard), free-standing, connection to waste pipe DN 100



WS AURA
Waste sink with cover grid



V0285-ND
Seal 64×30×2, silicone



A150PDF-3/8"
Side inlet fill valve with delayed filling for plastic WC cisterns



A160PDF-3/8"
Side inlet fill valve with delayed filling, metal thread, for plastic WC cisterns and pre-wall installation systems



A02A
Flush valve for low level cistern (since 2025)



A930-H-3/8"-F
Toilet cistern UNI DUAL universal, white + hose



A940-H-3/8"-F
Toilet cistern UNI START–STOP universal, white + hose



A930E-M-3/8"
Low level toilet cistern DUAL, white (6 l)



A940E-M-3/8"
Low level toilet cistern START-STOP, white (6 l)



P198
Template for APV3513



A43S-DN32
Washbasin furniture trap DN 32 with G 5/4" union nut



A43SD-DN32
Wash-basin furniture trap DN 32 with union nut 5/4", double washbasin



A44MS-DN32
Adapter pipe with coupling nut 5/4" and connector



P212-DN40
Extension piece for plastic traps DN 40, length 265 mm, plastic, white-polished



A80V-DN40
Pipe trap with coupling nut G 6/4" × DN 40

A80V-DN50
Pipe trap with coupling nut G 6/4" × DN 50



A81V-DN40
Pipe trap with coupling nut G 6/4" × DN 40 and connector Ø 18,5 mm

A81V-DN50
Pipe trap with coupling nut G 6/4" × DN 50 and connector Ø 18,5 mm



P155Z-G1
Double connector G 1" × Ø 17–23 mm for connecting washing machine and dish-washer to trap, with non-return valves



P156Z-G1
Double connector G 1" × Ø 8–23 mm for connecting washing machine and dryer to trap, with non-return valves



P210
Extension for concealed washing machine trap G 1" × G 1"



APS6V
Concealed washing machine trap with water inlet, stainless steel, DN 40 and DN 50



A90-90P40/50A
Connector for floor-standing WC, 90° elbow with DN 40/50 inlet, DN 110, length 230 mm, PP, white



A90-90R
Connector for floor-standing WC, adjustable elbow 0–90°, DN 110, length 275 mm, PP, white



APX-B1
PureX - Blue Line 1"

APX-B3/4
PureX - Blue Line 3/4"



PM02022UNI-BOX
Wooden stand for pre-wall installation system and flush plates



PM02024UNI-BOX
Stand for flush plates Flat, white



PM02025EN
Exposed WC cisterns stand



PM02023EN
Stand for APZ13 Fit and Go



PM01006UNI-BLACK
Plexi stand for bath trap – A564BLACK



PM01006EN
Plexi large stand for bath-tub waste and traps



PM01007UNI-BLACK
Plexi stand for metal program



PM01003EN
Plexi large stand for reduced shower wastes and traps



PM01005UNI
Plexi stand for fill and flush valves



PM02004EN
Large stand for plastic linear shower drains



PM02021UNI
Stand for stainless steel linear shower drains



PM03004UNI
Stand for WC seats



PM03008UNI
Stand for outdoor drains



PM03001UNI
Large wire stand including hooks, legs



PM04021UNI
Presentation board with flush plates



PM02027EN
Stand for APZ115 Marble Low



** Promotional materials are supplied without the displayed products*

Table of size variants for bath wastes and traps

L=570 • Hmax=370	L=800 • Hmax=600	L=1000 • Hmax=800	L=1200 • Hmax=1000
A501	–	–	–
A502	–	–	–
A51B	A51B-80	A51B-100	A51B-120
A51BM	A51BM-80	A51BM-100	A51BM-120
A51CR	A51CR-80	A51CR-100	A51CR-120
A51CRM	A51CRM-80	A51CRM-100	A51CRM-120
A55K	A55K-80	A55K-100	A55K-120
A55BLACK	A55BLACK-80	A55BLACK-100	A55BLACK-120
A55K-G-P	A55K-G-P-80	A55K-G-P-100	A55K-G-P-120
A55K-G-B	A55K-G-B-80	A55K-G-B-100	A55K-G-B-120
A55K-RG-P	A55K-RG-P-80	A55K-RG-P-100	A55K-RG-P-120
A55K-RG-B	A55K-RG-B-80	A55K-RG-B-100	A55K-RG-B-120
A55K-N-P	A55K-N-P-80	A55K-N-P-100	A55K-N-P-120
A55K-N-B	A55K-N-B-80	A55K-N-B-100	A55K-N-B-120
A55K-GM-P	A55K-GM-P-80	A55K-GM-P-100	A55K-GM-P-120
A55K-GM-B	A55K-GM-B-80	A55K-GM-B-100	A55K-GM-B-120
A55KM	A55KM-80	A55KM-100	A55KM-120
A55KM-WHITE	A55KM-WHITE-80	–	–
A504CKM	A504CKM-80	A504CKM-100	A504CKM-120
A507CKM	A507CKM-80	A507CKM-100	A507CKM-120
A516CKM	A516CKM-80	A516CKM-100	A516CKM-120
A507BLACK	A507BLACK-80	A507BLACK-100	A507BLACK-120
A505CRM	A505CRM-80	A505CRM-100	A505CRM-120
A505CKM	A505CKM-80	A505CKM-100	A505CKM-120

These products can be found on pages 162–165

Table of size variants for bath wastes and traps with an overflow filler mechanism


L=570 • Hmax=370	L=800 • Hmax=600	L=1000 • Hmax=800	L=1200 • Hmax=1000
A508CKM	A508CKM-80	A508CKM-100	A508CKM-120
A509CKM	A509CKM-80	A509CKM-100	A509CKM-120
A564B	A564B-80	–	–
A564BLACK	A564BLACK-80	A564BLACK-100	A564BLACK-120
A564CRM1	A564CRM1-80	A564CRM1-100	A564CRM1-120
A564CRM2	A564CRM2-80	A564CRM2-100	A564CRM2-120
A564CRM3	A564CRM3-80	A564CRM3-100	A564CRM3-120
A564KM1	A564KM1-80	A564KM1-100	A564KM1-120
A564KM3	A564KM3-80	A564KM3-100	A564KM3-120
A565CRM1	A565CRM1-80	A565CRM1-100	A565CRM1-120
A565KM1	A565KM1-80	A565KM1-100	A565KM1-120
A565KM3	A565KM3-80	A565KM3-100	A565KM3-120
A566-112122-57	A566-112122-80	A566-112122-100	A566-112122-120
A566-273133-57	A566-273133-80	A566-273133-100	A566-273133-120

These products can be found on pages 165–168

Determining the lenght of Alca bath wastes

Determining the necessary length of the bath waste for different bathtub models is very easy. The waste hole in the bottom of the tub and an the overflow opening in the wall of the tub are combined perpendiculars (Hmax and H2). By adding the perpendicular lines, then we get the desired waste length (L).

Hmax + H2 = L



Maximum bathtub wall thickness for each type of bath waste and trap

Bath wastes and traps	Bathtub wall thickness around the waste (mm)	Bathtub wall thickness around the overflow (mm)
A501	13	10
A502	13	10
A51B	2–10	10
A51BM	2–10	10
A51CR	2–10	10
A51CRM	2–10	10
A55K	2–10	10
A55BLACK	2–10	10
A55KM	2–10	10
A504CKM	12	4–16
A507CKM	12	4–16
A516CKM	8	4–16
A507BLACK	12	4–16
A505CRM	12	4–16
A505CKM	12	4–16
A508CKM	2–10	4–16
A509CKM	10–18	4–16

Bath wastes and traps	Bathtub wall thickness around the waste (mm)	Bathtub wall thickness around the overflow (mm)
A564CRM1	2–10	10
A564CRM2	2–10	10
A564CRM3	2–10	10
A564KM1	2–10	10
A564BLACK	2–10	10
A564KM3	2–10	10
A565CRM3	10–18	12–26
A565KM1	10–18	12–26
A565KM3	10–18	12–26
A566-112122-57	2–10	10
A566-112122-80	2–10	10
A566-112122-100	2–10	10
A566-273133-57	2–10	10
A566-112122-120	2–10	10
A566-273133-80	2–10	10
A566-273133-100	2–10	10
A566-273133-120	2–10	10

Table of variants for shower drains and grids

Width of the shower corner (mm)								
–	600	700	800	900	1000	1100	1200	1500
Linear shower drains: APZ1, APZ1BLACK, APZ101, APZ101BLACK, APZ1001, APZ1101, APZ4, APZ104, APZ1004, APZ1104, APZ2001, APZ12, APZ2012								
APZ1-300	APZ1-550	APZ1-650	APZ1-750	APZ1-850	APZ1-950	APZ1-1050	APZ1-1150	APZ1-1450
APZ1BLACK-300	APZ1BLACK-550	APZ1BLACK-650	APZ1BLACK-750	APZ1BLACK-850	APZ1BLACK-950	APZ1BLACK-1050	APZ1BLACK-1150	APZ1BLACK-1450
APZ101-300	APZ101-550	APZ101-650	APZ101-750	APZ101-850	APZ101-950	APZ101-1050	APZ101-1150	APZ101-1450
APZ101BLACK-300	APZ101BLACK-550	APZ101BLACK-650	APZ101BLACK-750	APZ101BLACK-850	APZ101BLACK-950	APZ101BLACK-1050	APZ101BLACK-1150	APZ101BLACK-1450
–	APZ4-550	APZ4-650	APZ4-750	APZ4-850	APZ4-950	APZ4-1050	APZ4-1150	–
–	APZ104-550	APZ104-650	APZ104-750	APZ104-850	APZ104-950	APZ104-1050	APZ104-1150	–
APZ1001-300	APZ1001-550	APZ1001-650	APZ1001-750	APZ1001-850	APZ1001-950	APZ1001-1050	APZ1001-1150	–
APZ1101-300	APZ1101-550	APZ1101-650	APZ1101-750	APZ1101-850	APZ1101-950	APZ1101-1050	APZ1101-1150	–
–	APZ1004-550	APZ1004-650	APZ1004-750	APZ1004-850	APZ1004-950	APZ1004-1050	APZ1004-1150	–
–	APZ1104-550	APZ1104-650	APZ1104-750	APZ1104-850	APZ1104-950	APZ1104-1050	APZ1104-1150	–
APZ2001-300	APZ2001-550	APZ2001-650	APZ2001-750	APZ2001-850	APZ2001-950	APZ2001-1050	APZ2001-1150	–
–	–	APZ12-650	APZ12-750	APZ12-850	APZ12-950	APZ12-1050	–	–
–	APZ2012-550	APZ2012-650	APZ2012-750	APZ2012-850	–	–	–	–
Grids for: APZ1, APZ1BLACK, APZ101, APZ101BLACK, APZ1001, APZ1101, APZ4, APZ104, APZ1004, APZ1104, APZ2001, APZ12, APZ2012								
LINE-300M	LINE-550M	LINE-650M	LINE-750M	LINE-850M	LINE-950M	LINE-1050M	LINE-1150M	LINE-1450M
PURE-300M	PURE-550M	PURE-650M	PURE-750M	PURE-850M	PURE-950M	PURE-1050M	PURE-1150M	PURE-1450M
PURE-300BLACK	PURE-550BLACK	PURE-650BLACK	PURE-750BLACK	PURE-850BLACK	PURE-950BLACK	PURE-1050BLACK	PURE-1150BLACK	PURE-1450BLACK
BUBLE-300M	BUBLE-550M	BUBLE-650M	BUBLE-750M	BUBLE-850M	BUBLE-950M	BUBLE-1050M	BUBLE-1150M	BUBLE-1450M
Linear shower drains: APZ6, APZ106, APZ1006, APZ1106, APZ16, APZ116, APZ1016, APZ1116								
APZ6-300	APZ6-550	APZ6-650	APZ6-750	APZ6-850	APZ6-950	APZ6-1050	APZ6-1150	–
APZ106-300	APZ106-550	APZ106-650	APZ106-750	APZ106-850	APZ106-950	APZ106-1050	APZ106-1150	–
APZ1006-300	APZ1006-550	APZ1006-650	APZ1006-750	APZ1006-850	APZ1006-950	APZ1006-1050	APZ1006-1150	–
APZ1106-300	APZ1106-550	APZ1106-650	APZ1106-750	APZ1106-850	APZ1106-950	APZ1106-1050	APZ1106-1150	–
APZ16-300	APZ16-550	APZ16-650	APZ16-750	APZ16-850	APZ16-950	APZ16-1050	APZ16-1150	–
APZ116-300	APZ116-550	APZ116-650	APZ116-750	APZ116-850	APZ116-950	APZ116-1050	APZ116-1150	–
APZ1016-300	APZ1016-550	APZ1016-650	APZ1016-750	APZ1016-850	APZ1016-950	APZ1016-1050	APZ1016-1150	–
APZ1116-300	APZ1116-550	APZ1116-650	APZ1116-750	APZ1116-850	APZ1116-950	APZ1116-1050	APZ1116-1150	–
Grids for: APZ6, APZ106, APZ1006, APZ1106, APZ16, APZ116, APZ1016, APZ1116								
DESIGN-300MN	DESIGN-550MN	DESIGN-650MN	DESIGN-750MN	DESIGN-850MN	DESIGN-950MN	DESIGN-1050MN	DESIGN-1150MN	–
POSH-300MN	POSH-550MN	POSH-650MN	POSH-750MN	POSH-850MN	POSH-950MN	POSH-1050MN	POSH-1150MN	–
GL1200-300	GL1200-550	GL1200-650	GL1200-750	GL1200-850	GL1200-950	GL1200-1050	GL1200-1150	–
GL1204-300	GL1204-550	GL1204-650	GL1204-750	GL1204-850	GL1204-950	GL1204-1050	GL1204-1150	–
FLOOR-300	FLOOR-550	FLOOR-650	FLOOR-750	FLOOR-850	FLOOR-950	FLOOR-1050	FLOOR-1150	–

Linear shower drains: APZ15, APZ115 (grid is included)								
APZ15-300	APZ15-550	APZ15-650	APZ15-750	APZ15-850	APZ15-950	APZ15-1050	APZ15-1150	–
APZ115-300	APZ115-550	APZ115-650	APZ115-750	APZ115-850	APZ115-950	APZ115-1050	APZ115-1150	–
Linear shower drains: APZ13-DOUBLE9 Fit and Go, APZ23-DOUBLE9 Fit and Go Wall (grid is included)								
–	APZ13-DOUBLE9-550	APZ13-DOUBLE9-650	APZ13-DOUBLE9-750	APZ13-DOUBLE9-850	APZ13-DOUBLE9-950	–	–	–
–	–	–	APZ23-DOUBLE9-750	APZ23-DOUBLE9-850	APZ23-DOUBLE9-950	–	–	–
Linear shower drains: APZ13 Modular, APZ23 Modular Wall								
–	–	–	APZ13-750	APZ13-850	APZ13-950	–	–	–
–	–	–	APZ23-750	APZ23-850	APZ23-950	–	–	–
Grids for: APZ13 Modular, APZ23 Modular Wall								
–	–	–	DOUBLE-750M	DOUBLE-850M	DOUBLE-950M	–	–	–
–	–	–	ZIP-750M	ZIP-850M	ZIP-950M	–	–	–
Waste system: APZ5 (the cover is included in the waste system)								
–	–	APZ5-EDEN-650	APZ5-EDEN-750	APZ5-EDEN-850	APZ5-EDEN-950	APZ5-EDEN-1050	–	–
–	–	APZ5-SHADE-650	APZ5-SHADE-750	APZ5-SHADE-850	APZ5-SHADE-950	APZ5-SHADE-1050	–	–
–	–	APZ5-TWIN-650	APZ5-TWIN-750	APZ5-TWIN-850	APZ5-TWIN-950	APZ5-TWIN-1050	–	–
Linear shower drains: APZ11, APZ111 (grid is included)								
APZ11-300M	APZ11-550M	APZ11-650M	APZ11-750M	APZ11-850M	APZ11-950M	APZ11-1050M	APZ11-1150M	–
APZ111-300M	APZ111-550M	APZ111-650M	APZ111-750M	APZ111-850M	APZ111-950M	APZ111-1050M	APZ111-1150M	–
Plastic linear shower drains: APZ9, APZ10, APZ10BLACK, APZ10BLACK-BRASS, APZ19, APZ19BLACK, APZ20, APZ30 Wall, APZ2012-OPTION6, APZ2012-OPTION9 (grid is included)								
–	APZ9-550M	APZ9-650M	APZ9-750M	APZ9-850M	APZ9-950M	–	–	–
–	APZ10-550M	APZ10-650M	APZ10-750M	APZ10-850M	APZ10-950M	–	–	–
–	APZ10BLACK-550M	APZ10BLACK-650M	APZ10BLACK-750M	APZ10BLACK-850M	APZ10BLACK-950M	–	–	–
–	APZ10BLACK-550BRASS	APZ10BLACK-650BRASS	APZ10BLACK-750BRASS	APZ10BLACK-850BRASS	APZ10BLACK-950BRASS	–	–	–
–	APZ19-550	APZ19-650	APZ19-750	APZ19-850	APZ19-950	–	–	–
–	APZ19BLACK-550	APZ19BLACK-650	APZ19BLACK-750	APZ19BLACK-850	APZ19BLACK-950	–	–	–
–	APZ19BLACK-550-G-B	APZ19BLACK-650-G-B	APZ19BLACK-750-G-B	APZ19BLACK-850-G-B	APZ19BLACK-950-G-B	–	–	–
–	APZ19BLACK-550-RG-B	APZ19BLACK-650-RG-B	APZ19BLACK-750-RG-B	APZ19BLACK-850-RG-B	APZ19BLACK-950-RG-B	–	–	–
–	APZ19BLACK-550-N-B	APZ19BLACK-650-N-B	APZ19BLACK-750-N-B	APZ19BLACK-850-N-B	APZ19BLACK-950-N-B	–	–	–
–	APZ19BLACK-550-GM-B	APZ19BLACK-650-GM-B	APZ19BLACK-750-GM-B	APZ19BLACK-850-GM-B	APZ19BLACK-950-GM-B	–	–	–
–	APZ20-550	APZ20-650	APZ20-750	APZ20-850	APZ20-950	–	–	–
–	–	APZ30-650M	APZ30-750M	APZ30-850M	–	–	–	–
–	APZ2012-OPTION9-550	APZ2012-OPTION9-650	APZ2012-OPTION9-750	APZ2012-OPTION9-850	–	–	–	–
–	APZ2012-OPTION6-550	APZ2012-OPTION6-650	APZ2012-OPTION6-750	APZ2012-OPTION6-850	–	–	–	–

ARZ1 – grids TIME, LIFE, GRACE

These products can be found on pages 86–117

Product code **LINE-550L** Product length

Surface finish – **L** = polished, **M** = matt


Waste systems: APZ5 with lighting (cover and lighting are included in the waste system package)

APZ5-EDEN+AEZ120-650	White	APZ5-SHADE+AEZ120-650	White	APZ5-TWIN+AEZ120-650	White
APZ5-EDEN+AEZ120-750	White	APZ5-SHADE+AEZ120-750	White	APZ5-TWIN+AEZ120-750	White
APZ5-EDEN+AEZ120-850	White	APZ5-SHADE+AEZ120-850	White	APZ5-TWIN+AEZ120-850	White
APZ5-EDEN+AEZ120-950	White	APZ5-SHADE+AEZ120-950	White	APZ5-TWIN+AEZ120-950	White
APZ5-EDEN+AEZ120-1050	White	APZ5-SHADE+AEZ120-1050	White	APZ5-TWIN+AEZ120-1050	White
APZ5-EDEN+AEZ121-650	Blue	APZ5-SHADE+AEZ121-650	Blue	APZ5-TWIN+AEZ121-650	Blue
APZ5-EDEN+AEZ121-750	Blue	APZ5-SHADE+AEZ121-750	Blue	APZ5-TWIN+AEZ121-750	Blue
APZ5-EDEN+AEZ121-850	Blue	APZ5-SHADE+AEZ121-850	Blue	APZ5-TWIN+AEZ121-850	Blue
APZ5-EDEN+AEZ121-950	Blue	APZ5-SHADE+AEZ121-950	Blue	APZ5-TWIN+AEZ121-950	Blue
APZ5-EDEN+AEZ121-1050	Blue	APZ5-SHADE+AEZ121-1050	Blue	APZ5-TWIN+AEZ121-1050	Blue
APZ5-EDEN+AEZ122-650	Green	APZ5-SHADE+AEZ122-650	Green	APZ5-TWIN+AEZ122-650	Green
APZ5-EDEN+AEZ122-750	Green	APZ5-SHADE+AEZ122-750	Green	APZ5-TWIN+AEZ122-750	Green
APZ5-EDEN+AEZ122-850	Green	APZ5-SHADE+AEZ122-850	Green	APZ5-TWIN+AEZ122-850	Green
APZ5-EDEN+AEZ122-950	Green	APZ5-SHADE+AEZ122-950	Green	APZ5-TWIN+AEZ122-950	Green
APZ5-EDEN+AEZ122-1050	Green	APZ5-SHADE+AEZ122-1050	Green	APZ5-TWIN+AEZ122-1050	Green
APZ5-EDEN+AEZ123-650	Red	APZ5-SHADE+AEZ123-650	Red	APZ5-TWIN+AEZ123-650	Red
APZ5-EDEN+AEZ123-750	Red	APZ5-SHADE+AEZ123-750	Red	APZ5-TWIN+AEZ123-750	Red
APZ5-EDEN+AEZ123-850	Red	APZ5-SHADE+AEZ123-850	Red	APZ5-TWIN+AEZ123-850	Red
APZ5-EDEN+AEZ123-950	Red	APZ5-SHADE+AEZ123-950	Red	APZ5-TWIN+AEZ123-950	Red
APZ5-EDEN+AEZ123-1050	Red	APZ5-SHADE+AEZ123-1050	Red	APZ5-TWIN+AEZ123-1050	Red
APZ5-EDEN+AEZ124-650	Rainbow	APZ5-SHADE+AEZ124-650	Rainbow	APZ5-TWIN+AEZ124-650	Rainbow
APZ5-EDEN+AEZ124-750	Rainbow	APZ5-SHADE+AEZ124-750	Rainbow	APZ5-TWIN+AEZ124-750	Rainbow
APZ5-EDEN+AEZ124-850	Rainbow	APZ5-SHADE+AEZ124-850	Rainbow	APZ5-TWIN+AEZ124-850	Rainbow
APZ5-EDEN+AEZ124-950	Rainbow	APZ5-SHADE+AEZ124-950	Rainbow	APZ5-TWIN+AEZ124-950	Rainbow
APZ5-EDEN+AEZ124-1050	Rainbow	APZ5-SHADE+AEZ124-1050	Rainbow	APZ5-TWIN+AEZ124-1050	Rainbow

The above codes of waste systems with coloured lighting refer to page 117

Spare Parts Catalogue


The complete spare parts catalogue is available on our website.




alca GROUP

Respect, reliability, innovation. These are our values. We are Alca Group.





International branches



- Balkan Region
- Baltic Region
- Bulgaria
- Hungary
- Poland
- Romania
- Slovakia
- Ukraine

Complete assortment of sanitary technology, system walls and piping systems

alca

Sanitary technology, system walls

Alca was founded in 1998, since 2021 it is part of the Alca Group. The largest manufacturer of sanitary ware in Central and Eastern Europe on an area of over 110,000 m², it produces more than 1,000 sanitary products – valves, traps, WC systems, shower drains, floor drains, toilet seats and other assortment.

Furthermore it is a manufacturer of prefabricated system walls Alcasystem. This modular system for dry construction offers a complex solution for water supply, waste, electrical installation, sanitary technology and sound insulation, making it ideal for medium and large projects.









FV PLAST

Piping systems, floor heating and ceiling cooling systems

FV – Plast was founded in 1990 and has been part of the Alca Group since 2021. Since its establishment, it has been involved in the production of a complete range of pipe systems for water distribution and heating. The product portfolio also includes floor heating and ceiling cooling systems. Currently, FV – Plast is the largest producer of PP-RCT pipes in Central Europe and the only Czech producer of PERT and AL-PERT pipes.

Code	Page
A02	60
A02A	60, 214
A03	60
A03A	60
A05-CHROM	59
A06	60
A06-850	60
A06E	60
A07	60
A08A	59
A09B	60
A104/1120	40
A104/850	40
A104A/1120	40
A104AVS/1120	40
A104B/1120	40
A104PB/1120	40
A105/1120	41
A105/450	41
A105/850	41
A106/1120	41
A107/1120	41
A107S/1120	41
A108/1300	42
A108F 5:1 SET-01	42, 213
A108F/1100	42
A108F/1500	42
A113/1120	42
A114/1120	42
A114S/1120	43
A117B	43
A117PB	43
A150-1/2"	58
A150-3/8"	58
A150P-1/2"	58
A150P-3/8"	58
A150PDF-3/8"	59, 214
A150UNI	58
A160-1/2"	58
A160-3/8"	58
A160P-3/8"	58
A160PDF-3/8"	59, 214
A160UNI	58
A17-1/2"	59
A17-3/8"	59
A18-1/2"	59
A18-3/8"	59
A2000-CHROM	59
A21	191
A22	191
A30	188
A300	189
A31	177
A31P	183
A32	177
A328B	179
A328CR	179
A33	187
A331	188
A33E	161
A33P	187
A34	188
A34E	161
A3553	74
A37	188
A38	188
A39	178
A390	179
A391	177
A392B	177
A392BLACK	177
A392C	177
A392-G-B	178
A392-GM-B	178
A392-N-B	178
A392-RG-B	178
A393	178
A394	178
A395	178
A395B	178
A396	179
A396B	179
A396BLACK	179
A396SN	179
A400	180
A4000	182
A4000B	182
A4000BLACK	182
A400B	181
A400BLACK	181
A400-G-B	181
A400-GM-B	181
A400-N-B	181
A400-RG-B	181
A401	181
A402	181
A403	181
A41	175
A410	175
A410P	175
A411	175
A412-DN40	175
A413	175
A41P	175
A41PR	176
A41R	175
A42	175
A420	175
A420P	175
A421	175
A42P	175
A42R	176
A43	176
A430	176
A430P	176
A431	182
A432	182
A4320	182
A4320BLACK	182
A434	176
A434-DN32	176
A434E	161
A437	182
A438	182, 191
A439	177
A43P	176
A43SD-DN32	176, 214
A43S-DN32	176, 214
A43S-DN40	176
A441-DN50/40	183
A441P-DN50/40	183
A442-DN50/40	183
A442P-DN50/40	183
A443-DN50/40	186
A443P-DN50/40	186
A444-DN50/40	183
A444P-DN50/40	183
A446-DN50/40	183
A446P-DN50/40	183
A447-DN50/40	184
A447P-DN50/40	184
A448-DN50/40	186
A448P-DN50/40	186
A449-DN50/40	184
A449P-DN50/40	184
A44M-DN40	188
A44M-DN40E	161
A44MN-DN40	188
A44MN-DN40E	161
A44MS-DN32	188, 214
A44MS-DN40	188
A453P	184
A454P	184
A456P	184
A45A	191
A45B	191
A45C	191
A45E	191
A45F-DN32	176, 192
A45F-DN40	176, 192
A45G	192
A461-50	170
A462-50	170
A464-DN50	185
A46-50	171
A465B-50	171
A465BLACK-50	171
A465C-50	171
A465CK-50	172
A46-60	172
A466-50	171
A471CR-50	170
A471CR-60	172
A476	170
A47B-50	172
A47B-60	173
A47CR-50	172
A47CR-60	172
A48	173
A491BLACK	173
A491CR	173
A492BLACK	173
A492CR	173
A49B	174
A49BLACK	174
A49CR	174
A49K	174
A49K MAT	174
A49K-B	174
A501	162
A502	162
A503KM	170
A504CKM	164
A505CKM	165
A505CRM	165
A506KM	170
A507BLACK	165
A507CK	164
A507CKM	164
A508CKM	165
A509CKM	166
A516CKM	164
A51B	162
A51BM	162
A51CR	162
A51CRM	162
A52	171
A531	169
A532-DN40	169
A532-DN50	169
A533-DN50	169
A53-6/4"	169
A53-7/4"	169
A53-DN40	169
A53-DN50	169
A55BLACK	163
A55K	163
A55K-G-B	163
A55K-GM-B	163
A55KM	164
A55KM-WHITE	164
A55K-N-B	163
A55K-RG-B	163
A564B	166
A564BLACK	167
A564CRM1	166
A564CRM2	166
A564CRM3	166
A564KM1	166
A564KM3	167
A565CRM1	167
A565KM1	167
A566-112122-57	168
A566-273133-57	168
A60	74
A601	74
A602	75
A603	75
A604	75
A604 FLOWER	76
A604 SHELL	76
A604 ZEN	76
A606	75
A64SLIM	77
A6550	74
A6551	74
A66	75
A67	76
A674S	76
A678S	75
A67SLIM	76
A68	74
A710	198
A730	198
A750	198
A750+A31	177
A760	198
A770+A33	187
A794	198
A795	198
A8000	185
A800-DN40	184
A800-DN50	184
A80-DN32	176
A80-DN40	186
A80-DN50	186
A80-DN40E	161
A80-DN50/40	186
A80-DN50E	161
A80V-DN40	186, 215
A80V-DN50	186, 215
A810-DN40	184
A810-DN50	184
A81-DN40	187
A81-DN40E	161
A81-DN50	187
A81-DN50E	161
A81V-DN40	186, 215
A81V-DN50	186, 215
A820-DN40	185
A820-DN50	185
A82-DN40	187
A82-DN50	187
A830-DN50/40	185
A83-DN50/40	187
A840-DN50/40	185
A84-DN50/40	187
A84-DN50/40E	161
A870P-DN40	185
A872P	187
A872PE	161
A873	187
A90-90P40/50A	203, 215
A90-90R	203, 215
A930E-M-3/8"	61, 214
A930-H-1/2"	61
A930-H-3/8"	61
A930-H-3/8"-F	61, 214
A930-M-1/2"	61
A930-M-3/8"	61
A940E-M-3/8"	61, 214
A940-H-1/2"	61
A940-H-3/8"	61
A940-H-3/8"-F	61, 214
A940-M-1/2"	61
A940-M-3/8"	61
A95	61
A950	62
A951-230	62
A951-390	62
ADZ101V	140
ADZ101VR	142
ADZ102V	141
ADZ102VR	143
ADZ104V-1000	137
ADZ301V	140
ADZ301VR	142
ADZ302V	141
ADZ302VR	143
ADZ304V-1000	137
ADZ331V	140
ADZ331VR	142
ADZ332V	141
ADZ332VR	143
ADZ351V	138
ADZ352V	139
ADZ-NA101	137
ADZ-NA301	137
ADZ-P001	140
ADZ-P002	141
ADZ-P003	140
ADZ-P004	141
ADZ-P005	138, 140
ADZ-P006	139, 141
ADZ-P007	138, 140
ADZ-P008	139, 141
ADZ-P011	138, 140
ADZ-P012	139, 141
ADZ-PT101	137
ADZ-PT301	137
ADZ-R101	138, 140
ADZ-R101R	142
ADZ-R102	138, 140
ADZ-R102R	142
ADZ-R103	138, 140
ADZ-R103R	142
ADZ-R121	139, 141
ADZ-R121R	143
ADZ-R122	139, 141
ADZ-R122R	143
ADZ-R123	139, 141
ADZ-R123R	143
ADZ-R301	138, 140
ADZ-R301R	142
ADZ-R302	138, 140
ADZ-R302R	142
ADZ-R303	138, 140
ADZ-R303R	142
ADZ-R304	138, 140
ADZ-R304R	142
ADZ-R321	139, 141
ADZ-R321R	143
ADZ-R322	139, 141
ADZ-R322R	143
ADZ-R323	139, 141
ADZ-R323R	143
ADZ-R324	139, 141
ADZ-R324R	143
AEZ310	51
AEZ320	51
AGV1	134
AGV1S	134

Code	Page
AGV2	134
AGV2S	134
AGV3	134
AGV3S	134
AGV4	134
AGV4S	134
AGV911	134
AGV911S	135
AGV941	135
AGV942	135
AHP80	99
AIR	50
AIR-INOX	50
AIR LIGHT	50
AIZ1	156
AIZ3	156
AKS1	192
AKS1Z	192
AKS2	192
AKS3	192
AKS4	192
AKS5	192
AKS6	193
AKS7	193
AKS8-DN40	193
AKS8-DN50	193
ALCA LIGHT	117
AM100/1000 Alcamodul	18
AM100/850 Alcamodul	18
AM101/1000 Sádromodul	20
AM101/1000-0005 WRAS	29
AM101/1120 Sádromodul	19
AM101/1120-0005 WRAS	29
AM101/1120-0006 KIWA	30
AM101/1120E Sádromodul	24
AM101/1120F Sádromodul	19
AM101/1120W Sádromodul	23
AM101/1300H Sádromodul	28
AM101/850 Sádromodul	20
AM101/850-0005 WRAS	29
AM101/850W Sádromodul	23
AM102/1000 Jádromodul	21
AM102/1120 Jádromodul	20
AM102/1120E Jádromodul	24
AM102/850 Jádromodul	21
AM1101/1200 Sádromodul Slim	25
AM1101P/1200 Sádromodul Slim	26
AM1112 Basicmodul Slim	25
AM1112P Basicmodul Slim	26
AM1115/1000 Renovmodul Slim	25
AM1115P/1000 Renovmodul Slim	26
AM112 Basicmodul	18
AM112-0005 WRAS	30
AM115/1000 Renovmodul	19
AM115/1000E Renovmodul	24
AM115/1000V Renovmodul	22
AM116/1120 Solomodul	21
AM116/1300H Solomodul	28
AM118/850 Sádromodul	27
AM119/850 Renovmodul	27
AM120/1120 Sádromodul	22
AM120/1120-0005 WRAS	30
AM121/1120 Sádromodul	22
AM122/1120D Sádromodul	23, 213
AM123/1120E	31, 213
APS1	193
APS2	193
APS3	193
APS3P	193
APS4	193
APS6	193
APS6V	194, 215
APS7-DN40	194
APS7-DN50	194
APV0006	154
APV0010	154
APV0020	154
APV0030	154
APV0050	155
APV0060	155
APV0800	155
APV1	150
APV10	152
APV101	151
APV102	151
APV103	151
APV11	152
APV110	146
APV12	151
APV120	146
APV13	151
APV130	146
APV1311	149
APV1321	149
APV1324	148
APV140	147
APV15	153
APV16	153
APV2	150
APV201	151
APV202	152
APV203	152
APV2311	149
APV2321	149
APV2324	148
APV240	147
APV26	148
APV26C	148
APV3	153
APV31	149
APV31BLACK	149
APV32	150
APV32BLACK	150
APV3344	147
APV3444	148
APV3513	147
APV4	153
APV4344	147
APV4444	148
APV5111	152
APV5211	153
APV5411	150
APV6111	152
APV6211	153
APV6411	150
APVN0100	147
APX-B1	205, 215
APX-B3/4	205, 215
APZ1001-300	86
APZ1001-550	86
APZ1001-650	86
APZ1001-750	86
APZ1001-850	86
APZ1001-950	86
APZ1001-1050	86
APZ1001-1150	86
APZ1001-1450	86
APZ1004-550	87
APZ1004-650	87
APZ1004-750	87
APZ1004-850	87
APZ1004-950	87
APZ1004-1050	87
APZ1004-1150	87
APZ1006-300	90
APZ1006-550	90
APZ1006-650	90
APZ1006-750	90
APZ1006-850	90
APZ1006-950	90
APZ1006-1050	90
APZ1006-1150	90
APZ101-300	87
APZ101-550	87
APZ101-650	87
APZ101-750	87
APZ101-850	87
APZ101-950	87
APZ101-1050	87
APZ101-1150	87
APZ101-1450	87
APZ1016-300	91
APZ1016-550	91
APZ1016-650	91
APZ1016-750	91
APZ1016-850	91
APZ1016-950	91
APZ1016-1050	91
APZ1016-1150	91
APZ101BLACK-300	87
APZ101BLACK-550	87
APZ101BLACK-650	87
APZ101BLACK-750	87
APZ101BLACK-850	87
APZ101BLACK-950	87
APZ101BLACK-1050	87
APZ101BLACK-1150	87
APZ101BLACK-1450	87
APZ104-550	88
APZ104-650	88
APZ104-750	88
APZ104-850	88
APZ104-950	88
APZ104-1050	88
APZ104-1150	88
APZ10-550M	103
APZ10-650M	103
APZ10-750M	103
APZ10-850M	103
APZ10-950M	103
APZ106-300	91
APZ106-550	91
APZ106-650	91
APZ106-750	91
APZ106-850	91
APZ106-950	91
APZ106-1050	91
APZ106-1150	91
APZ10BLACK-550BRASS	102
APZ10BLACK-650BRASS	102
APZ10BLACK-750BRASS	102
APZ10BLACK-850BRASS	102
APZ10BLACK-950BRASS	102
APZ10BLACK-550M	102
APZ10BLACK-650M	102
APZ10BLACK-750M	102
APZ10BLACK-850M	102
APZ10BLACK-950M	102
APZ1101-300	88
APZ1101-550	88
APZ1101-650	88
APZ1101-750	88
APZ1101-850	88
APZ1101-950	88
APZ1101-1050	88
APZ1101-1150	88
APZ1104-550	88
APZ1104-650	88
APZ1104-750	88
APZ1104-850	88
APZ1104-950	88
APZ1104-1050	88
APZ1104-1150	88
APZ1-300	86
APZ1-550	86
APZ1-650	86
APZ1-750	86
APZ1-850	86
APZ1-950	86
APZ1-1050	86
APZ1-1150	86
APZ1-1450	86
APZ1106-300	91
APZ1106-550	91
APZ1106-650	91
APZ1106-750	91
APZ1106-850	91
APZ1106-950	91
APZ1106-1050	91
APZ1106-1150	91
APZ11-300M	87
APZ11-550M	87
APZ11-650M	87
APZ11-750M	87
APZ11-850M	87
APZ11-950M	87
APZ11-1050M	87
APZ11-1150M	87
APZ111-300M	88
APZ111-550M	88
APZ111-650M	88
APZ111-750M	88
APZ111-850M	88
APZ111-950M	88
APZ111-1050M	88
APZ111-1150M	88
APZ1116-300	91
APZ1116-550	91
APZ1116-650	91
APZ1116-750	91
APZ1116-850	91
APZ1116-950	91
APZ1116-1050	91
APZ1116-1150	91
APZ115-300	93
APZ115-550	93
APZ115-650	93
APZ115-750	93
APZ115-850	93
APZ115-950	93
APZ115-1050	93
APZ115-1150	93
APZ116-300	91
APZ116-550	91
APZ116-650	91
APZ116-750	91
APZ116-850	91
APZ116-950	91
APZ116-1050	91
APZ116-1150	91
APZ12-650	109
APZ12-750	109
APZ12-850	109
APZ12-950	109
APZ12-1050	109
APZ13-750	97
APZ13-850	97
APZ13-950	97
APZ13-DOUBLE6-750	96
APZ13-DOUBLE6-850	96
APZ13-DOUBLE6-950	96
APZ13-DOUBLE9-550	96
APZ13-DOUBLE9-650	96
APZ13-DOUBLE9-750	96
APZ13-DOUBLE9-850	96
APZ13-DOUBLE9-950	96
APZ15-300	93
APZ15-550	93
APZ15-650	93
APZ15-750	93
APZ15-850	93
APZ15-950	93
APZ15-1050	93
APZ15-1150	93
APZ16-300	90
APZ16-550	90
APZ16-650	90
APZ16-750	90
APZ16-850	90
APZ16-950	90
APZ16-1050	90
APZ16-1150	90
APZ19-550	104
APZ19-650	104
APZ19-750	104
APZ19-850	104
APZ19-950	104
APZ19BLACK-550	105
APZ19BLACK-650	105
APZ19BLACK-750	105
APZ19BLACK-850	105
APZ19BLACK-950	105
APZ19BLACK-550-G-B	104
APZ19BLACK-650-G-B	104
APZ19BLACK-750-G-B	104
APZ19BLACK-850-G-B	104
APZ19BLACK-950-G-B	104
APZ19BLACK-550-N-B	105
APZ19BLACK-650-N-B	105
APZ19BLACK-750-N-B	105
APZ19BLACK-850-N-B	105
APZ19BLACK-950-N-B	105
APZ19BLACK-550-RG-B	104
APZ19BLACK-650-RG-B	104
APZ19BLACK-750-RG-B	104
APZ19BLACK-850-RG-B	104
APZ19BLACK-950-RG-B	104
APZ19BLACK-650-GM-B	105
APZ19BLACK-750-GM-B	105
APZ19BLACK-850-GM-B	105
APZ19BLACK-950-GM-B	105
APZ1BLACK-300	86
APZ1BLACK-550	86
APZ1BLACK-650	86
APZ1BLACK-750	86
APZ1BLACK-850	86
APZ1BLACK-950	86
APZ1BLACK-1050	86
APZ1BLACK-1150	86
APZ1BLACK-1450	86
APZ2001-300	88
APZ2001-550	88
APZ2001-650	88
APZ2001-750	88
APZ2001-850	88
APZ2001-950	88
APZ2001-1050	88
APZ2001-1150	88
APZ2012-550	112
APZ2012-650	112
APZ2012-750	112
APZ2012-850	112
APZ2012-OPTION6-550	114
APZ2012-OPTION6-650	114
APZ2012-OPTION6-750	114
APZ2012-OPTION6-850	114
APZ2012-OPTION9-550	114
APZ2012-OPTION9-650	114
APZ2012-OPTION9-750	114
APZ2012-OPTION9-850	114
APZ20-550	106
APZ20-650	106

Code	Page
APZ20-750	106
APZ20-850	106
APZ20-950	106
APZ23-750	97
APZ23-850	97
APZ23-950	97
APZ23-DOUBLE9-750	96
APZ23-DOUBLE9-850	96
APZ23-DOUBLE9-950	96
APZ30-650M	103
APZ30-750M	103
APZ30-850M	103
APZ4-550	87
APZ4-650	87
APZ4-750	87
APZ4-850	87
APZ4-950	87
APZ4-1050	87
APZ4-1150	87
APZ5-EDEN-650	117
APZ5-EDEN-750	117
APZ5-EDEN-850	117
APZ5-EDEN-950	117
APZ5-EDEN-1050	117
APZ5-SHADE-650	117
APZ5-SHADE-750	117
APZ5-SHADE-850	117
APZ5-SHADE-950	117
APZ5-SHADE-1050	117
APZ5-TWIN-650	117
APZ5-TWIN-750	117
APZ5-TWIN-850	117
APZ5-TWIN-950	117
APZ5-TWIN-1050	117
APZ6-300	90
APZ6-550	90
APZ6-650	90
APZ6-750	90
APZ6-850	90
APZ6-950	90
APZ6-1050	90
APZ6-1150	90
APZ9-550M	102
APZ9-650M	102
APZ9-750M	102
APZ9-850M	102
APZ9-950M	102
APZ-S6	98
APZ-S9	98
APZ-S12	98
ARV001	180
ARV001B	180
ARV001-BLACK	180
ARV001-G-B	180
ARV001-GM-B	180
ARV001-N-B	180
ARV001-RG-B	180
ARV002	180
ARV003	180
ARV003B	180
ARV003-BLACK	180
ARV004	180
ARZ1	116
AS101 Sádromodul	15
AS101-SET01	15
AS101-SET01-PR	
AS101-SET02	15
AS101-SET02-PR	15
AS105/850	15
AS120/1120 Sádromodul	14, 213
AS-4500	12
AS-P001	12
AS-P002	12
AS-P003	12
AS-P004	12
AS-P005	12
AS-P105	12
AS-P205	12
AS-P305	12
AS-P011	12
AS-P012	12
AS-P013	12
AS-P014	13
AS-P015	13
AS-P016	13
AS-P018	13
AS-P021	13
AS-P023	13
AS-P025	13
AS-P031	13
AS-P041	14
AS-P124	13
AS-P215	13

Code	Page
ASP3	51
ASP3-B	51
ASP3-K	51
ASP3-KB	51
ASP3-KBT	51
ASP3-KT	51
ASP4	51
ASP4-B	51
ASP4-K	51
ASP4-KB	51
ASP4-KT	51
ATS001	52, 192
AVZ101-R121	129
AVZ101-R122	130
AVZ101-R123	131
AVZ101-R124	132
AVZ101-R321	129
AVZ101-R322	130
AVZ101-R323	131
AVZ101-R324	132
AVZ101R-R121R	129
AVZ101R-R122R	130
AVZ101R-R123R	131
AVZ101R-R124R	132
AVZ101R-R321R	129
AVZ101R-R322R	130
AVZ101R-R323R	131
AVZ101R-R324R	132
AVZ101S-R121R	129
AVZ101S-R122R	130
AVZ101S-R123R	131
AVZ101S-R124R	132
AVZ101S-R321R	129
AVZ101S-R322R	130
AVZ101S-R323R	131
AVZ101S-R324R	132
AVZ102-R102	124
AVZ102-R103	126
AVZ102-R501	125
AVZ102R-R102S	124
AVZ102R-R103S	126
AVZ103-R104	128
AVZ103-R201	128
AVZ103-R202	127
AVZ103-R403	127
AVZ103R-R104S	128
AVZ103R-R201	128
AVZ103R-R202	127
AVZ103R-R403	127
AVZ104-R401	124
AVZ104-R402	126
AVZ104R-R401	124
AVZ104R-R402	126
AVZ112-G102	122
AVZ112-G501	122
AVZ112-R102	122
AVZ112-R103	123
AVZ112-R402	123
AVZ112-R501	122
AVZ-P001	133
AVZ-P002	133
AVZ-P003	133
AVZ-P004	133
AVZ-P007	133
AVZ-P008	133
AVZ-P009	133
AVZ-P010	133
AVZ-P012	133
AVZ-P013	133
AVZ-P015	123
AVZ-P016	123
AVZ-P017	123
AVZ-P018	123
FUN	49
FUN-BLACK	49
FUN-BRASS	49
FUN-G-B	50
FUN-G-P	50
FUN-GM-B	50
FUN-GM-P	50
FUN-INOX	49
FUN-N-B	50
FUN-N-P	50
FUN-RG-B	50
FUN-RG-P	50
FUN-WHITE	49
M147	35
M148	35
M1876	49
M1876-1	49
M1878	49
M1878-5	49
M1976	49

Code	Page
M1976-2	49
M1978	49
M1978-7	49
M90	35
M270	48
M271	48
M272	48
M275	48
M278	48
M279	50
M279S	50
M279SB	50
M279S-SLIM	50
M370S	50
M370SB	50
M370S-SLIM	50
M371S	50
M371SB	50
M371S-SLIM	50
M57-BR-M	48
M57-G-M	48
M57-GM-B	48
M57-N-M	48
M57-RG-M	48
M570	48
M571	48
M572	48
M575	48
M576	48
M578	48
M670	48
M671	48
M672	48
M675	48
M676	48
M678	48
M70	48
M71	48
M72	48
M75	48
M770	48
M771	48
M772	48
M775	48
M776	48
M778	48
M778-5	48
M900	34
M9000	34
M9000K-DN110	34, 213
M9000K-DN90	34
M9001	35
M9006	33
M900K-DN110	34
M900K-DN90	34
M900KE-DN110	34
M900KE-DN90	34
M901	34
M902	35
M906	33
M907	33
M908	33
M909	33
M91	37
M910	37
M910CR	37
M918	35
M920	37
M930	37
M930CR	37
M940	37
M950	37
M968	34
M972	43
M976	36, 213
MOON	49
MOON-WHITE	49
MOON-BLACK	49
MOON-BRASS	49
MPO10	52
MPO11	52
MPO12	52
MPO13	52
MPV001	154
MPV002	154
MPV003	154
MPV004	154
MPV004-BLACK	154
MPV011	146
MPV012	146
MPV013	146
MPV014	146
MPV015	146

Code	Page
MPV016	146
N0020-ND	64
NIGHT LIGHT-1	50
NIGHT LIGHT-1-SLIM	50
NIGHT LIGHT-2	50
NIGHT LIGHT-2-SLIM	50
NIGHT LIGHT-3	50
NIGHT LIGHT-3-SLIM	50
P0009-ND	78
P0014-ND	64
P0048-ND	189
P0049-ND	189
P046	185
P047	185
P066-ND	177, 190
P067-ND	185, 190
P095	99
P096	78
P102	77
P103	33
P105	78
P105B	78
P106	78
P106B	78
P109	186
P113	79
P115	33
P118	35
P120	52
P128	33
P138	113
P142	113
P143	99, 155
P144	99, 155
P145	99, 155
P148	189, 194
P155Z	190, 194
P155Z-G1	189, 215
P156Z	190, 194
P156Z-G1	190, 215
P157	79
P157Z	194
P169	33
P170	79
P179	78
P192	35
P193	35
P198	155, 214
P210	194, 215
P212-DN40	189, 214
PM01003EN	217
PM01005UNI	217
PM01006EN	217
PM01006UNI-BLACK	217
PM01007UNI-BLACK	217
PM02004EN	216
PM02021UNI	216
PM02022UNI-BOX	216
PM02023EN	216
PM02025EN	216
PM02024UNI-BOX	216
PM02027EN	217
PM03001UNI	217
PM03004UNI	216
PM03008UNI	216
PM04021UNI	217
RAY	49
RAY-GL1200	49
RAY-GL1204	49
S0156-ND	190
S0506-ND	189
S0507-ND	189
S0556-ND	189
S0688-ND	190
S1606-ND	191
SA08A 1/2" CHROM	63
SA08A 3/8" CHROM	63
SA08AK 1/2" CHROM	63
SA08AK 3/8" CHROM	63
SA08AS 1/2" CHROM	63
SA08AS 3/8" CHROM	63
SA08ASK 1/2" CHROM	64
SA08ASK 3/8" CHROM	64
SA2000 1/2" CHROM	62
SA2000 3/8" CHROM	62
SA2000K 1/2" CHROM	62
SA2000K 3/8" CHROM	62
SA2000S 1/2" CHROM	62
SA2000S 3/8" CHROM	63
SA2000SK 1/2" CHROM	63
SA2000SK 3/8" CHROM	63
SPZ06-ND	103
TURN	49

Code	Page
TURN-BLACK	49
TURN-BRASS	49
TURN-INOX	49
TURN-WHITE	49
V0011-ND	64
V0015-ND	36, 64
V0018-ND	64
V0285-ND	36, 64, 213
V0296-ND	64
WC Alca MEDIC	32
WC AURA	32, 213
WC SOLID	32
WS AURA	32, 213
Z0003-ND	190
Z0004-ND	190
Z0026-ND	62
Z0026-ND	191
Z0137B-ND	78
Z0952-ND	78
Z1023-ND	99
Z1024-ND	99
Z1025-ND	99
Z1272-ND	79

alca GROUP

alca

Sanitary technology,
system walls

Czech Republic
Alcadrain s.r.o.
Bratislavská 2846
690 02 Břeclav
T: +420 519 821 117 – Sales Dept. CZ
T: +420 519 821 041 – Export Dept.
alcadrain@alcadrain.cz
www.alcadrain.com

FV PLAST

Piping systems, floor heating
and ceiling cooling systems

Czech Republic
FV – Plast, a.s.
Kozovazská 1049/3
250 88 Čelákovice
T: +420 326 706 711
fv-plast@fv-plast.cz
www.fvplast.com

Our team of specialists is always on hand to help with design, installation and quote project prices.

The warranty stated for individual products applies only to the functional technical properties of the product, does not apply to wear and tear of the product caused by its normal use or defects caused by non-compliance with general product handling principles or non-compliance with product instructions. Complete warranty conditions at www.alcadrain.com/guarantee.

Czech manufacturer, ISO 9001:2015
Edition 1/2026/2027 EN, © Alcadrain s.r.o.
Changes in dimensions and design reserved.